

**Schnittstelle XML**  
**ARGE Stammdaten**  
**Import gesamt**



**Version 9.0**

**Stand: 07.03.2022**

Grünebaumstr. 4  
33098 Paderborn  
Telefon +49 5251 87288-0  
Fax +49 5251 87288-19  
E-Mail: [info@arge.de](mailto:info@arge.de)

# Versionshistory

## Version 1.0 vom 02.07.2015

Initiale Version erstellt

## Version 1.1 vom 20.04.2016

Struktur	Version 1.0		Version 1.1	
element <b>bBulkGood</b>	used by:	ComplexType, Articles	used by:	entfällt
element <b>cArticletype</b>			facets:	neu: STG
element <b>cCurrencyNet</b>				entfällt
element <b>cPriceunitNet</b>				entfällt
element <b>nPricebaseNet</b>				entfällt
element <b>nPriceNet</b>				entfällt
element <b>cQuantityUnit</b>	used by:	ArticlesTypes, ArticleSets, PackageUnit Type	used by:	entfällt
element <b>nMinOrder</b>	type:	Long 15 Trennzeichen	type: facets:	Decimal_16_3 angepasst
element <b>nQuantity</b>	type:	Int 15 Trennzeichen	type: facets:	Decimal_16_3 angepasst
element <b>sArticleNumberPrint</b>	type:	String 15 Type	type:	String 35 Type
element <b>slntrastatnumber</b>				entfällt
element <b>sSupplier</b>				entfällt
element <b>ArticlesType/ArticleAccessories/bAccessoryUse</b>			neu	neu
element <b>ArticlesType/ArticleAccessories/nAmount</b>			neu	neu
element <b>ArticlesType/ArticleDocuments/cDocumentType</b>			facets:	neu: LE, EL
element <b>HeaderType/HeaderDocuments</b>				entfällt
element <b>HeaderType/HeaderDocuments/cDocumentType</b>				entfällt
element <b>HeaderType/HeaderDocuments/cPictureType</b>				entfällt
simpleType <b>Artikellinktype</b>				entfällt
simpleType <b>Decimal_15_4</b>				entfällt
simpleType <b>Doctype_CL_Document_Header</b>				entfällt
simpleType <b>Doctype_CL_Document_HP</b>			facets:	neu: LE, EL
simpleType <b>Doctype_CL_Picture_Header</b>				entfällt

simpleType <b>Informationscodes</b>				entfällt
simpleType <b>Int_15_Trennzeichen</b>				entfällt
simpleType <b>Long_15_Trennzeichen</b>				entfällt
simpleType <b>String_1000_Type</b>				entfällt
simpleType <b>String_100_Type</b>				entfällt
simpleType <b>String_9_Type</b>				entfällt

**Version 1.2 vom 07.02.2017**

<b>Struktur</b>	<b>Version 1.1</b>		<b>Version 1.2</b>	
element <b>sSupplierID</b>	type:	Int 10 Trennzeichen	type:	Int 13 Trennzeichen
element <b>bUBAListRelevant</b>	-	-	used by:	ArticlesType
element <b>bUBAListConform</b>	-	-	used by:	ArticlesType
element <b>sSerie</b>	-	-	used by:	ArticlesType
element <b>sModelNumber</b>	-	-	used by:	ArticlesType
element <b>sDescriptionShort</b>	-	-	used by:	ArticlesType
element <b>sDescriptionLong</b>	-	-	used by:	ArticlesType
element <b>sDescriptionMarketing</b>	-	-	used by:	ArticlesType
element <b>sUsageNode</b>	-	-	used by:	ArticlesType
element <b>sUrl</b>	type	200	type	256
element <b>cAttributesystem</b>	-	-	used by:	ArticleAttribut
element <b>sAttributeclass</b>	-	-	used by:	ArticleAttribut
element <b>sAttributedescription</b>	-	-	used by:	ArticleAttribut
simpleType <b>Erlaubte_Zeichen_Extended</b>	-	-	neu	
simpleType <b>String_80_Type</b>	-	-	neu	
simpleType <b>String_256_Type</b>	-	-	neu	
simpleType <b>String_256_Extended_Type</b>	-	-	neu	
simpleType <b>String_512_Extended_Type</b>	-	-	neu	
simpleType <b>String_10000_Extended_Type</b>	-	-	neu	
simpleType <b>Int_13_Trennzeichen</b>	-	-	neu	
simpleType <b>Doctype_CL_Document_Article</b>	-	-	neu	facets: UP, WL
simpleType <b>Doctype_CL_Document_HP</b>	-	-	neu	facets: UP, WL

simpleType <b>Verpackungsart</b>	-	-	neu	facets: PLA, KAN, GEB
simpleType <b>Attributesystem_CL</b>	-	-	neu	facets: INDIV, ETIM 6, ETIM 7, ERP 1.15, ERP 2.0, ERP 2.3

**Version 4.0 vom 19.04.2018**

<b>Struktur</b>	<b>Version 1.2</b>		<b>Version 4.0</b>	
element <b>sinventory</b>	type:	String 35 Type		entfällt
element <b>Checknumber</b>	type:	String 35 Type		entfällt
element <b>REACH_date</b>	-	-	neu	ArticlesType
element <b>REACH_Info</b>	-	-	neu	ArticlesType
simpleType <b>REACH_CL</b>	-	-	neu	facets: true, false, no data
simpleType <b>Rawmaterial_CL</b>	-	-	neu	facets: MS
simpleType <b>Countries</b>	-	-	neu	facets: CE, EU, QU
simpleType <b>Verpackungsart</b>	-	-	entfällt	facets: KAN
simpleType <b>Verpackungsart</b>	-	-	neu	facets: CI, RG

**Version 5.0 vom 10.07.2019**

Struktur	Version 4.0		Version 5.0	
simple Type <b>Attributesystem_CL</b>	-	-	neu	facets: ZVSHK
simple Type <b>Doctype_CL_Document_Article</b>	-	-	neu	facets: VP, VM, VT, EP, BS, EX, AS, KS, CE, VD, SS
simple Type <b>Doctype_CL_Document_HP</b>	-	-	neu	facets: VP, VM, VT, EP, BS, EX, AS, KS, CE, VD, SS
element <b>sAttributeclass</b>	type:	String 35	type:	String 60 facets: angepasst
element <b>sAttributename</b>	type:	String 35	type:	String 60 facets: angepasst
element <b>sAttributevalue</b>	type:	String 35	type:	String 60 facets: angepasst
element <b>sAttributevalue2</b>	type:	String 35	type:	String 60 facets: angepasst
element <b>sAttributeunit</b>	type:	String 35	type:	String 60 facets: angepasst
element <b>sAttributedescription</b>	type:	String 35	type:	String 60 facets: angepasst
element <b>sDescriptionShort</b>	type:	minOccurs = 0	type:	minOccurs = 1 ref: angepasst
element <b>bDeleted</b>	-	-	neu used:	ArticlesType

**Version 5.1 vom 17.07.2019**

Struktur	Version 5.0		Version 5.1	
element <b>bSystemRelevantPackaging</b>	-	-	neu used:	HeaderType
element <b>LUCID_RegistrationNumber</b>	-	-	neu used:	HeaderType
Element <b>sDisposalServiceAgent</b>	-	-	neu used:	HeaderType
element <b>WEEERelevant</b>	-	-	neu used:	HeaderType
element <b>WEEE_RegistrationNumber</b>	-	-	neu used:	HeaderType

**Version 5.2 vom 19.12.2019**

Struktur	Version		Version 5.2	
	5.1			
element <b>cDocumentType</b>	-	-	neu	Facets: PL
element <b>HistoricProductsType/HistoricProductDocs/cDocumentType</b>	-	-	neu	Facets: PL
element <b>cAttributesystem</b>	-	-	neu	facets: Batteriekennzeichnung
simple Type <b>Attributesystem_CL</b>	-	-	neu	facets: Batteriekennzeichnung
simple Type <b>Doctype_CL_Document_Article</b>	-	-	neu	facets: PL
simple Type <b>Doctype_CL_Document_HP</b>	-	-	neu	facets: PL

**Version 6.0 vom 15.04.2020**

Struktur	Version 5.2		Version 6.0	
element name <b>sDocDescription</b>	type:	String 35	type:	String 40
element name <b>sWEENumber</b>	-	-	type:	String 20 minOccurs = 0
element name <b>bHazardousGood</b>	-	-	type:	boolean
element name <b>sSubstanceName</b>	-	-	type:	String 20 minOccurs = 0
element name <b>sAdditionalInformation</b>	-	-	type:	String 20 minOccurs = 0
element name <b>bLithiumBatteries</b>	-	-	type:	boolean
ArticleAttributeID field xpath <b>cAttributesystem</b>	-	-	neu	
ArticleAttributeID field xpath <b>sAttributevalue</b>	-	-	neu	
element <b>bIncludesWEEERelevantArticles</b>	used:	HeaderType	entfällt	
element <b>sWEENumber</b>	used:	HeaderType	entfällt	
element name <b>ArticleAccessories</b> element <b>bAccessoryUse</b>			entfällt	
common_type	-	-	neu	&#2200;-&#22FF
element <b>cPictureType</b>	-	-	neu	facets: KB, BF
simpleType <b>Doctype_CL_Picture</b>	-	-	neu	facets: KB, BF
element <b>cDocumentType</b>		facets: 3B,VP,TI,AN	ent- fallen	-
element <b>HistoricProductsType/HistoricProductDocs/ cDocumentType</b>		facets: 3B,VP,TI,AN	ent- fallen	
simpleType <b>Doctype_CL_Document_Article</b>		facets: 3B,VP,TI,AN	ent- fallen	
simpleType <b>Doctype_CL_Document_HP</b>		facets: 3B,VP,TI,AN	ent- fallen	
element <b>cPackageKind</b>	-	-	neu	facets:HP
simpleType <b>EEC_CL</b>			entfällt	
element <b>cAttributesystem</b>			neu	Facets: ETIM 8, ERP, ERP 2.5, Gefahrstoff
simpleType <b>Attributesystem_CL</b>	-	-	neu	Facets: ETIM 8, ERP, ERP 2.5, Gefahrstoff

**Version 7.0 vom 10.01.2021**

<b>Struktur</b>	<b>Version 6.0</b>		<b>Version 7.0</b>	
element name <b>bDangerGood</b>			entfällt	
element name <b>bHazardousGood</b>			entfällt	
element name <b>bLithiumBatteries</b>			entfällt	
element name <b>bUBAListConform</b>			entfällt	
element name <b>bUBAListRelevant</b>			entfällt	
element name <b>REACH_date</b>			entfällt	
element name <b>REACH_Info</b>			entfällt	
element name <b>sWEEENumber</b>			entfällt	
element name <b>sUNNumber</b>			entfällt	
element name <b>sDangerClass</b>			entfällt	
element name <b>sCustomsTariffNumber</b>			entfällt	
element name <b>sSubstanceName</b>			entfällt	
element name <b>sAdditionalInformation</b>			entfällt	
element <b>ArticlesType/PriceLine</b>			neu	
element <b>PriceLine</b>	-	-	neu	
simpleType <b>String_14_Type</b>	-	-	neu	-
simpleType <b>TestString_Type</b>	-	-	neu	
simpleType <b>DocType_CL_Document_Groups</b>		facets: AS, LS, KV	entfallen	
simpleType <b>sTestString</b>	-	-	neu	



element <b>cAttributesystem</b>			neu	facets: Regulations, Gebühren
Attributnamen in Attributsystem Verordnungen ( <b>Regulations</b> ) (siehe Codelisten)			neu	facets: UN-Nummer, Gefahrenklasse, Beförderungskategorie, Offizielle Benennung, Technische Benennung, Gefahrenzettel, Verpackungsgruppe, Anzahl der Versandstücke, Beschreibung der Versandstücke, Tunnelbeschränkungscode
Attributsystem Verordnungen ( <b>Regulations</b> ) (siehe Codelisten)			neu	facets: ERP, ERP 1.15, ERP 2.0, ERP 2.1, ERP 2.3, ERP 2.5, UBA-Positivliste, Gefahrgut, REACH, ECHA-DB, Entsorgung, Batteriekennzeichnung
<b>cAttributesystem</b>			entfallen	ETIM 6, ERP, ERP 1.15, ERP 2.0, ERP 2.3, ERP 2.5, Batteriekennzeichnung, Gefahrstoff
complexType <b>ArticlesType</b>		neu: PLA, GEB	neu	
complexType <b>PackageUnitType</b>		neu: PMS	neu	

**Version 8.0 vom 01.02.2022**

Struktur	Version 7.0		Version 8.0	
element <b>nCUpOU</b>	-	-	neu	DQR 8: Inhaltsmenge
element <b>cContentUnit</b>	-	-	neu	DQR 8: Inhaltseinheit
complexType <b>ArticlesType</b>			neu	facets: LOS, PSK
element <b>cLanguage</b>	-	-	neu	DQR 8: Sprache
element <b>ArticlesType/ArticleRawmaterials</b>			neu	facets: MK
Attributnamen in Attributsystem Verordnungen ( <b>Regulations</b> ) (siehe Codelisten)			neu	SCIP-Number (ECHA-DB), Klasse (Explosionsstoffverordnung), "Leuchtmittel 2019/2015" (ERP), "no data" (ECHA-DB)
Attributsystem Verordnungen ( <b>Regulations</b> ) (siehe Codelisten)			neu	Explosionsstoffverordnung
Attributsystem Verordnungen ( <b>Regulations</b> ) (siehe Codelisten)			entfällt	facets: ERP 1.15, ERP 2.0, ERP 2.1, ERP 2.3, ERP 2.5
element countries			entfällt	facet: CS

**Version 9.0 vom 01.02.2023**

- Dateilänge für Mediendateien von 35 auf 256 Zeichen vergrößert
- sSerie darf auch mehrfach auftreten, nicht mehr nur einmal oder gar nicht
- neues Feld in Kopfdaten „<xs:element ref="sSupplierIDType" minOccurs="0"/>“
- neues Feld in Kopfdaten <xs:element ref="sMessageDescription" minOccurs="0"/>
- Felder Maß a,b,c,Gewicht auf Maß Laenge,Breite,Hoehe,Gewicht abgeändert, Felder in VPE 1 bis 5 auf Maß Laenge,Breite,Hoehe abgeändert:
  - nMeasureA -> nLength
  - nMeasureB -> nWidth
  - nMeasureC -> nHeight
- Element sExplodedView entfällt, weil Explosionszeichnung jetzt normales Bild ist
- neue Sprachencodes von dreibuchstabig auf zweibuchstabig geändert
- neuer Mediencode NZ (Nachhaltigkeitszertifikat)

- maximale Textlänge von sMessageName (Bezeichnung der Datenlieferung) wächst von 35 Zeichen auf 100 Zeichen
- in Werteliste Countries wird Wert „QU“ durch „ZZ“ ersetzt

Struktur	Version 8.0		Version 9.0	
element <b>sSupplierIDType</b>	-	-	neu	DQR 9: Datenlieferant ID Typ
element <b>sMessageDescription</b>	-	-	neu	DQR 9: neues Feld "Hinweise zur Datenlieferung"
Element <b>sDocument</b>	String_35_Type		String_256_Type	DQR 9: maximale Dateilänge wächst von 35 auf 256 Zeichen
element <b>aSerie</b>	nur eine Nutzung pro Artikel		Nutzung mehrfach pro Artikel	DQR9: Nennung mehrerer Serien am Artikel möglich
element <b>nLength</b>	nMeasureA		nLength	DQR 9: Länge der Grundverpackung
element <b>nWidth</b>	nMeasureB		nWidth	DQR 9: Breite der Grundverpackung
Element <b>nHeight</b>	nMeasureC		nHeight	DQR9: Höhe der Grundverpackung
Element <b>PackageUnitType</b>	nMeasureA		nLength	DQR9: statt Maß A jetzt Länge
Element PackageUnitType	nMeasureB		nWidth	DQR9: statt Maß B jetzt Breite
Element PackageUnitType	nMeasureC		nHeight	DQR9: statt Maß B jetzt Höhe
element <b>sSupplierIDType</b>	-		sSupplierIDType	DQR9: Datenlieferant ID Typ
element <b>sMessageDescription</b>	-		sMessageDescription	DQR9: Hinweise zur Datenlieferung

Element <b>sExplodedView</b>	sExplodedView		entfällt	DQR9: Explosionszeichnung jetzt keine eigenes Element mehr, sondern ein Bild
simpleType name=" <b>Doctype_CL_Picture</b> "				DQR 9: erweitert um Wert "X_", weil Explosionszeichnung jetzt ein Bild ist
simpleType name=" <b>Doctype_CL_Picture_Groups</b> "				DQR 9: erweitert um Wert "X_", weil Explosionszeichnung jetzt ein Bild ist
Element <b>sMessageName</b>	String_35_Type		String_100_Type	DQR 9: Feldlänge von "Bezeichnung der Datenlieferung" wächst von 35 auf 100 Zeichen
simpleType name=" <b>Doctype_CL_Document_Article</b> "				DQR 9: Werteliste erweitert um "NZ" (Nachhaltigkeitszertifikat)
simpleType name=" <b>Doctype_CL_Document_Groups</b> "				DQR 9: Werteliste erweitert um "NZ" (Nachhaltigkeitszertifikat)
simpleType name=" <b>Doctype_CL_Document_HP</b> "				DQR 9: Werteliste erweitert um "NZ" (Nachhaltigkeitszertifikat)
simpleType name=" <b>Countries</b> "	Wert "QU"		Wert "ZZ "	DQR 9: Wert "QU" wird durch "ZZ" ersetzt
simpleType name=" <b>Language_CL</b> "	"ger"		"de"	DQR 9: dreibuchstabige Sprachcodes sämtlich durch zweibuchstabige Codes ersetzt

Schema **arge\_david.xsd**

## Elements

[bCapableOfOrdering](#)  
[bDeleted](#)  
[bExportabel](#)  
[bSubstitute](#)  
[cArticleType](#)  
[cAttributesystem](#)  
[cAttributeunit](#)

## Complex types

[ArticlesType](#)  
[BonusgroupsType](#)  
[DiscountgroupsType](#)  
[HeaderType](#)  
[HistoricProductsType](#)  
[LongtextType](#)  
[PackageUnitType](#)

<a href="#"><u>cContentunit</u></a>	<a href="#"><u>ProductgroupsType</u></a>
<a href="#"><u>cCountryOfOrigin</u></a>	<a href="#"><u>SHK StammdatenType</u></a>
<a href="#"><u>cCurrency</u></a>	<a href="#"><u>SparepartlistsType</u></a>
<a href="#"><u>cCurrencyPro</u></a>	<a href="#"><u>WaregroupsType</u></a>
<a href="#"><u>cCurrencyUVP</u></a>	
<a href="#"><u>cDiscontinued</u></a>	
<a href="#"><u>cDisplayIn</u></a>	
<a href="#"><u>cDocumentType</u></a>	
<a href="#"><u>cHeightUnit</u></a>	
<a href="#"><u>cLanguage</u></a>	
<a href="#"><u>cLengthUnit</u></a>	
<a href="#"><u>cMaterial</u></a>	
<a href="#"><u>cMeasuredeclaration</u></a>	
<a href="#"><u>cMinOrderUnit</u></a>	
<a href="#"><u>cPackageKind</u></a>	
<a href="#"><u>cPictureType</u></a>	
<a href="#"><u>cPictureUse</u></a>	
<a href="#"><u>cPriceunit</u></a>	
<a href="#"><u>cPriceunitPro</u></a>	
<a href="#"><u>cPriceunitUVP</u></a>	
<a href="#"><u>cTaxCode</u></a>	
<a href="#"><u>cUnit</u></a>	
<a href="#"><u>cWeightbaseUnit</u></a>	
<a href="#"><u>cWeightrateUnit</u></a>	
<a href="#"><u>cWeightUnit</u></a>	
<a href="#"><u>cWidthUnit</u></a>	
<a href="#"><u>dConstructionFrom</u></a>	
<a href="#"><u>dConstructionTo</u></a>	
<a href="#"><u>dDiscontinuedStart</u></a>	
<a href="#"><u>dValidityBegin</u></a>	
<a href="#"><u>dValidityEnd</u></a>	
<a href="#"><u>nAmount</u></a>	
<a href="#"><u>nCUpOU</u></a>	
<a href="#"><u>nDeliveryTime</u></a>	
<a href="#"><u>nDocOrder</u></a>	
<a href="#"><u>nHeight</u></a>	
<a href="#"><u>nLength</u></a>	
<a href="#"><u>nMeasure</u></a>	
<a href="#"><u>nMinOrder</u></a>	
<a href="#"><u>nPackageAmount</u></a>	
<a href="#"><u>nPrice</u></a>	
<a href="#"><u>nPricebase</u></a>	
<a href="#"><u>nPricebasePro</u></a>	
<a href="#"><u>nPricebaseUVP</u></a>	
<a href="#"><u>nPricePro</u></a>	
<a href="#"><u>nPriceUVP</u></a>	
<a href="#"><u>nQuantity</u></a>	

[nRow](#)  
[nShelfLife](#)  
[nTextRow](#)  
[nWeight](#)  
[nWeigthbase](#)  
[nWeigthrate](#)  
[nWidth](#)  
[PriceOnDemand](#)  
[sAccessory](#)  
[sAlternate](#)  
[sArticle](#)  
[sArticleNumberPrint](#)  
[sAssignedArticle](#)  
[sAttributeclass](#)  
[sAttributedescription](#)  
[sAttributename](#)  
[sAttributevalue](#)  
[sAttributevalue2](#)  
[sBonusgroup](#)  
[sCatalogDesc](#)  
[sCatalogID](#)  
[sConstructiontext](#)  
[sDescription](#)  
[sDescriptionLong](#)  
[sDescriptionMarketing](#)  
[sDescriptionShort](#)  
[sDimensiontext](#)  
[sDiscountgroup](#)  
[sDocDescription](#)  
[sDocument](#)  
[sEan](#)  
[sHistoricProduct](#)  
[SHK Stammdaten](#)  
[sList](#)  
[sLongtext](#)  
[sMessageDescription](#)  
[sMessageName](#)  
[sMixedpallet](#)  
[sMixedpallette](#)  
[sModelNumber](#)  
[sPosition](#)  
[sPricegroup](#)  
[sProductgroup](#)  
[sSerie](#)  
[sShorttext1](#)  
[sShorttext2](#)

[sSparepart](#)  
[sSparepartlist](#)  
[sSuccessor 1](#)  
[sSuccessor 2](#)  
[sSuccessor 3](#)  
[sSupplierID](#)  
[sSupplierIDType](#)  
[sSupplierShortName](#)  
[sSupplierSynonym](#)  
[sTeststring](#)  
[sText](#)  
[sUrl](#)  
[sUsageNode](#)  
[sWaregroup](#)  
[sWaregroupNumber](#)

Complex types


[GroupDocumentType](#)

Simple types

[Articletype](#)  
[Artikelnummer](#)  
[Attributesystem CL](#)  
[Countries](#)  
[Currency CL](#)  
[DateFormat](#)  
[Decimal 15 2](#)  
[Decimal 16 3](#)  
[Decimal 18 4](#)  
[Discontinued CL](#)  
[Display CL](#)  
[Doctype CL Document Article](#)  
[Doctype CL Document Groups](#)  
[Doctype CL Document HP](#)  
[Doctype CL Picture](#)  
[Doctype CL Picture Groups](#)  
[Erlaubte Zeichen](#)  
[Erlaubte Zeichen Extended](#)  
[Int 10 Trennzeichen](#)  
[Int 1 99 Type](#)  
[Int 2 Trennzeichen](#)  
[Int 3 Type](#)  
[Int 8 Trennzeichen](#)  
[Int 9 Trennzeichen](#)  
[Language CL](#)  
[LengthUnit CL](#)


[Measuredeclaration CL](#)  
[PictureUse](#)  
[PriceOnDemand Type](#)  
[Rawmaterial CL](#)  
[String 0 40 Type](#)  
[String 10000 Extended Type](#)  
[String 1000 Type](#)  
[String 100 Type](#)  
[String 10 Type](#)  
[String 14 Type](#)  
[String 15 Type](#)  
[String 20 Type](#)  
[String 256 Extended Type](#)  
[String 256 Type](#)  
[String 2 Type](#)  
[String 35 Type](#)  
[String 3 Type](#)  
[String 40 Type](#)  
[String 4 Type](#)  
[String 512 Extended Type](#)  
[String 5 Type](#)  
[String 60 Extended Type](#)  
[String 80 Type](#)  
[String 8 Type](#)  
[Supplier ID](#)  
[TaxCode CL](#)  
[Teststring Type](#)  
[Unit CL](#)  
[Verpackungsart](#)  
[WeightUnit CL](#)

#### element **bCapableOfOrdering**


diagram	
type	<b>xs:boolean</b>
properties	content simple
used by	complexType <a href="#">ArticlesType</a>
source	<code>&lt;xs:element name="bCapableOfOrdering" type="xs:boolean"/&gt;</code>




element **bDeleted**

diagram	
type	xs:boolean
properties	content simple
used by	complexType <a href="#">ArticlesType</a>
source	<code>&lt;xs:element name="bDeleted" type="xs:boolean"/&gt;</code>


element **bExportabel**

diagram	
type	xs:boolean
properties	content simple
used by	complexType <a href="#">ArticlesType</a>
source	<code>&lt;xs:element name="bExportabel" type="xs:boolean"/&gt;</code>

element **bSubstitute**


diagram	
type	xs:boolean
properties	content simple
used by	elements <a href="#">ArticlesType/ArticlePictures</a> <a href="#">HistoricProductsType/HistoricProductPics</a>
source	<code>&lt;xs:element name="bSubstitute" type="xs:boolean"/&gt;</code>

element **cArticletype**


diagram			
type	<a href="#">Articletype</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä ö ß &#x00A7;)*	
	enumeration	STD	
	enumeration	ERA	
	enumeration	ERB	
	enumeration	ERC	

	enumeration	VA
	enumeration	MA
	enumeration	DLS
	enumeration	PAK
	enumeration	SON
	enumeration	KAL
	enumeration	STG
	enumeration	PLA
	enumeration	GEB
	enumeration	LOS
	enumeration	PSK
source	<xs:element name="cArticletype" type="Articletype"/>	

element **cAttributesystem**


diagram			
type	<a href="#">Attributesystem CL</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleAttribute</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] : &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä ö ß &#x00A7;)*	
	enumeration	INDIV	
	enumeration	ETIM 7	
	enumeration	ETIM 8	
	enumeration	ETIM 9	
	enumeration	ZVSHK	
	enumeration	Gebühren	
	enumeration	Regulations	
source	<xs:element name="cAttributesystem" type="Attributesystem_CL"/>		

element **cAttributeunit**


diagram			
type	<a href="#">String 60 Extended Type</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleAttribute</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	60	
	pattern	([&#x0020;-&#x007E;][&#x00A0;-&#x00FF;][&#x0100;-&#x017F;][&#x0370;-	

	&#x03FF; [[&#x0400;-&#x04FF;]] [[&#x20A0;-&#x20CF;]] [[&#x2000;-&#x206F;]] &#x2300; &#x000A; &#x000D; [[&#x2200;-&#x22FF;]])*
source	<xs:element name="cAttributeunit" type="String_60_Extended_Type"/>

element **cContentunit**

diagram			
type	<a href="#">Unit_CL</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	enumeration	DZN	
	enumeration	GRM	
	enumeration	HLT	
	enumeration	KGM	
	enumeration	KTM	
	enumeration	MTQ	
	enumeration	CMQ	
	enumeration	LTR	
	enumeration	MTR	
	enumeration	MMT	
	enumeration	PR	
	enumeration	MTK	
	enumeration	CMK	
	enumeration	SET	
	enumeration	PCE	
	enumeration	TNE	
	enumeration	CMT	
source	<xs:element name="cContentunit" type="Unit_CL"/>		

element **cCountryOfOrigin**

diagram				
type	<a href="#">Countries</a>			
properties	content	simple		
used by	complexType	<a href="#">ArticlesType</a>		
facets	Kind	Value	Annotation	
	pattern	{&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä Ä ö Ö ß&#x00A7;)*		
	enumeration	AF		
	enumeration	EG		

enumeration	AX
enumeration	AL
enumeration	DZ
enumeration	AS
enumeration	VI
enumeration	AD
enumeration	AO
enumeration	AI
enumeration	AQ
enumeration	AG
enumeration	GQ
enumeration	AR
enumeration	AM
enumeration	AW
enumeration	AC
enumeration	AZ
enumeration	ET
enumeration	AU
enumeration	BS
enumeration	BH
enumeration	BD
enumeration	BB
enumeration	BY
enumeration	BE
enumeration	BZ
enumeration	BJ
enumeration	BM
enumeration	BT
enumeration	BO
enumeration	BQ
enumeration	BA
enumeration	BW
enumeration	BV
enumeration	BR
enumeration	VG
enumeration	IO
enumeration	BN
enumeration	BG
enumeration	BF
enumeration	BU
enumeration	BI
enumeration	EA
enumeration	CL
enumeration	CN
enumeration	CP
enumeration	CK

enumeration	CR
enumeration	CI
enumeration	CW
enumeration	DK
enumeration	DE
enumeration	DG
enumeration	DM
enumeration	DO
enumeration	DJ
enumeration	EC
enumeration	SV
enumeration	ER
enumeration	EE
enumeration	CE
enumeration	EU
enumeration	FK
enumeration	FO
enumeration	FJ
enumeration	FI
enumeration	FR
enumeration	FX
enumeration	GF
enumeration	PF
enumeration	TF
enumeration	GA
enumeration	GM
enumeration	GE
enumeration	GH
enumeration	GI
enumeration	GD
enumeration	GR
enumeration	GL
enumeration	GP
enumeration	GU
enumeration	GT
enumeration	GG
enumeration	GN
enumeration	GW
enumeration	GY
enumeration	HT
enumeration	HM
enumeration	HN
enumeration	HK
enumeration	IN
enumeration	ID
enumeration	IM

enumeration	IQ
enumeration	IR
enumeration	IE
enumeration	IS
enumeration	IL
enumeration	IT
enumeration	JM
enumeration	JP
enumeration	YE
enumeration	JE
enumeration	JO
enumeration	YU
enumeration	KY
enumeration	KH
enumeration	CM
enumeration	CA
enumeration	IC
enumeration	CV
enumeration	KZ
enumeration	QA
enumeration	KE
enumeration	KG
enumeration	KI
enumeration	CC
enumeration	CO
enumeration	KM
enumeration	CD
enumeration	CG
enumeration	KP
enumeration	KR
enumeration	HR
enumeration	CU
enumeration	KW
enumeration	LA
enumeration	LS
enumeration	LV
enumeration	LB
enumeration	LR
enumeration	LY
enumeration	LI
enumeration	LT
enumeration	LU
enumeration	MO
enumeration	MG
enumeration	MW
enumeration	MY


enumeration	MV
enumeration	ML
enumeration	MT
enumeration	MA
enumeration	MH
enumeration	MQ
enumeration	MR
enumeration	MU
enumeration	YT
enumeration	MK
enumeration	MX
enumeration	FM
enumeration	MD
enumeration	MC
enumeration	MN
enumeration	ME
enumeration	MS
enumeration	MZ
enumeration	MM
enumeration	NA
enumeration	NR
enumeration	NP
enumeration	NC
enumeration	NZ
enumeration	NT
enumeration	NI
enumeration	NL
enumeration	AN
enumeration	NE
enumeration	NG
enumeration	NU
enumeration	MP
enumeration	NF
enumeration	NO
enumeration	OM
enumeration	AT
enumeration	TL
enumeration	PK
enumeration	PS
enumeration	PW
enumeration	PA
enumeration	PG
enumeration	PY
enumeration	PE
enumeration	PH
enumeration	PN

enumeration	PL
enumeration	PT
enumeration	PR
enumeration	RE
enumeration	RW
enumeration	RO
enumeration	RU
enumeration	SB
enumeration	BL
enumeration	MF
enumeration	ZM
enumeration	WS
enumeration	SM
enumeration	ST
enumeration	SA
enumeration	SE
enumeration	CH
enumeration	SN
enumeration	RS
enumeration	SC
enumeration	SL
enumeration	ZW
enumeration	SG
enumeration	SX
enumeration	SK
enumeration	SI
enumeration	SO
enumeration	ES
enumeration	LK
enumeration	SH
enumeration	KN
enumeration	LC
enumeration	PM
enumeration	VC
enumeration	ZA
enumeration	SD
enumeration	GS
enumeration	SS
enumeration	SR
enumeration	SJ
enumeration	SZ
enumeration	SY
enumeration	TJ
enumeration	TW
enumeration	TZ
enumeration	TH




	enumeration TG
	enumeration TK
	enumeration TO
	enumeration TT
	enumeration TA
	enumeration TD
	enumeration CZ
	enumeration TN
	enumeration TR
	enumeration TM
	enumeration TC
	enumeration TV
	enumeration SU
	enumeration UG
	enumeration UA
	enumeration HU
	enumeration UM
	enumeration UY
	enumeration UZ
	enumeration VU
	enumeration VA
	enumeration VE
	enumeration AE
	enumeration US
	enumeration GB
	enumeration VN
	enumeration WF
	enumeration CX
	enumeration EH
	enumeration ZR
	enumeration CF
	enumeration CY
	enumeration ZZ
source	<xs:element name="cCountryOfOrigin" type="Countries"/>

element **cCurrency**


diagram			
type	<a href="#">Currency CL</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/PriceLine</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-	

	9]  &#x3C; = > \?&#x40; [A-Z]\^\_ [a-z] ü Û ä ö ö ß &#x00A7;)* enumeration EUR
source	<code>&lt;xs:element name="cCurrency" type="Currency_CL"/&gt;</code>


element **cCurrencyPro**

diagram			
type	<a href="#">Currency_CL</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\^ \\+ , &#x2D; \\. /[0-9]  &#x3C; = > \\?&#x40; [A-Z]\\^\\_ [a-z] ü Û ä ö ö ß &#x00A7;)*	
	enumeration	EUR	
source	<xs:element name="cCurrencyPro" type="Currency_CL"/>		

element **cCurrencyUVP**


diagram			
type	<a href="#">Currency_CL</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\^ \\+ , &#x2D; \\. /[0-9]  &#x3C; = > \\?&#x40; [A-Z]\\^\\_ [a-z] ü Û ä ö ö ß &#x00A7;)*	
	enumeration	EUR	
source	<xs:element name="cCurrencyUVP" type="Currency_CL"/>		

element **cDiscontinued**


diagram			
type	<a href="#">Discontinued_CL</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\^ \\+ , &#x2D; \\. /[0-9]  &#x3C; = > \\?&#x40; [A-Z] \\^ _ '[a-z] ü Û ä ö ö ß &#x00A7;)*	
	enumeration	Yes	
	enumeration	Yes-Successor	

	enumeration No
source	<code>&lt;xs:element name="cDiscontinued" type="Discontinued_CL"/&gt;</code>

element **cDisplayIn**


diagram			
type	<a href="#">Display_CL</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ÿ ä ö ß &#x00A7;)*	
	enumeration	3	
	enumeration	0	
	enumeration	1	
	enumeration	2	
source	<xs:element name="cDisplayIn" type="Display_CL"/>		

element **cDocumentType**


diagram			
type	<a href="#">Doctype_CL Document Article</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleDocuments</a>	
facets	Kind	Value	Annotation
	enumeration	2D	
	enumeration	2F	
	enumeration	2S	
	enumeration	3C	
	enumeration	3A	
	enumeration	DB	
	enumeration	GG	
	enumeration	IS	
	enumeration	MA	
	enumeration	PA	
	enumeration	PP	
	enumeration	ZL	
	enumeration	SB	
	enumeration	SF	
	enumeration	PF	
	enumeration	TZ	

	enumeration VI
	enumeration WA
	enumeration LE
	enumeration EL
	enumeration UP
	enumeration WL
	enumeration VM
	enumeration VT
	enumeration EP
	enumeration BS
	enumeration EX
	enumeration KS
	enumeration CE
	enumeration VD
	enumeration SS
	enumeration PL
	enumeration NZ
source	<code>&lt;xs:element name="cDocumentType" type="Doctype_CL_Document_Article"/&gt;</code>

element **cHeightUnit**

diagram																
type	<a href="#">LengthUnit_CL</a>															
properties	content    simple															
used by	complexTypes <a href="#">ArticlesType</a> <a href="#">PackageUnitType</a>															
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>KTM</td><td></td></tr><tr><td>enumeration</td><td>MTR</td><td></td></tr><tr><td>enumeration</td><td>MMT</td><td></td></tr><tr><td>enumeration</td><td>CMT</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	KTM		enumeration	MTR		enumeration	MMT		enumeration	CMT	
Kind	Value	Annotation														
enumeration	KTM															
enumeration	MTR															
enumeration	MMT															
enumeration	CMT															
source	<code>&lt;xs:element name="cHeightUnit" type="LengthUnit_CL"/&gt;</code>															

element **cLanguage**

diagram			
type	<a href="#">Language_CL</a>		
properties	content	simple	
used by	elements	<a href="#">ArticlesType/ArticleDocuments</a> <a href="#">HistoricProductsType/HistoricProductDocs</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*	

enumeration	zx
enumeration	aa
enumeration	ab
enumeration	af
enumeration	ak
enumeration	am
enumeration	ar
enumeration	an
enumeration	as
enumeration	av
enumeration	ae
enumeration	ay
enumeration	az
enumeration	ba
enumeration	bm
enumeration	be
enumeration	bn
enumeration	bi
enumeration	bo
enumeration	bs
enumeration	br
enumeration	bg
enumeration	ca
enumeration	cs
enumeration	ch
enumeration	ce
enumeration	cu
enumeration	cv
enumeration	kw
enumeration	co
enumeration	cr
enumeration	cy
enumeration	da
enumeration	de
enumeration	dv
enumeration	dz
enumeration	el
enumeration	en
enumeration	et
enumeration	eu
enumeration	ee
enumeration	fo
enumeration	fa
enumeration	fj
enumeration	fi
enumeration	fr


enumeration	fy
enumeration	ff
enumeration	gd
enumeration	ga
enumeration	gl
enumeration	gv
enumeration	gn
enumeration	gu
enumeration	ht
enumeration	ha
enumeration	sh
enumeration	he
enumeration	hz
enumeration	hi
enumeration	ho
enumeration	hr
enumeration	hu
enumeration	hy
enumeration	ig
enumeration	ii
enumeration	iu
enumeration	id
enumeration	ik
enumeration	is
enumeration	it
enumeration	jv
enumeration	ja
enumeration	kl
enumeration	kn
enumeration	ks
enumeration	ka
enumeration	kr
enumeration	kk
enumeration	km
enumeration	ki
enumeration	rw
enumeration	ky
enumeration	kv
enumeration	kg
enumeration	ko
enumeration	kj
enumeration	ku
enumeration	lo
enumeration	la
enumeration	lv
enumeration	li

enumeration	ln
enumeration	lt
enumeration	lb
enumeration	lu
enumeration	lg
enumeration	mh
enumeration	ml
enumeration	mr
enumeration	mk
enumeration	mg
enumeration	mt
enumeration	mn
enumeration	mi
enumeration	ms
enumeration	my
enumeration	na
enumeration	nv
enumeration	nr
enumeration	nd
enumeration	ng
enumeration	ne
enumeration	nl
enumeration	nn
enumeration	nb
enumeration	no
enumeration	ny
enumeration	oc
enumeration	oj
enumeration	or
enumeration	om
enumeration	os
enumeration	pa
enumeration	pi
enumeration	pl
enumeration	pt
enumeration	ps
enumeration	qu
enumeration	rm
enumeration	ro
enumeration	rn
enumeration	ru
enumeration	sg
enumeration	sa
enumeration	si
enumeration	sk
enumeration	sl


	enumeration se
	enumeration sm
	enumeration sn
	enumeration sd
	enumeration so
	enumeration st
	enumeration es
	enumeration sq
	enumeration sc
	enumeration sr
	enumeration ss
	enumeration su
	enumeration sw
	enumeration sv
	enumeration ty
	enumeration ta
	enumeration tt
	enumeration te
	enumeration tg
	enumeration tl
	enumeration th
	enumeration ti
	enumeration to
	enumeration tn
	enumeration ts
	enumeration tk
	enumeration tr
	enumeration tw
	enumeration ug
	enumeration uk
	enumeration ur
	enumeration uz
	enumeration ve
	enumeration vi
	enumeration wa
	enumeration wo
	enumeration xh
	enumeration yi
	enumeration yo
	enumeration za
	enumeration zh
	enumeration zu
	enumeration bh
source	<xs:element name="cLanguage" type="Language_CL"/>




element **cLengthUnit**

diagram			
type	<a href="#">LengthUnit CL</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">PackageUnitType</a>	
facets	Kind	Value	Annotation
	enumeration	KTM	
	enumeration	MTR	
	enumeration	MMT	
	enumeration	CMT	
source	<code>&lt;xs:element name="cLengthUnit" type="LengthUnit_CL"/&gt;</code>		


element **cMaterial**

diagram			
type	<a href="#">Rawmaterial CL</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleRawmaterials</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ \\` [a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
	enumeration	AL	
	enumeration	PB	
	enumeration	CR	
	enumeration	AU	
	enumeration	CD	
	enumeration	CU	
	enumeration	MG	
	enumeration	MS	
	enumeration	NI	
	enumeration	PL	
	enumeration	AG	
	enumeration	W	
	enumeration	ZN	
	enumeration	SN	
	enumeration	MK	
source	<code>&lt;xs:element name="cMaterial" type="Rawmaterial_CL"/&gt;</code>		

element **cMeasuredeclaration**


diagram			
type	<a href="#">Measuredeclaration CL</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleMeasures</a>	
facets	Kind	Value	Annotation
	enumeration	WD	
	enumeration	DW	
	enumeration	VW	
	enumeration	DI	
	enumeration	FN	
	enumeration	AAI	
	enumeration	BW	
	enumeration	HT	
	enumeration	LN	
	enumeration	DP	
	enumeration	ABJ	
source	<xs:element name="cMeasuredeclaration" type="Measuredeclaration_CL"/>		

element **cMinOrderUnit**


diagram			
type	<a href="#">Unit CL</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	enumeration	DZN	
	enumeration	GRM	
	enumeration	HLT	
	enumeration	KGM	
	enumeration	KTM	
	enumeration	MTQ	
	enumeration	CMQ	
	enumeration	LTR	
	enumeration	MTR	
	enumeration	MMT	
	enumeration	PR	
	enumeration	MTK	
	enumeration	CMK	
	enumeration	SET	
	enumeration	PCE	

	enumeration TNE enumeration CMT
source	<code>&lt;xs:element name="cMinOrderUnit" type="Unit_CL"/&gt;</code>

element **cPackageKind**

diagram			
type	<a href="#">Verpackungsart</a>		
properties	content simple		
used by	complexType <a href="#">PackageUnitType</a>		
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä ö ß &#x00A7;)*	
	enumeration	BB	
	enumeration	BG	
	enumeration	BH	
	enumeration	BK	
	enumeration	CF	
	enumeration	CG	
	enumeration	CH	
	enumeration	CI	
	enumeration	CT	
	enumeration	PA	
	enumeration	PC	
	enumeration	PG	
	enumeration	PK	
	enumeration	PN	
	enumeration	PU	
	enumeration	RG	
	enumeration	SC	
	enumeration	HP	
	enumeration	TU	
	enumeration	BTL	
	enumeration	BX	
	enumeration	CO	
	enumeration	DY	
	enumeration	STG	
	enumeration	TRO	
	enumeration	PLA	
	enumeration	GEB	
	enumeration	PMS	
source	<xs:element name="cPackageKind" type="Verpackungsart"/>		


element **cPictureType**

diagram			
type	<a href="#">Doctype_CL_Picture</a>		
properties	content	simple	
used by	elements	<a href="#">ArticlesType/ArticlePictures</a> <a href="#">HistoricProductsType/HistoricProductPics</a>	
facets	Kind	Value	Annotation
	enumeration	B_	
	enumeration	S_	
	enumeration	U_	
	enumeration	V_	
	enumeration	MI	
	enumeration	DT	
	enumeration	LO	
	enumeration	KB	
	enumeration	BF	
	enumeration	X_	
source	<code>&lt;xs:element name="cPictureType" type="Doctype_CL_Picture"/&gt;</code>		

element **cPictureUse**


diagram			
type	<a href="#">PictureUse</a>		
properties	content	simple	
used by	elements	<a href="#">ArticlesType/ArticlePictures</a> <a href="#">HistoricProductsType/HistoricProductPics</a>	
	complexType	<a href="#">GroupDocumentType</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] : &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä ö ö ß &#x00A7;)*	
	enumeration	Druck	
	enumeration	Web	
source	<code>&lt;xs:element name="cPictureUse" type="PictureUse"/&gt;</code>		

element **cPriceunit**

diagram			
type	<a href="#">Unit_CL</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/PriceLine</a>	


facets	Kind	Value	Annotation
	enumeration	DZN	
	enumeration	GRM	
	enumeration	HLT	
	enumeration	KGM	
	enumeration	KTM	
	enumeration	MTQ	
	enumeration	CMQ	
	enumeration	LTR	
	enumeration	MTR	
	enumeration	MMT	
	enumeration	PR	
	enumeration	MTK	
	enumeration	CMK	
	enumeration	SET	
	enumeration	PCE	
	enumeration	TNE	
	enumeration	CMT	
source	<xs:element name="cPriceunit" type="Unit_CL"/>		

element **cPriceunitPro**


diagram			
type	<a href="#">Unit_CL</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	enumeration	DZN	
	enumeration	GRM	
	enumeration	HLT	
	enumeration	KGM	
	enumeration	KTM	
	enumeration	MTQ	
	enumeration	CMQ	
	enumeration	LTR	
	enumeration	MTR	
	enumeration	MMT	
	enumeration	PR	
	enumeration	MTK	
	enumeration	CMK	
	enumeration	SET	
	enumeration	PCE	
	enumeration	TNE	

	enumeration CMT
source	<code>&lt;xs:element name="cPriceunitPro" type="Unit_CL"/&gt;</code>

element **cPriceunitUVP**


diagram			
type	<a href="#">Unit_CL</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	enumeration	DZN	
	enumeration	GRM	
	enumeration	HLT	
	enumeration	KGM	
	enumeration	KTM	
	enumeration	MTQ	
	enumeration	CMQ	
	enumeration	LTR	
	enumeration	MTR	
	enumeration	MMT	
	enumeration	PR	
	enumeration	MTK	
	enumeration	CMK	
	enumeration	SET	
	enumeration	PCE	
	enumeration	TNE	
	enumeration	CMT	
source	<code>&lt;xs:element name="cPriceunitUVP" type="Unit_CL"/&gt;</code>		

element **cTaxCode**


diagram			
type	<a href="#">TaxCode CL</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] :&#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä ö ö ß &#x00A7;)*	
	enumeration	0	
	enumeration	1	
	enumeration	7	

	enumeration 8
source	<code>&lt;xs:element name="cTaxCode" type="TaxCode_CL"/&gt;</code>

element **cUnit**


diagram			
type	<a href="#">Unit_CL</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleMeasures</a>	
facets	Kind	Value	Annotation
	enumeration	DZN	
	enumeration	GRM	
	enumeration	HLT	
	enumeration	KGM	
	enumeration	KTM	
	enumeration	MTQ	
	enumeration	CMQ	
	enumeration	LTR	
	enumeration	MTR	
	enumeration	MMT	
	enumeration	PR	
	enumeration	MTK	
	enumeration	CMK	
	enumeration	SET	
	enumeration	PCE	
	enumeration	TNE	
	enumeration	CMT	
source	<code>&lt;xs:element name="cUnit" type="Unit_CL"/&gt;</code>		

element **cWeightbaseUnit**

diagram			
type	<a href="#">Unit_CL</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleRawmaterials</a>	
facets	Kind	Value	Annotation
	enumeration	DZN	
	enumeration	GRM	
	enumeration	HLT	
	enumeration	KGM	


	enumeration KTM enumeration MTQ enumeration CMQ enumeration LTR enumeration MTR enumeration MMT enumeration PR enumeration MTK enumeration CMK enumeration SET enumeration PCE enumeration TNE enumeration CMT
source	<code>&lt;xs:element name="cWeightbaseUnit" type="Unit_CL"/&gt;</code>

element **cWeightrateUnit**


diagram			
type	<a href="#">Unit_CL</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleRawmaterials</a>	
facets	Kind	Value	Annotation
	enumeration	DZN	
	enumeration	GRM	
	enumeration	HLT	
	enumeration	KGM	
	enumeration	KTM	
	enumeration	MTQ	
	enumeration	CMQ	
	enumeration	LTR	
	enumeration	MTR	
	enumeration	MMT	
	enumeration	PR	
	enumeration	MTK	
	enumeration	CMK	
	enumeration	SET	
	enumeration	PCE	
	enumeration	TNE	
	enumeration	CMT	
source	<code>&lt;xs:element name="cWeightrateUnit" type="Unit_CL"/&gt;</code>		




element **cWeightUnit**

diagram			
type	<a href="#">WeightUnit_CL</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">PackageUnitType</a>	
facets	Kind	Value	Annotation
	enumeration	GRM	
	enumeration	KGM	
	enumeration	TNE	
source	<xs:element name="cWeightUnit" type="WeightUnit_CL"/>		


element **cWidthUnit**

diagram			
type	<a href="#">LengthUnit_CL</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">PackageUnitType</a>	
facets	Kind	Value	Annotation
	enumeration	KTM	
	enumeration	MTR	
	enumeration	MMT	
	enumeration	CMT	
source	<xs:element name="cWidthUnit" type="LengthUnit_CL"/>		


element **dConstructionFrom**

diagram			
type	<a href="#">DateFormat</a>		
properties	content	simple	
used by	element	<a href="#">SparepartlistsType/Spareparts/ArticleRow/LinkedHistoricProduct</a>	
	complexTypes	<a href="#">ArticlesType</a> <a href="#">HistoricProductsType</a>	
facets	Kind	Value	Annotation
	pattern	(((0)[1-9]) ((12)[0-9]) (3[01]))((0[13578]) (1[02]))(19 20)[0-9]{2})(((0)[1-9] (12)[0-9] 30)(0[469] 11)(19 20)[0-9]{2}) (((0)[1-9] (1)[0-9] 2[0-8])02((19) (20))[0-9]{2}) (((0)[1-9] (12)[0-9])02(2000 (19 20)(04 08 12 16 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96))))	
source	<xs:element name="dConstructionFrom" type="DateFormat"/>		


element **dConstructionTo**

diagram			
type	<a href="#">DateFormat</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a> <a href="#">HistoricProductsType</a>	
facets	Kind	Value	Annotation
	pattern	(((0[1-9]) ([12][0-9]) (3[01]))((0[13578]) (1[02]))(19 20)[0-9]{2}) ((0[1-9]) ([12][0-9]) 30)(0[469])11)(19 20)[0-9]{2}) (((0[1-9]) ([1][0-9]) 2[0-8])02((19) (20))[0-9]{2}) (((0[1-9]) ([12][0-9]) 02(2000 (19 20)(04 08 12 16 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96))))	
source	<xs:element name="dConstructionTo" type="DateFormat"/>		

element **dDiscontinuedStart**

diagram			
type	<a href="#">DateFormat</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	pattern	(((0[1-9]) ([12][0-9]) (3[01]))((0[13578]) (1[02]))(19 20)[0-9]{2}) ((0[1-9]) ([12][0-9]) 30)(0[469])11)(19 20)[0-9]{2}) (((0[1-9]) ([1][0-9]) 2[0-8])02((19) (20))[0-9]{2}) (((0[1-9]) ([12][0-9]) 02(2000 (19 20)(04 08 12 16 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96))))	
source	<xs:element name="dDiscontinuedStart" type="DateFormat"/>		

element **dValidityBegin**


diagram			
type	<a href="#">DateFormat</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">HeaderType</a>	
facets	Kind	Value	Annotation
	pattern	(((0[1-9]) ([12][0-9]) (3[01]))((0[13578]) (1[02]))(19 20)[0-9]{2}) ((0[1-9]) ([12][0-9]) 30)(0[469])11)(19 20)[0-9]{2}) (((0[1-9]) ([1][0-9]) 2[0-8])02((19) (20))[0-9]{2}) (((0[1-9]) ([12][0-9]) 02(2000 (19 20)(04 08 12 16 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96))))	
source	<xs:element name="dValidityBegin" type="DateFormat"/>		

element **dValidityEnd**


diagram			
---------	---	--	--

type	<a href="#">DateFormat</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a> <a href="#">HeaderType</a>	
facets	Kind	Value	Annotation
	pattern	(((0[1-9]) ([12][0-9]) (3[01]) ((0[13578]) (1[02])) (19 20)[0-9]{2}) (((0[1-9]) ([12][0-9]) 30)(0[469]) 11)(19 20)[0-9]{2}) (((0[1-9]) ([1][0-9]) 2[0-8])02((19) (20))[0-9]{2}) (((0[1-9]) ([12][0-9])02(2000 (19 20)(04 08 12 16 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96))))	
source	<xs:element name="dValidityEnd" type="DateFormat"/>		


element **nAmount**

diagram			
type	<a href="#">Decimal 16 3</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleAccessories</a>	
facets	Kind	Value	Annotation
	minInclusive	0.001	
	totalDigits	16	
	fractionDigits	3	
source	<xs:element name="nAmount" type="Decimal_16_3"/>		

element **nCUpOU**


diagram			
type	<a href="#">Decimal 16 3</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minInclusive	0.001	
	totalDigits	16	
	fractionDigits	3	
source	<xs:element name="nCUpOU" type="Decimal_16_3"/>		

element **nDeliveryTime**


diagram			
type	<a href="#">Int 8 Trennzeichen</a>		
properties	content	simple	

used by	complexType <a href="#">ArticlesType</a>		
facets	Kind	Value	Annotation
	minInclusive	1	
	maxInclusive	999999999	
source	<xs:element name="nDeliveryTime" type="Int_8_Trennzeichen"/>		


element **nDocOrder**

diagram			
type	<a href="#">Int 10 Trennzeichen</a>		
properties	content	simple	
used by	elements	<a href="#">ArticlesType/ArticleDocuments</a> <a href="#">ArticlesType/ArticlePictures</a> <a href="#">HistoricProductsType/HistoricProductDocs</a> <a href="#">HistoricProductsType/HistoricProductPics</a>	
	complexType	<a href="#">GroupDocumentType</a>	
facets	Kind	Value	Annotation
	minInclusive	1	
	maxInclusive	9999999999	
source	<xs:element name="nDocOrder" type="Int_10_Trennzeichen"/>		

element **nHeight**


diagram			
type	<a href="#">Decimal 16.3</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType PackageUnitType</a>	
facets	Kind	Value	Annotation
	minInclusive	0.001	
	totalDigits	16	
	fractionDigits	3	
source	<xs:element name="nHeight" type="Decimal_16_3"/>		

element **nLength**


diagram			
type	<a href="#">Decimal 16.3</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType PackageUnitType</a>	
facets	Kind	Value	Annotation
	minInclusive	0.001	

	totalDigits 16 fractionDigits 3
source	<code>&lt;xs:element name="nLength" type="Decimal_16_3"/&gt;</code>


element **nMeasure**

diagram			
type	<a href="#">Decimal 16 3</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleMeasures</a>	
facets	Kind	Value	Annotation
	minInclusive	0.001	
	totalDigits	16	
	fractionDigits	3	
source	<xs:element name="nMeasure" type="Decimal_16_3"/>		

element **nMinOrder**


diagram													
type	<a href="#">Decimal 16 3</a>												
properties	content simple												
used by	complexType <a href="#">ArticlesType</a>												
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minInclusive</td><td>0.001</td><td></td></tr><tr><td>totalDigits</td><td>16</td><td></td></tr><tr><td>fractionDigits</td><td>3</td><td></td></tr></table>	Kind	Value	Annotation	minInclusive	0.001		totalDigits	16		fractionDigits	3	
Kind	Value	Annotation											
minInclusive	0.001												
totalDigits	16												
fractionDigits	3												
source	<code>&lt;xs:element name="nMinOrder" type="Decimal_16_3"/&gt;</code>												

element **nPackageAmount**


diagram			
type	<a href="#">Int 8 Trennzeichen</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minInclusive	1	
	maxInclusive	99999999	

source	<code>&lt;xs:element name="nPackageAmount" type="Int_8_Trennzeichen"/&gt;</code>
--------	--


element **nPrice**

diagram													
type	<a href="#">Decimal 15 2</a>												
properties	content    simple												
used by	element <a href="#">ArticlesType/PriceLine</a>												
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minInclusive</td><td>0.0</td><td></td></tr><tr><td>totalDigits</td><td>15</td><td></td></tr><tr><td>fractionDigits</td><td>2</td><td></td></tr></table>	Kind	Value	Annotation	minInclusive	0.0		totalDigits	15		fractionDigits	2	
Kind	Value	Annotation											
minInclusive	0.0												
totalDigits	15												
fractionDigits	2												
source	<code>&lt;xs:element name="nPrice" type="Decimal_15_2"/&gt;</code>												


element **nPricebase**

diagram										
type	<a href="#">Int 9 Trennzeichen</a>									
properties	content    simple									
used by	element <a href="#">ArticlesType/PriceLine</a>									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minInclusive</td><td>1</td><td></td></tr><tr><td>maxInclusive</td><td>999999999</td><td></td></tr></table>	Kind	Value	Annotation	minInclusive	1		maxInclusive	999999999	
Kind	Value	Annotation								
minInclusive	1									
maxInclusive	999999999									
source	<code>&lt;xs:element name="nPricebase" type="Int_9_Trennzeichen"/&gt;</code>									


element **nPricebasePro**

diagram										
type	<a href="#">Int 9 Trennzeichen</a>									
properties	content    simple									
used by	complexType <a href="#">ArticlesType</a>									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minInclusive</td><td>1</td><td></td></tr><tr><td>maxInclusive</td><td>999999999</td><td></td></tr></table>	Kind	Value	Annotation	minInclusive	1		maxInclusive	999999999	
Kind	Value	Annotation								
minInclusive	1									
maxInclusive	999999999									
source	<code>&lt;xs:element name="nPricebasePro" type="Int_9_Trennzeichen"/&gt;</code>									


element **nPricebaseUVP**

diagram			
type	<a href="#">Int 9 Trennzeichen</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minInclusive	1	
	maxInclusive	999999999	
source	<code>&lt;xs:element name="nPricebaseUVP" type="Int_9_Trennzeichen"/&gt;</code>		


element **nPricePro**

diagram			
type	<a href="#">Decimal 15 2</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minInclusive	0.0	
	totalDigits	15	
	fractionDigits	2	
source	<code>&lt;xs:element name="nPricePro" type="Decimal_15_2"/&gt;</code>		


element **nPriceUVP**

diagram			
type	<a href="#">Decimal 15 2</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minInclusive	0.0	
	totalDigits	15	
	fractionDigits	2	
source	<code>&lt;xs:element name="nPriceUVP" type="Decimal_15_2"/&gt;</code>		


element **nQuantity**

diagram			
type	<a href="#">Decimal 16 3</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleSets</a>	
	complexType	<a href="#">PackageUnitType</a>	
facets	Kind	Value	Annotation
	minInclusive	0.001	
	totalDigits	16	
	fractionDigits	3	
source	<xs:element name="nQuantity" type="Decimal_16_3"/>		


element **nRow**

diagram			
type	<a href="#">Int 3 Type</a>		
properties	content	simple	
used by	element	<a href="#">SparepartlistsType/Spareparts</a>	
facets	Kind	Value	Annotation
	pattern	([0-9]{1,3})	
source	<xs:element name="nRow" type="Int_3_Type"/>		

element **nShelfLife**

diagram			
type	<a href="#">Int 1 99 Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minInclusive	1	
	maxInclusive	99	
source	<xs:element name="nShelfLife" type="Int_1_99_Type"/>		


element **nTextRow**

diagram			
type	<a href="#">Int 2 Trennzeichen</a>		




properties	content	simple
used by	elements	<a href="#">ArticlesType/ArticleTexts</a> <a href="#">LongtextType/Longtexts</a>
facets	Kind	Value Annotation
	minInclusive	1
	maxInclusive	99
source	<xs:element name="nTextRow" type="Int_2_Trennzeichen"/>	


element **nWeight**

diagram		
type	<a href="#">Decimal 16 3</a>	
properties	content	simple
used by	complexTypees	<a href="#">ArticlesType</a> <a href="#">PackageUnitType</a>
facets	Kind	Value Annotation
	minInclusive	0.001
	totalDigits	16
	fractionDigits	3
source	<xs:element name="nWeight" type="Decimal_16_3"/>	

element **nWeigthbase**


diagram		
type	<a href="#">Decimal 18 4</a>	
properties	content	simple
used by	element	<a href="#">ArticlesType/ArticleRawmaterials</a>
facets	Kind	Value Annotation
	minInclusive	0.0001
	totalDigits	18
	fractionDigits	4
source	<xs:element name="nWeigthbase" type="Decimal_18_4"/>	

element **nWeigthrate**


diagram		
type	<a href="#">Decimal 18 4</a>	
properties	content	simple
used by	element	<a href="#">ArticlesType/ArticleRawmaterials</a>

facets	Kind	Value	Annotation
	minInclusive	0.0001	
	totalDigits	18	
	fractionDigits	4	
source	<xs:element name="nWeigthrate" type="Decimal_18_4"/>		


element **nWidth**

diagram			
type	<a href="#">Decimal 16_3</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">PackageUnitType</a>	
facets	Kind	Value	Annotation
	minInclusive	0.001	
	totalDigits	16	
	fractionDigits	3	
source	<xs:element name="nWidth" type="Decimal_16_3"/>		

element **PriceOnDemand**


diagram			
type	<a href="#">PriceOnDemand Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä ö ö ß &#x00A7;)*	
	enumeration	PAA	
source	<xs:element name="PriceOnDemand" type="PriceOnDemand_Type"/>		

element **sAccessory**


diagram			
type	<a href="#">String 15 Type</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleAccessories</a>	
facets	Kind	Value	Annotation
	minLength	1	

	maxLength 15 pattern (\\&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*
source	<xs:element name="sAccessory" type="String_15_Type"/>


element **sAlternate**

diagram			
type	<a href="#">String_15_Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	15	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sAlternate" type="String_15_Type"/>		

element **sArticle**


diagram													
type	<a href="#">Artikelnummer</a>												
properties	content simple												
used by	complexType <a href="#">ArticlesType</a>												
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>15</td><td></td></tr><tr><td>pattern</td><td>(&amp;#x20; &amp;#x21; &amp;#x22; &amp;#x23; &amp;#x24; % &amp;#x26; &amp;#x27; \\( \\) \\* \\+ , &amp;#x2D; \\. / [0-9] &amp;#x3C; = &gt; \\? &amp;#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &amp;#x00A7;)*</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	15		pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*												
source	<xs:element name="sArticle" type="Artikelnummer"/>												

element **sArticleNumberPrint**


diagram			
type	<a href="#">String 35 Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minLength	1	

	maxLength 35 pattern (&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä ö ö ß &#x00A7;)*
source	<code>&lt;xs:element name="sArticleNumberPrint" type="String_35_Type"/&gt;</code>


element **sAssignedArticle**

diagram			
type	<a href="#">String_15_Type</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleSets</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	15	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä ö ö ß &#x00A7;)*	
source	<xs:element name="sAssignedArticle" type="String_15_Type"/>		

element **sAttributeclass**


diagram			
type	<a href="#">String_60_Extended_Type</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleAttribute</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	60	
	pattern	([&#x0020;-&#x007E;]  [&#x00A0;-&#x00FF;]  [&#x0100;-&#x017F;]  [&#x0370;-&#x03FF;]  [&#x0400;-&#x04FF;]  [&#x20A0;-&#x20CF;]  [&#x2000;-&#x206F;]  [&#x2300; &#x000A; &#x000D;  [&#x2200;-&#x22FF;])*	
source	<xs:element name="sAttributeclass" type="String_60_Extended_Type"/>		

element **sAttributedescription**


diagram			
type	<a href="#">String_60_Extended_Type</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleAttribute</a>	
facets	Kind	Value	Annotation

	minLength 1 maxLength 60 pattern ([&#x0020;-&#x007E;][&#x00A0;-&#x00FF;][&#x0100;-&#x017F;][&#x0370;-&#x03FF;][&#x0400;-&#x04FF;][&#x20A0;-&#x20CF;][&#x2000;-&#x206F;][&#x2300; &#x000A; &#x000D;][&#x2200;-&#x22FF;])*
source	<code>&lt;xs:element name="sAttributedescription" type="String_60_Extended_Type"/&gt;</code>


element **sAttributename**

diagram			
type	<a href="#">String 60 Extended Type</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleAttribute</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	60	
	pattern	([&#x0020;-&#x007E;][&#x00A0;-&#x00FF;][&#x0100;-&#x017F;][&#x0370;-&#x03FF;][&#x0400;-&#x04FF;][&#x20A0;-&#x20CF;][&#x2000;-&#x206F;][&#x2300; &#x000A; &#x000D;][&#x2200;-&#x22FF;])*	
source	<xs:element name="sAttributename" type="String_60_Extended_Type"/>		

element **sAttributevalue**


diagram			
type	<a href="#">String 256 Extended Type</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleAttribute</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	256	
	pattern	([&#x0020;-&#x007E;][&#x00A0;-&#x00FF;][&#x0100;-&#x017F;][&#x0370;-&#x03FF;][&#x0400;-&#x04FF;][&#x20A0;-&#x20CF;][&#x2000;-&#x206F;][&#x2300; &#x000A; &#x000D;][&#x2200;-&#x22FF;])*	
source	<xs:element name="sAttributevalue" type="String_256_Extended_Type"/>		

element **sAttributevalue2**


diagram			
type	<a href="#">String 60 Extended Type</a>		
properties	content	simple	

used by	element <a href="#">ArticlesType/ArticleAttribute</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	60	
	pattern	([&#x0020;-&#x007E;][&#x00A0;-&#x00FF;][&#x0100;-&#x017F;][&#x0370;-&#x03FF;][&#x0400;-&#x04FF;][&#x20A0;-&#x20CF;][&#x2000;-&#x206F;][&#x2300; &#x000A; &#x000D;][&#x2200;-&#x22FF;])*	
source	<xs:element name="sAttributevalue2" type="String_60_Extended_Type"/>		


element **sBonusgroup**

diagram			
type	<a href="#">String 35 Type</a>		
properties	content    simple		
used by	complexType <a href="#">ArticlesType</a> <a href="#">BonusgroupsType</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	35	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sBonusgroup" type="String_35_Type"/>		

element **sCatalogDesc**


diagram			
type	<a href="#">String_35 Type</a>		
properties	content simple		
used by	complexType <a href="#">HeaderType</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	35	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sCatalogDesc" type="String_35_Type"/>		

element **sCatalogID**


diagram	
type	<a href="#">String 35 Type</a>

properties	content	simple
used by	complexType	<a href="#">HeaderType</a>
facets	Kind	Value
	minLength	1
	maxLength	35
	pattern	(\s ! \"

element **sConstructiontext**

diagram			
type	<a href="#">String 35 Type</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">HistoricProductsType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	35	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sConstructiontext" type="String_35_Type"/>		

element **sDescription**


diagram			
type	<a href="#">String 40 Type</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/PriceLine</a>	
	complexTypes	<a href="#">BonusgroupsType</a> <a href="#">DiscountgroupsType</a> <a href="#">ProductgroupsType</a> <a href="#">WaregroupsType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	40	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sDescription" type="String_40_Type"/>		

element **sDescriptionLong**


diagram			
type	<a href="#">String 10000 Extended Type</a>		

properties	content    simple		
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	10000	
	pattern	([&#x0020;-&#x007E;][&#x00A0;-&#x00FF;][&#x0100;-&#x017F;][&#x0370;-&#x03FF;][&#x0400;-&#x04FF;][&#x20A0;-&#x20CF;][&#x2000;-&#x206F;][&#x2300; &#x000A; &#x000D;][&#x2200;-&#x22FF;])*	
	source	<xs:element name="sDescriptionLong" type="String_10000_Extended_Type"/>	

element **sDescriptionMarketing**


diagram			
type	<a href="#">String 10000 Extended Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	10000	
	pattern	([&#x0020;-&#x007E;][&#x00A0;-&#x00FF;][&#x0100;-&#x017F;][&#x0370;-&#x03FF;][&#x0400;-&#x04FF;][&#x20A0;-&#x20CF;][&#x2000;-&#x206F;][&#x2300; &#x000A; &#x000D;][&#x2200;-&#x22FF;])*	
source	<xs:element name="sDescriptionMarketing" type="String_10000_Extended_Type"/>		

element **sDescriptionShort**


diagram			
type	<a href="#">String 256 Extended Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	256	
	pattern	([&#x0020;-&#x007E;][&#x00A0;-&#x00FF;][&#x0100;-&#x017F;][&#x0370;-&#x03FF;][&#x0400;-&#x04FF;][&#x20A0;-&#x20CF;][&#x2000;-&#x206F;][&#x2300; &#x000A; &#x000D;][&#x2200;-&#x22FF;])*	
source	<xs:element name="sDescriptionShort" type="String_256_Extended_Type"/>		




element **sDimensiontext**

diagram			
type	<a href="#">String 0 40 Type</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleTexts</a>	
facets	Kind	Value	Annotation
	minLength	0	
	maxLength	40	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sDimensiontext" type="String_0_40_Type"/>		


element **sDiscountgroup**

diagram			
type	<a href="#">String 4 Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType DiscountgroupsType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	4	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sDiscountgroup" type="String_4_Type"/>		


element **sDocDescription**

diagram			
type	<a href="#">String_40_Type</a>		
properties	content	simple	
used by	elements	<a href="#">ArticlesType/ArticleDocuments</a> <a href="#">ArticlesType/ArticlePictures</a> <a href="#">HistoricProductsType/HistoricProductDocs</a> <a href="#">HistoricProductsType/HistoricProductPics</a>	
	complexType	<a href="#">GroupDocumentType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	40	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sDocDescription" type="String_40_Type"/>		


element **sDocument**

diagram			
type	<a href="#">String 256 Type</a>		
properties	content	simple	
used by	elements	<a href="#">ArticlesType/ArticleDocuments</a> <a href="#">ArticlesType/ArticlePictures</a> <a href="#">HistoricProductsType/HistoricProductDocs</a> <a href="#">HistoricProductsType/HistoricProductPics</a> complexType <a href="#">GroupDocumentType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	256	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sDocument" type="String_256_Type"/>		

element **sEan**


diagram			
type	<a href="#">String_14_Type</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">HistoricProductsType</a> <a href="#">PackageUnitType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	14	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sEan" type="String_14_Type"/>		

element **sHistoricProduct**

diagram			
type	<a href="#">String 15 Type</a>		
properties	content	simple	
used by	element	<a href="#">SparepartlistsType/Spareparts/ArticleRow/LinkedHistoricProduct</a>	
	complexType	<a href="#">HistoricProductsType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	15	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sHistoricProduct" type="String_15_Type"/>		



element **SHK\_Stammdaten**



type	<a href="#">SHK StammdatenType</a>					
properties	content complex					
children	<a href="#">Header</a> <a href="#">Waregroups</a> <a href="#">Productgroups</a> <a href="#">Discountgroups</a> <a href="#">Bonusgroups</a> <a href="#">Articles</a> <a href="#">Longtext</a> <a href="#">HistoricProducts</a> <a href="#">Sparepartlists</a>					
attributes	Name <a href="#">version</a>	Type <b>xs:string</b>	Use required	Default	Fixed 9.0	Annotation
identity constraints	Name	Refer	Selector	Field(s)	Annotation	
	key WaregroupID		Waregroups	sWaregroup		
	key ProductgroupID		Productgroups	sProductgroup		
	key DiscoutgroupID		Discountgroups	sDiscountgroup		
	key BonusgroupID		Bonusgroups	sBonusgroup		
	key Articlennumber		Articles	sArticle		
	key Longtextnumber		Longtext	sLongtext		
	key HProductID		HistoricProducts	sHistoricProduct dConstructionFrom		
	key SparepartlistsID		Sparepartlists	sList		
	keyref RefArt_to_Waregroup	<a href="#">WaregroupID</a>	Articles	sWaregroup		
	keyref RefArt_to_Productgroup	<a href="#">ProductgroupID</a>	Articles	sProductgroup		
	keyref RefArt_to_Discountgroup	<a href="#">DiscoutgroupID</a>	Articles	sDiscountgroup		
	keyref RefArt_to_Bonusgroup	<a href="#">BonusgroupID</a>	Articles	sBonusgroup		
	keyref RefHP_to_Waregroup	<a href="#">WaregroupID</a>	HistoricProducts	sWaregroup		
	keyref RefHP_to_Productgroup	<a href="#">ProductgroupID</a>	HistoricProducts	sProductgroup		
	keyref RefArt_to_Longtext	<a href="#">Longtextnumber</a>	Articles	sLongtext		
	keyref RefArt_to_Sparepartlist	<a href="#">SparepartlistsID</a>	Articles	sSparepartlist		
	keyref RefHP_to_Sparepartlist	<a href="#">SparepartlistsID</a>	HistoricProducts	sSparepartlist		
	keyref RefAccess	<a href="#">Articlennumber</a>	Articles/ArticleAccessories	sAccessory		
	keyref RefSetArticle	<a href="#">Articlennumber</a>	Articles/ArticleSets	sAssignedArticle		
source	<pre> &lt;xs:element name="SHK_Stammdaten" type="SHK_StammdatenType"&gt;   &lt;xs:key name="WaregroupID"&gt;     &lt;xs:selector xpath="Waregroups"/&gt;     &lt;xs:field xpath="sWaregroup"/&gt;   &lt;/xs:key&gt;   &lt;xs:key name="ProductgroupID"&gt;     &lt;xs:selector xpath="Productgroups"/&gt;     &lt;xs:field xpath="sProductgroup"/&gt;   &lt;/xs:key&gt;   &lt;xs:key name="DiscoutgroupID"&gt;     &lt;xs:selector xpath="Discountgroups"/&gt;     &lt;xs:field xpath="sDiscountgroup"/&gt;   &lt;/xs:key&gt;   &lt;xs:key name="BonusgroupID"&gt;     &lt;xs:selector xpath="Bonusgroups"/&gt;     &lt;xs:field xpath="sBonusgroup"/&gt;   &lt;/xs:key&gt;   &lt;xs:key name="Articlennumber"&gt;     &lt;xs:selector xpath="Articles"/&gt;     &lt;xs:field xpath="sArticle"/&gt;   &lt;/xs:key&gt;   &lt;xs:key name="Longtextnumber"&gt;     &lt;xs:selector xpath="Longtext"/&gt; </pre>					


```

    <xs:field xpath="sLongtext"/>
  </xs:key>
  <xs:key name="HProductID">
    <xs:selector xpath="HistoricProducts"/>
    <xs:field xpath="sHistoricProduct"/>
    <xs:field xpath="dConstructionFrom"/>
  </xs:key>
  <xs:key name="SparepartlistsID">
    <xs:selector xpath="Sparepartlists"/>
    <xs:field xpath="sList"/>
  </xs:key>
  <xs:keyref name="RefArt_to_Waregroup" refer="WaregroupID">
    <xs:selector xpath="Articles"/>
    <xs:field xpath="sWaregroup"/>
  </xs:keyref>
  <xs:keyref name="RefArt_to_Productgroup" refer="ProductgroupID">
    <xs:selector xpath="Articles"/>
    <xs:field xpath="sProductgroup"/>
  </xs:keyref>
  <xs:keyref name="RefArt_to_Discountgroup" refer="DiscountgroupID">
    <xs:selector xpath="Articles"/>
    <xs:field xpath="sDiscountgroup"/>
  </xs:keyref>
  <xs:keyref name="RefArt_to_Bonusgroup" refer="BonusgroupID">
    <xs:selector xpath="Articles"/>
    <xs:field xpath="sBonusgroup"/>
  </xs:keyref>
  <xs:keyref name="RefHP_to_Waregroup" refer="WaregroupID">
    <xs:selector xpath="HistoricProducts"/>
    <xs:field xpath="sWaregroup"/>
  </xs:keyref>
  <xs:keyref name="RefHP_to_Productgroup" refer="ProductgroupID">
    <xs:selector xpath="HistoricProducts"/>
    <xs:field xpath="sProductgroup"/>
  </xs:keyref>
  <xs:keyref name="RefArt_to_Longtext" refer="Longtextnumber">
    <xs:selector xpath="Articles"/>
    <xs:field xpath="sLongtext"/>
  </xs:keyref>
  <xs:keyref name="RefArt_to_Sparepartlist" refer="SparepartlistsID">
    <xs:selector xpath="Articles"/>
    <xs:field xpath="sSparepartlist"/>
  </xs:keyref>
  <xs:keyref name="RefHP_to_Sparepartlist" refer="SparepartlistsID">
    <xs:selector xpath="HistoricProducts"/>
    <xs:field xpath="sSparepartlist"/>
  </xs:keyref>
  <xs:keyref name="RefAccess" refer="Articlenumber">
    <xs:selector xpath="Articles/ArticleAccessories"/>
    <xs:field xpath="sAccessory"/>
  </xs:keyref>
  <xs:keyref name="RefSetArticle" refer="Articlenumber">
    <xs:selector xpath="Articles/ArticleSets"/>
    <xs:field xpath="sAssignedArticle"/>
  </xs:keyref>


```

	<code>&lt;/xs:element&gt;</code>
--	----------------------------------


element **sList**

diagram			
type	<a href="#">String 35 Type</a>		
properties	content	simple	
used by	complexType	<a href="#">SparepartlistsType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	35	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sList" type="String_35_Type"/>		

element **sLongtext**


diagram			
type	<a href="#">String 8 Type</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">LongtextType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	8	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sLongtext" type="String_8_Type"/>		

element **sMessageDescription**


diagram			
type	<a href="#">String 1000 Type</a>		
properties	content	simple	
used by	complexType	<a href="#">HeaderType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	1000	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä Ä ö Ö ß&#x00A7;)*	

source	<code>&lt;xs:element name="sMessageDescription" type="String_100_Type"/&gt;</code>
--------	--


element **sMessageName**

diagram			
type	<a href="#">String_100_Type</a>		
properties	content simple		
used by	complexType <a href="#">HeaderType</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	100	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä ö ö ß &#x00A7;)*	
source	<xs:element name="sMessageName" type="String_100_Type"/>		

element **sMixedpallet**


diagram			
type	<a href="#">String_35_Type</a>		
properties	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	35	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sMixedpallet" type="String_35_Type"/>		

element **sMixedpallette**


diagram			
type	<a href="#">String_35_Type</a>		
properties	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	35	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sMixedpallette" type="String_35_Type"/>		




element **sModelNumber**

element sModelNumber			
diagram			
type	<a href="#">String 15 Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	15	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sModelNumber" type="String_15_Type"/>		


element **sPosition**

diagram			
type	<a href="#">String 10 Type</a>		
properties	content	simple	
used by	elements	<a href="#">SparepartlistsType/Spareparts/ArticleRow</a> <a href="#">SparepartlistsType/Spareparts/TextRow</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	10	
	pattern	(\\&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sPosition" type="String_10_Type"/>		


element **sPricegroup**

diagram			
type	<a href="#">String 5 Type</a>		
properties	content	simple	
used by	element	<a href="#">SparepartlistsType/Spareparts/ArticleRow</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	5	
	pattern	(\\&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sPricegroup" type="String_5_Type"/>		


element **sProductgroup**

diagram			
type	<a href="#">String 10 Type</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">HistoricProductsType</a> <a href="#">ProductgroupsType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	10	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] : &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sProductgroup" type="String_10_Type"/>		


element **sSerie**

diagram			
type	<a href="#">String_80_Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	80	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] : &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sSerie" type="String_80_Type"/>		


element **sShorttext1**

diagram			
type	<a href="#">String_40_Type</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">HistoricProductsType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	40	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] : &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sShorttext1" type="String_40_Type"/>		


element **sShorttext2**

diagram			
type	<a href="#">String 40 Type</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">HistoricProductsType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	40	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sShorttext2" type="String_40_Type"/>		


element **sSparepart**

diagram			
type	<a href="#">String 15 Type</a>		
properties	content	simple	
used by	element	<a href="#">SparepartlistsType/Spareparts/ArticleRow/LinkedArticle</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	15	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sSparepart" type="String_15_Type"/>		


element **sSparepartlist**

diagram			
type	<a href="#">String_35 Type</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">HistoricProductsType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	35	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sSparepartlist" type="String_35_Type"/>		


element **sSuccessor\_1**

diagram			
type	<a href="#">String 15 Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	15	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sSuccessor_1" type="String_15_Type"/>		


element **sSuccessor\_2**

diagram			
type	<a href="#">String 15 Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	15	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sSuccessor_2" type="String_15_Type"/>		


element **sSuccessor\_3**

diagram			
type	<a href="#">String_15 Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	15	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sSuccessor_3" type="String_15_Type"/>		


element **sSupplierID**

diagram										
type	<a href="#">Supplier ID</a>									
properties	content simple									
used by	complexType <a href="#">HeaderType</a>									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>13</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	13	
Kind	Value	Annotation								
minLength	1									
maxLength	13									
source	<xs:element name="sSupplierID" type="Supplier_ID"/>									


element **sSupplierIDType**

diagram			
type	<a href="#">String 35 Type</a>		
properties	content	simple	
used by	complexType	<a href="#">HeaderType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	35	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sSupplierIDType" type="String_35_Type"/>		


element **sSupplierShortName**

element sSupplierShortName			
diagram			
type	<a href="#">String 20 Type</a>		
properties	content	simple	
used by	complexType	<a href="#">HeaderType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	20	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sSupplierShortName" type="String_20_Type"/>		


element **sSupplierSynonym**

diagram			
type	<a href="#">String 2 Type</a>		
properties	content	simple	
used by	complexType	<a href="#">HeaderType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	2	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[ 0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sSupplierSynonym" type="String_2_Type"/>		


element **sTeststring**

diagram			
type	<a href="#">Teststring Type</a>		
properties	content	simple	
used by	complexType	<a href="#">HeaderType</a>	
facets	Kind	Value	Annotation
	enumeration	1234567890abcdefghijklmnopqrstuvwxyzüöäÜÖÄÜß®€	
source	<xs:element name="sTeststring" type="Teststring_Type"/>		

element **sText**


diagram			
type	<a href="#">String 40 Type</a>		
properties	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	40	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[ 0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sText" type="String_40_Type"/>		

element **sUrl**


diagram			
---------	---	--	--

type	<a href="#">String_256_Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	256	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sUr1" type="String_256_Type"/>		


element **sUsageNode**

diagram			
type	<a href="#">String 512 Extended Type</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	512	
	pattern	([&#x0020;-&#x007E;] &#x00A0;-&#x00FF;] &#x0100;-&#x017F;] &#x0370;-&#x03FF;] &#x0400;-&#x04FF;] &#x20A0;-&#x20CF;] &#x2000;-&#x206F;] &#x2300; &#x000A; &#x000D;] &#x2200;-&#x22FF;])*	
source	<xs:element name="sUsageNode" type="String_512_Extended_Type"/>		

element **sWaregroup**

diagram			
type	<a href="#">String 3 Type</a>		
properties	content	simple	
used by	complexTypes	<a href="#">ArticlesType</a> <a href="#">HistoricProductsType</a> <a href="#">WaregroupsType</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	3	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; &#x25; &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<xs:element name="sWaregroup" type="String_3_Type"/>		


element **sWaregroupNumber**

diagram			
type	<a href="#">Int 8 Trennzeichen</a>		
properties	content	simple	
used by	complexType	<a href="#">ArticlesType</a>	
facets	Kind	Value	Annotation
	minInclusive	1	
	maxInclusive	99999999	
source	<xs:element name="sWaregroupNumber" type="Int_8_Trennzeichen"/>		



complexType **ArticlesType**

diagram



children	<a href="#">sArticle</a> <a href="#">sEan</a> <a href="#">cArticletype</a> <a href="#">dValidityBegin</a> <a href="#">dValidityEnd</a> <a href="#">sShorttext1</a> <a href="#">sShorttext2</a> <a href="#">sWaregroup</a> <a href="#">sProductgroup</a> <a href="#">sDiscountgroup</a> <a href="#">sBonusgroup</a> <a href="#">nMinOrder</a> <a href="#">cMinOrderUnit</a> <a href="#">sArticleNumberPrint</a> <a href="#">sAlternate</a> <a href="#">sSuccessor_1</a> <a href="#">sSuccessor_2</a> <a href="#">sSuccessor_3</a> <a href="#">sLongtext</a> <a href="#">sUrl</a> <a href="#">cDiscontinued</a> <a href="#">dDiscontinuedStart</a> <a href="#">bCapableOfOrdering</a> <a href="#">cDisplayIn</a> <a href="#">sSparepartlist</a> <a href="#">dConstructionFrom</a> <a href="#">dConstructionTo</a> <a href="#">sConstructiontext</a> <a href="#">bExportabel</a> <a href="#">sWaregroupNumber</a> <a href="#">cCountryOfOrigin</a> <a href="#">nShelfLife</a> <a href="#">nLength</a> <a href="#">cLengthUnit</a> <a href="#">nWidth</a> <a href="#">cWidthUnit</a> <a href="#">nHeight</a> <a href="#">cHeightUnit</a> <a href="#">nWeight</a> <a href="#">cWeightUnit</a> <a href="#">nPackageAmount</a> <a href="#">cTaxCode</a> <a href="#">nDeliveryTime</a> <a href="#">sSerie</a> <a href="#">sModelNumber</a> <a href="#">sDescriptionShort</a> <a href="#">sDescriptionLong</a> <a href="#">sDescriptionMarketing</a> <a href="#">sUsageNode</a> <a href="#">bDeleted</a> <a href="#">nCUpOU</a> <a href="#">cContentunit</a> <a href="#">PriceOnDemand</a> <a href="#">nPricePro</a> <a href="#">cCurrencyPro</a> <a href="#">nPricebasePro</a> <a href="#">cPriceunitPro</a> <a href="#">nPriceUVP</a> <a href="#">cCurrencyUVP</a> <a href="#">nPricebaseUVP</a> <a href="#">cPriceunitUVP</a> <a href="#">PriceLine</a> <a href="#">PackageUnit</a> <a href="#">ArticleAccessories</a> <a href="#">ArticleDocuments</a> <a href="#">ArticlePictures</a> <a href="#">ArticleAttribute</a> <a href="#">ArticleMeasures</a> <a href="#">ArticleTexts</a> <a href="#">ArticleRawmaterials</a> <a href="#">ArticleSets</a>
used by	element <a href="#">SHK StammdatenType/Articles</a>
source	<pre> &lt;xs:complexType name="ArticlesType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element ref="sArticle"/&gt;     &lt;xs:element ref="sEan" minOccurs="0"/&gt;     &lt;xs:element ref="cArticletype"/&gt;     &lt;xs:element ref="dValidityBegin"/&gt;     &lt;xs:element ref="dValidityEnd"/&gt;     &lt;xs:element ref="sShorttext1"/&gt;     &lt;xs:element ref="sShorttext2" minOccurs="0"/&gt;     &lt;xs:element ref="sWaregroup"/&gt;     &lt;xs:element ref="sProductgroup"/&gt;     &lt;xs:element ref="sDiscountgroup"/&gt;     &lt;xs:element ref="sBonusgroup" minOccurs="0"/&gt;     &lt;xs:element ref="nMinOrder"/&gt;     &lt;xs:element ref="cMinOrderUnit"/&gt;     &lt;xs:element ref="sArticleNumberPrint" minOccurs="0"/&gt;     &lt;xs:element ref="sAlternate" minOccurs="0"/&gt;     &lt;xs:element ref="sSuccessor_1" minOccurs="0"/&gt;     &lt;xs:element ref="sSuccessor_2" minOccurs="0"/&gt;     &lt;xs:element ref="sSuccessor_3" minOccurs="0"/&gt;     &lt;xs:element ref="sLongtext" minOccurs="0"/&gt;     &lt;xs:element ref="sUrl" minOccurs="0"/&gt;     &lt;xs:element ref="cDiscontinued"/&gt;     &lt;xs:element ref="dDiscontinuedStart" minOccurs="0"/&gt;     &lt;xs:element ref="bCapableOfOrdering"/&gt;     &lt;xs:element ref="cDisplayIn"/&gt;     &lt;xs:element ref="sSparepartlist" minOccurs="0"/&gt;     &lt;xs:element ref="dConstructionFrom" minOccurs="0"/&gt;     &lt;xs:element ref="dConstructionTo" minOccurs="0"/&gt;     &lt;xs:element ref="sConstructiontext" minOccurs="0"/&gt;     &lt;xs:element ref="bExportabel"/&gt;     &lt;xs:element ref="sWaregroupNumber" minOccurs="0"/&gt;     &lt;xs:element ref="cCountryOfOrigin" minOccurs="0"/&gt;     &lt;xs:element ref="nShelfLife"/&gt;     &lt;xs:sequence minOccurs="0"&gt;       &lt;xs:element ref="nLength"/&gt;       &lt;xs:element ref="cLengthUnit"/&gt;     &lt;/xs:sequence&gt;     &lt;xs:sequence minOccurs="0"&gt;       &lt;xs:element ref="nWidth"/&gt;       &lt;xs:element ref="cWidthUnit"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>

```

    <xs:element ref="nHeight"/>
    <xs:element ref="cHeightUnit"/>
  </xs:sequence>
  <xs:sequence minOccurs="0">
    <xs:element ref="nWeight"/>
    <xs:element ref="cWeightUnit"/>
  </xs:sequence>
  <xs:element ref="nPackageAmount" minOccurs="0"/>
  <xs:element ref="cTaxCode"/>
  <xs:element ref="nDeliveryTime" minOccurs="0"/>
  <xs:element ref="sSerie" minOccurs="0" maxOccurs="unbounded"/>
  <xs:element ref="sModelNumber" minOccurs="0"/>
  <xs:element ref="sDescriptionShort" minOccurs="0"/>
  <xs:element ref="sDescriptionLong" minOccurs="0"/>
  <xs:element ref="sDescriptionMarketing" minOccurs="0"/>
  <xs:element ref="sUsageNode" minOccurs="0"/>
  <xs:element ref="bDeleted" minOccurs="0"/>
  <xs:element ref="nCUpOU" minOccurs="0"/>
  <xs:element ref="cContentunit" minOccurs="0"/>
  <xs:choice minOccurs="0">
    <xs:sequence>
      <xs:element ref="PriceOnDemand"/>
    </xs:sequence>
    <xs:sequence>
      <xs:sequence>
        <xs:element ref="nPricePro"/>
        <xs:element ref="cCurrencyPro"/>
        <xs:element ref="nPricebasePro"/>
        <xs:element ref="cPriceunitPro"/>
      </xs:sequence>
      <xs:sequence minOccurs="0">
        <xs:element ref="nPriceUVP"/>
        <xs:element ref="cCurrencyUVP"/>
        <xs:element ref="nPricebaseUVP"/>
        <xs:element ref="cPriceunitUVP"/>
      </xs:sequence>
    </xs:sequence>
    <xs:sequence>
      <xs:element name="Priceline" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element ref="sDescription"/>
            <xs:element ref="nPrice"/>
            <xs:element ref="cCurrency"/>
            <xs:element ref="nPricebase"/>
            <xs:element ref="cPriceunit"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:choice>
  <xs:element name="PackageUnit" type="PackageUnitType" minOccurs="0"
maxOccurs="5"/>
  <xs:element name="ArticleAccessories" minOccurs="0" maxOccurs="unbounded">
    <xs:complexType>

```

```

        <xs:sequence>
            <xs:element ref="sAccessory"/>
            <xs:element ref="nAmount"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="ArticleDocuments" minOccurs="0" maxOccurs="unbounded">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="sDocument"/>
            <xs:element ref="cDocumentType"/>
            <xs:element ref="sDocDescription" minOccurs="0"/>
            <xs:element ref="nDocOrder" minOccurs="0"/>
            <xs:element ref="cLanguage" minOccurs="0" maxOccurs="unbounded"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="ArticlePictures" minOccurs="0" maxOccurs="unbounded">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="sDocument"/>
            <xs:element ref="cPictureType"/>
            <xs:element ref="cPictureUse"/>
            <xs:element ref="bSubstitute"/>
            <xs:element ref="sDocDescription" minOccurs="0"/>
            <xs:element ref="nDocOrder" minOccurs="0"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="ArticleAttribute" minOccurs="0" maxOccurs="unbounded">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="cAttributesystem"/>
            <xs:element ref="sAttributeclass" minOccurs="0"/>
            <xs:element ref="sAttributename"/>
            <xs:element ref="sAttributevalue"/>
            <xs:element ref="sAttributevalue2" minOccurs="0"/>
            <xs:element ref="cAttributeunit" minOccurs="0"/>
            <xs:element ref="sAttributedescription" minOccurs="0"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="ArticleMeasures" minOccurs="0" maxOccurs="unbounded">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="cMeasuredeclaration"/>
            <xs:element ref="cUnit"/>
            <xs:element ref="nMeasure"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="ArticleTexts" minOccurs="0" maxOccurs="unbounded">
    <xs:complexType>
        <xs:sequence>
            <xs:element ref="nTextRow"/>

```

```

        <xs:element ref="sDimensiontext"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="ArticleRawmaterials" minOccurs="0"
maxOccurs="unbounded">
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="cMaterial"/>
        <xs:element ref="nWeigthbase"/>
        <xs:element ref="cWeightbaseUnit"/>
        <xs:element ref="nWeightrate"/>
        <xs:element ref="cWeightrateUnit"/>
        <xs:element name="nMaterialPrice" type="Decimal_15_2"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="ArticleSets" minOccurs="0" maxOccurs="unbounded">
    <xs:complexType>
      <xs:sequence>
        <xs:element ref="sAssignedArticle"/>
        <xs:element ref="nQuantity"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
</xs:sequence>
</xs:complexType>

```

### element **ArticlesType/PriceLine**

diagram	
properties	minOcc 1 maxOcc unbounded content complex
children	<a href="#">sDescription</a> <a href="#">nPrice</a> <a href="#">cCurrency</a> <a href="#">nPricebase</a> <a href="#">cPriceunit</a>
source	<pre> &lt;xs:element name="PriceLine" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="sDescription"/&gt;       &lt;xs:element ref="nPrice"/&gt;       &lt;xs:element ref="cCurrency"/&gt;       &lt;xs:element ref="nPricebase"/&gt;       &lt;xs:element ref="cPriceunit"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; </pre>

```

</xs:sequence>
</xs:complexType>
</xs:element>

```

# element **ArticlesType/PackageUnit**

diagram	
type	<a href="#">PackageUnitType</a>
properties	minOcc 0 maxOcc 5 content complex
children	<a href="#">cPackageKind</a> <a href="#">nQuantity</a> <a href="#">sEan</a> <a href="#">nLength</a> <a href="#">cLengthUnit</a> <a href="#">nWidth</a> <a href="#">cWidthUnit</a> <a href="#">nHeight</a> <a href="#">cHeightUnit</a> <a href="#">nWeight</a> <a href="#">cWeightUnit</a>
source	<pre> &lt;xs:element name="PackageUnit" type="PackageUnitType" minOccurs="0" maxOccurs="5"/&gt; </pre>

# element **ArticlesType/ArticleAccessories**

diagram	
properties	minOcc 0 maxOcc unbounded content complex

children	<a href="#">sAccessory</a> <a href="#">nAmount</a>
source	<pre>&lt;xs:element name="ArticleAccessories" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="sAccessory"/&gt;       &lt;xs:element ref="nAmount"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt;</pre>

element **ArticlesType/ArticleDocuments**

diagram	
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">sDocument</a> <a href="#">cDocumentType</a> <a href="#">sDocDescription</a> <a href="#">nDocOrder</a> <a href="#">cLanguage</a>
source	<pre>&lt;xs:element name="ArticleDocuments" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="sDocument"/&gt;       &lt;xs:element ref="cDocumentType"/&gt;       &lt;xs:element ref="sDocDescription" minOccurs="0"/&gt;       &lt;xs:element ref="nDocOrder" minOccurs="0"/&gt;       &lt;xs:element ref="cLanguage" minOccurs="0" maxOccurs="unbounded"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt;</pre>

element **ArticlesType/ArticlePictures**

diagram	
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">sDocument</a> <a href="#">cPictureType</a> <a href="#">cPictureUse</a> <a href="#">bSubstitute</a> <a href="#">sDocDescription</a> <a href="#">nDocOrder</a>
source	<pre> &lt;xs:element name="ArticlePictures" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="sDocument"/&gt;       &lt;xs:element ref="cPictureType"/&gt;       &lt;xs:element ref="cPictureUse"/&gt;       &lt;xs:element ref="bSubstitute"/&gt;       &lt;xs:element ref="sDocDescription" minOccurs="0"/&gt;       &lt;xs:element ref="nDocOrder" minOccurs="0"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

element **ArticlesType/ArticleAttribute**

diagram	
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">cAttributesystem</a> <a href="#">sAttributeclass</a> <a href="#">sAttributename</a> <a href="#">sAttributevalue</a> <a href="#">sAttributevalue2</a> <a href="#">cAttributeunit</a> <a href="#">sAttributedescription</a>



	<a href="#"><u>sAttributedescription</u></a>
source	<pre> &lt;xs:element name="ArticleAttribute" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="cAttributesystem"/&gt;       &lt;xs:element ref="sAttributeclass" minOccurs="0"/&gt;       &lt;xs:element ref="sAttributename"/&gt;       &lt;xs:element ref="sAttributevalue"/&gt;       &lt;xs:element ref="sAttributevalue2" minOccurs="0"/&gt;       &lt;xs:element ref="cAttributeunit" minOccurs="0"/&gt;       &lt;xs:element ref="sAttributedescription" minOccurs="0"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

element **ArticlesType/ArticleMeasures**

diagram	
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#"><u>cMeasuredeclaration</u></a> <a href="#"><u>cUnit</u></a> <a href="#"><u>nMeasure</u></a>
source	<pre> &lt;xs:element name="ArticleMeasures" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="cMeasuredeclaration"/&gt;       &lt;xs:element ref="cUnit"/&gt;       &lt;xs:element ref="nMeasure"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

element **ArticlesType/ArticleTexts**


diagram	
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#"><u>nTextRow</u></a> <a href="#"><u>sDimensiontext</u></a>
source	<pre> &lt;xs:element name="ArticleTexts" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt; </pre>

	<pre> &lt;xs:sequence&gt;   &lt;xs:element ref="nTextRow"/&gt;   &lt;xs:element ref="sDimensiontext"/&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>
--	---

element **ArticlesType/ArticleRawmaterials**


diagram	
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">cMaterial</a> <a href="#">nWeigthbase</a> <a href="#">cWeigthbaseUnit</a> <a href="#">nWeigthrate</a> <a href="#">cWeigthrateUnit</a> <a href="#">nMaterialPrice</a>
source	<pre> &lt;xs:element name="ArticleRawmaterials" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="cMaterial"/&gt;       &lt;xs:element ref="nWeigthbase"/&gt;       &lt;xs:element ref="cWeigthbaseUnit"/&gt;       &lt;xs:element ref="nWeigthrate"/&gt;       &lt;xs:element ref="cWeigthrateUnit"/&gt;       &lt;xs:element name="nMaterialPrice" type="Decimal_15_2"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

element **ArticlesType/ArticleRawmaterials/nMaterialPrice**


diagram			
type	<a href="#">Decimal 15 2</a>		
properties	content	simple	
facets	Kind	Value	Annotation
	minInclusive	0.0	
	totalDigits	15	
	fractionDigits	2	

source	<code>&lt;xs:element name="nMaterialPrice" type="Decimal_15_2"/&gt;</code>
--------	--

element **ArticlesType/ArticleSets**

diagram	
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">sAssignedArticle</a> <a href="#">nQuantity</a>
source	<pre>&lt;xs:element name="ArticleSets" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="sAssignedArticle"/&gt;       &lt;xs:element ref="nQuantity"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt;</pre>

complexType **BonusgroupsType**

diagram	
children	<a href="#">sBonusgroup</a> <a href="#">sDescription</a> <a href="#">BGDocuments</a>
used by	element <a href="#">SHK StammdatenType/Bonusgroups</a>
source	<pre>&lt;xs:complexType name="BonusgroupsType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element ref="sBonusgroup"/&gt;     &lt;xs:element ref="sDescription"/&gt;     &lt;xs:element name="BGDocuments" type="GroupDocumentType" minOccurs="0" maxOccurs="unbounded"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>

element **BonusgroupsType/BGDocuments**

diagram	
type	<a href="#">GroupDocumentType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">sDocument</a> <a href="#">cDocumentType</a> <a href="#">cPictureType</a> <a href="#">cPictureUse</a> <a href="#">sDocDescription</a> <a href="#">nDocOrder</a>
source	<pre>&lt;xs:element name="BGDocuments" type="GroupDocumentType" minOccurs="0" maxOccurs="unbounded"/&gt;</pre>

complexType **DiscountgroupsType**

diagram	
children	<a href="#">sDiscountgroup</a> <a href="#">sDescription</a> <a href="#">DGDDocuments</a>
used by	element <a href="#">SHK StammdatenType/Discountgroups</a>
source	<pre>&lt;xs:complexType name="DiscountgroupsType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element ref="sDiscountgroup"/&gt;     &lt;xs:element ref="sDescription"/&gt;     &lt;xs:element name="DGDDocuments" type="GroupDocumentType" minOccurs="0" maxOccurs="unbounded"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>


element **DiscountgroupsType/DGDocuments**

diagram	
type	<a href="#">GroupDocumentType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">sDocument</a> <a href="#">cDocumentType</a> <a href="#">cPictureType</a> <a href="#">cPictureUse</a> <a href="#">sDocDescription</a> <a href="#">nDocOrder</a>
source	<pre>&lt;xs:element name="DGDocuments" type="GroupDocumentType" minOccurs="0" maxOccurs="unbounded"/&gt;</pre>


complexType **HeaderType**

diagram	
children	<a href="#">sSupplierID</a> <a href="#">sSupplierIDType</a> <a href="#">sSupplierShortName</a> <a href="#">sSupplierSynonym</a> <a href="#">sCatalogID</a> <a href="#">sCatalogDesc</a> <a href="#">dValidityBegin</a> <a href="#">dValidityEnd</a> <a href="#">sMessageName</a> <a href="#">sMessageDescription</a> <a href="#">bIncludesSystemRelevantPackagings</a> <a href="#">sLUCIDNumber</a> <a href="#">sPackagingDisposalProvider</a> <a href="#">sTeststring</a>
used by	element <a href="#">SHK_StammdatenType/Header</a>
source	<pre> &lt;xs:complexType name="HeaderType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element ref="sSupplierID"/&gt;     &lt;xs:element ref="sSupplierIDType"/&gt;     &lt;xs:element ref="sSupplierShortName"/&gt;     &lt;xs:element ref="sSupplierSynonym"/&gt;     &lt;xs:element ref="sCatalogID"/&gt;     &lt;xs:element ref="sCatalogDesc"/&gt;     &lt;xs:element ref="dValidityBegin"/&gt;     &lt;xs:element ref="dValidityEnd"/&gt;     &lt;xs:element ref="sMessageName"/&gt;     &lt;xs:element ref="sMessageDescription" minOccurs="0"/&gt;     &lt;xs:element name="bIncludesSystemRelevantPackagings" type="xs:boolean"/&gt;     &lt;xs:element name="sLUCIDNumber" type="String_20_Type" minOccurs="0"/&gt;     &lt;xs:element name="sPackagingDisposalProvider" type="String_80_Type"/&gt;     &lt;xs:element ref="sTeststring"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>


element **HeaderType/blIncludesSystemRelevantPackagings**

diagram	
type	<b>xs:boolean</b>
properties	content simple
source	<code>&lt;xs:element name="bIncludesSystemRelevantPackagings" type="xs:boolean"/&gt;</code>

element **HeaderType/sLUCIDNumber**

diagram													
type	<a href="#">String 20 Type</a>												
properties	<div>minOcc0</div> <div>maxOcc1</div> <div>contentsimple</div>												
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>20</td><td></td></tr><tr><td>pattern</td><td colspan="2">(&amp;#x20; &amp;#x21; &amp;#x22; &amp;#x23; &amp;#x24; % &amp;#x26; &amp;#x27; \\( \\) \\* \\+ , &amp;#x2D; \\. /[0-9] : &amp;#x3C; = &gt; \\? &amp;#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &amp;#x00A7;)*</td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	20		pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] : &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] : &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*												
source	<xs:element name="sLUCIDNumber" type="String_20_Type" minOccurs="0"/>												

element **HeaderType/sPackagingDisposalProvider**

element <b>sPackagingDisposalProvider</b>														
diagram														
type	<a href="#">String_80_Type</a>													
properties	content    simple													
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>80</td><td></td></tr><tr><td>pattern</td><td>(&amp;#x20; &amp;#x21; &amp;#x22; &amp;#x23; &amp;#x24; &amp;#x25; &amp;#x26; &amp;#x27; \\( \\) \\* \\+ , &amp;#x2D; \\. /[0-9] : &amp;#x3C; = &gt; \\? &amp;#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &amp;#x00A7;)*</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	80		pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; &#x25; &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] : &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*		
Kind	Value	Annotation												
minLength	1													
maxLength	80													
pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; &#x25; &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] : &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*													
source	<xs:element name="sPackagingDisposalProvider" type="String_80_Type"/>													

complexType **HistoricProductsType**

diagram	
children	<a href="#">sHistoricProduct</a> <a href="#">dConstructionFrom</a> <a href="#">dConstructionTo</a> <a href="#">sConstructiontext</a> <a href="#">sShorttext1</a> <a href="#">sShorttext2</a> <a href="#">sEan</a> <a href="#">sWaregroup</a> <a href="#">sProductgroup</a> <a href="#">sSparepartlist</a> <a href="#">HistoricProductDocs</a> <a href="#">HistoricProductPics</a>
used by	element <a href="#">SHK StammdatenType/HistoricProducts</a>
source	<pre> &lt;xs:complexType name="HistoricProductsType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element ref="sHistoricProduct"/&gt;     &lt;xs:element ref="dConstructionFrom"/&gt;     &lt;xs:element ref="dConstructionTo" minOccurs="0"/&gt;     &lt;xs:element ref="sConstructiontext" minOccurs="0"/&gt;     &lt;xs:element ref="sShorttext1"/&gt;     &lt;xs:element ref="sShorttext2" minOccurs="0"/&gt;     &lt;xs:element ref="sEan" minOccurs="0"/&gt;     &lt;xs:element ref="sWaregroup"/&gt;     &lt;xs:element ref="sProductgroup"/&gt;     &lt;xs:element ref="sSparepartlist"/&gt;     &lt;xs:element name="HistoricProductDocs" minOccurs="0" maxOccurs="unbounded"&gt;       &lt;xs:complexType&gt;         &lt;xs:sequence&gt;           &lt;xs:element ref="sDocument"/&gt;           &lt;xs:element name="cDocumentType" type="Doctype_CL_Document_HP"/&gt;           &lt;xs:element ref="sDocDescription" minOccurs="0"/&gt;           &lt;xs:element ref="nDocOrder" minOccurs="0"/&gt;           &lt;xs:element ref="cLanguage" minOccurs="0" maxOccurs="unbounded"/&gt;         </pre>



```


        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="HistoricProductPics" minOccurs="0"
maxOccurs="unbounded">
      <xs:complexType>
        <xs:sequence>
          <xs:element ref="sDocument"/>
          <xs:element ref="cPictureType"/>
          <xs:element ref="cPictureUse"/>
          <xs:element ref="bSubstitute"/>
          <xs:element ref="sDocDescription" minOccurs="0"/>
          <xs:element ref="nDocOrder" minOccurs="0"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>

```

#### element **HistoricProductsType/HistoricProductDocs**

diagram	
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">sDocument</a> <a href="#">cDocumentType</a> <a href="#">sDocDescription</a> <a href="#">nDocOrder</a> <a href="#">cLanguage</a>
source	<pre> &lt;xs:element name="HistoricProductDocs" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="sDocument"/&gt;       &lt;xs:element name="cDocumentType" type="Doctype_CL_Document_HP"/&gt;       &lt;xs:element ref="sDocDescription" minOccurs="0"/&gt;       &lt;xs:element ref="nDocOrder" minOccurs="0"/&gt;       &lt;xs:element ref="cLanguage" minOccurs="0" maxOccurs="unbounded"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

element **HistoricProductsType/HistoricProductDocs/cDocumentType**

diagram			
type	<a href="#">Doctype CL Document HP</a>		
properties	content	simple	
used by	element	<a href="#">ArticlesType/ArticleDocuments</a>	
facets	Kind	Value	Annotation
	enumeration	2D	
	enumeration	2F	
	enumeration	2S	
	enumeration	3C	
	enumeration	3B	
	enumeration	3A	
	enumeration	AN	
	enumeration	DB	
	enumeration	GG	
	enumeration	IS	
	enumeration	MA	
	enumeration	PA	
	enumeration	PP	
	enumeration	ZL	
	enumeration	SB	
	enumeration	SF	
	enumeration	PF	
	enumeration	TI	
	enumeration	TZ	
	enumeration	VI	
	enumeration	WA	
	enumeration	LE	
	enumeration	EL	
	enumeration	UP	
	enumeration	WL	
	enumeration	VP	
	enumeration	VM	
	enumeration	VT	
	enumeration	EP	
	enumeration	BS	
	enumeration	EX	
	enumeration	KS	
	enumeration	CE	
	enumeration	VD	
	enumeration	SS	
	enumeration	PL	
	enumeration	NZ	

source	<code>&lt;xs:element name="cDocumentType" type="Doctype_CL_Document_HP"/&gt;</code>
--------	---

element **HistoricProductsType/HistoricProductPics**

diagram	
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">sDocument</a> <a href="#">cPictureType</a> <a href="#">cPictureUse</a> <a href="#">bSubstitute</a> <a href="#">sDocDescription</a> <a href="#">nDocOrder</a>
source	<pre> &lt;xs:element name="HistoricProductPics" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="sDocument"/&gt;       &lt;xs:element ref="cPictureType"/&gt;       &lt;xs:element ref="cPictureUse"/&gt;       &lt;xs:element ref="bSubstitute"/&gt;       &lt;xs:element ref="sDocDescription" minOccurs="0"/&gt;       &lt;xs:element ref="nDocOrder" minOccurs="0"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

complexType **LongtextType**


diagram	
children	<a href="#">sLongtext</a> <a href="#">Longtexts</a>
used by	element <a href="#">SHK StammdatenType/Longtext</a>
source	<pre> &lt;xs:complexType name="LongtextType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element ref="sLongtext"/&gt;     &lt;xs:element name="Longtexts" maxOccurs="unbounded"&gt;       &lt;xs:complexType&gt;         &lt;xs:sequence&gt; </pre>

	<pre> &lt;xs:element ref="nTextRow"/&gt; &lt;xs:element name="sText" type="String_0_40_Type"/&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>
--	--

element **LongtextType/Longtexts**

diagram	
properties	minOcc 1 maxOcc unbounded content complex
children	<a href="#">nTextRow</a> <a href="#">sText</a>
source	<pre> &lt;xs:element name="Longtexts" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="nTextRow"/&gt;       &lt;xs:element name="sText" type="String_0_40_Type"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

element **LongtextType/Longtexts/sText**

diagram			
type	<a href="#">String_0_40_Type</a>		
properties	content    simple		
facets	Kind	Value	Annotation
	minLength	0	
	maxLength	40	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ [a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sText" type="String_0_40_Type"/>		

complexType **PackageUnitType**

diagram	
children	<a href="#">cPackageKind</a> <a href="#">nQuantity</a> <a href="#">sEan</a> <a href="#">nLength</a> <a href="#">cLengthUnit</a> <a href="#">nWidth</a> <a href="#">cWidthUnit</a> <a href="#">nHeight</a> <a href="#">cHeightUnit</a> <a href="#">nWeight</a> <a href="#">cWeightUnit</a>
used by	element <a href="#">ArticlesType/PackageUnit</a>
source	<pre> &lt;xs:complexType name="PackageUnitType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element ref="cPackageKind"/&gt;     &lt;xs:element ref="nQuantity"/&gt;     &lt;xs:element ref="sEan" minOccurs="0"/&gt;     &lt;xs:sequence minOccurs="0"&gt;       &lt;xs:element ref="nLength"/&gt;       &lt;xs:element ref="cLengthUnit"/&gt;     &lt;/xs:sequence&gt;     &lt;xs:sequence minOccurs="0"&gt;       &lt;xs:element ref="nWidth"/&gt;       &lt;xs:element ref="cWidthUnit"/&gt;     &lt;/xs:sequence&gt;     &lt;xs:sequence minOccurs="0"&gt;       &lt;xs:element ref="nHeight"/&gt;       &lt;xs:element ref="cHeightUnit"/&gt;     &lt;/xs:sequence&gt;     &lt;xs:sequence minOccurs="0"&gt;       &lt;xs:element ref="nWeight"/&gt;       &lt;xs:element ref="cWeightUnit"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>

complexType **ProductgroupsType**

diagram	
children	<a href="#">sProductgroup</a> <a href="#">sDescription</a> <a href="#">PGDocuments</a>
used by	element <a href="#">SHK StammdatenType/Productgroups</a>
source	<pre> &lt;xs:complexType name="ProductgroupsType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element ref="sProductgroup"/&gt;     &lt;xs:element ref="sDescription"/&gt;     &lt;xs:element name="PGDocuments" type="GroupDocumentType" minOccurs="0" maxOccurs="unbounded"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>

element **ProductgroupsType/PGDocuments**

diagram	
type	<a href="#">GroupDocumentType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">sDocument</a> <a href="#">cDocumentType</a> <a href="#">cPictureType</a> <a href="#">cPictureUse</a> <a href="#">sDocDescription</a> <a href="#">nDocOrder</a>
source	<pre> &lt;xs:element name="PGDocuments" type="GroupDocumentType" minOccurs="0" maxOccurs="unbounded"/&gt; </pre>

complexType **SHK\_StammdatenType**

diagram						
children	<a href="#">Header</a> <a href="#">Waregroups</a> <a href="#">Productgroups</a> <a href="#">Discountgroups</a> <a href="#">Bonusgroups</a> <a href="#">Articles</a> <a href="#">Longtext</a> <a href="#">HistoricProducts</a> <a href="#">Sparepartlists</a>					
used by	element <a href="#">SHK_Stammdaten</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	<a href="#">version</a>	xs:string	required		9.0	
source	<pre> &lt;xs:complexType name="SHK_StammdatenType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="Header" type="HeaderType"/&gt;     &lt;xs:element name="Waregroups" type="WaregroupsType" maxOccurs="unbounded"&gt;       &lt;xs:key name="WGDocsID"&gt;         &lt;xs:selector xpath="WGDocuments"/&gt;         &lt;xs:field xpath="sDocument"/&gt;       &lt;/xs:key&gt;     &lt;/xs:element&gt;     &lt;xs:element name="Productgroups" type="ProductgroupsType" maxOccurs="unbounded"&gt;       &lt;xs:key name="PGDocsID"&gt;         &lt;xs:selector xpath="PGDocuments"/&gt; </pre>					

```

        <xs:field xpath="sDocument"/>
      </xs:key>
    </xs:element>
    <xs:element name="Discountgroups" type="DiscountgroupsType"
maxOccurs="unbounded">
      <xs:key name="DGDocsID">
        <xs:selector xpath="DGDocuments"/>
        <xs:field xpath="sDocument"/>
      </xs:key>
    </xs:element>
    <xs:element name="Bonusgroups" type="BonusgroupsType" minOccurs="0"
maxOccurs="unbounded">
      <xs:key name="BGDocsID">
        <xs:selector xpath="BGDocuments"/>
        <xs:field xpath="sDocument"/>
      </xs:key>
    </xs:element>
    <xs:element name="Articles" type="ArticlesType" maxOccurs="unbounded">
      <xs:key name="ArticleAccessoriesID">
        <xs:selector xpath="ArticleAccessories"/>
        <xs:field xpath="sAccessory"/>
      </xs:key>
      <xs:key name="ArticleDocsID">
        <xs:selector xpath="ArticleDocuments"/>
        <xs:field xpath="sDocument"/>
        <xs:field xpath="cDocumentType"/>
      </xs:key>
      <xs:key name="ArticlePicID">
        <xs:selector xpath="ArticlePictures"/>
        <xs:field xpath="sDocument"/>
      </xs:key>
      <xs:key name="ArticleMeasuresID">
        <xs:selector xpath="ArticleMeasures"/>
        <xs:field xpath="cMeasuredeclaration"/>
      </xs:key>
      <xs:key name="ArticleTextsID">
        <xs:selector xpath="ArticleTexts"/>
        <xs:field xpath="nTextRow"/>
      </xs:key>
      <xs:key name="ArticleRawmaterialID">
        <xs:selector xpath="ArticleRawmaterials"/>
        <xs:field xpath="cMaterial"/>
      </xs:key>
      <xs:key name="ArticleSetsID">
        <xs:selector xpath="ArticleSets"/>
        <xs:field xpath="sAssignedArticle"/>
      </xs:key>
      <xs:key name="ArticlePackageUnitID">
        <xs:selector xpath="PackageUnit"/>
        <xs:field xpath="cPackageKind"/>
        <xs:field xpath="nQuantity"/>
      </xs:key>
      <xs:key name="ArticlePricelineID">
        <xs:selector xpath="PriceLine"/>
        <xs:field xpath="sDescription"/>

```



```

        </xs:key>
      </xs:element>
      <xs:element name="Longtext" type="LongtextType" minOccurs="0"
maxOccurs="unbounded">
        <xs:key name="LongtextRowID">
          <xs:selector xpath="Longtexts"/>
          <xs:field xpath="nTextRow"/>
        </xs:key>
      </xs:element>
      <xs:element name="HistoricProducts" type="HistoricProductsType"
minOccurs="0" maxOccurs="unbounded">
        <xs:key name="HPDocs">
          <xs:selector xpath="HistoricProductDocs"/>
          <xs:field xpath="sDocument"/>
          <xs:field xpath="cDocumentType"/>
        </xs:key>
        <xs:key name="HPPics">
          <xs:selector xpath="HistoricProductPics"/>
          <xs:field xpath="sDocument"/>
        </xs:key>
      </xs:element>
      <xs:element name="Sparepartlists" type="SparepartlistsType" minOccurs="0"
maxOccurs="unbounded">
        <xs:key name="SparepartRowID">
          <xs:selector xpath="Spareparts"/>
          <xs:field xpath="nRow"/>
        </xs:key>
      </xs:element>
    </xs:sequence>
    <xs:attribute name="version" type="xs:string" use="required" fixed="9.0"/>
  </xs:complexType>

```

attribute **SHK\_StammdatenType/@version**

type	<b>xs:string</b>	
properties	use	required
	fixed	9.0
source	<xs:attribute name="version" type="xs:string" use="required" fixed="9.0"/>	

element **SHK\_StammdatenType/Header**

diagram	
type	<a href="#">HeaderType</a>
properties	content complex
children	<a href="#">sSupplierID</a> <a href="#">sSupplierIDType</a> <a href="#">sSupplierShortName</a> <a href="#">sSupplierSynonym</a> <a href="#">sCatalogID</a> <a href="#">sCatalogDesc</a> <a href="#">dValidityBegin</a> <a href="#">dValidityEnd</a> <a href="#">sMessageName</a> <a href="#">sMessageDescription</a> <a href="#">bIncludesSystemRelevantPackagings</a> <a href="#">sLUCIDNumber</a> <a href="#">sPackagingDisposalProvider</a> <a href="#">sTeststring</a>
source	<pre>&lt;xs:element name="Header" type="HeaderType"/&gt;</pre>

element **SHK\_StammdatenType/Waregroups**

diagram						
type	<a href="#">WaregroupsType</a>					
properties	minOcc	1	maxOcc	unbounded	content	complex
children	<a href="#">sWaregroup</a> <a href="#">sDescription</a> <a href="#">WGDdocuments</a>					
identity constraints		Name	Refer	Selector	Field(s)	Annotation
	key	WGDocsID		WGDdocuments	sDocument	
source	<pre> &lt;xs:element name="Waregroups" type="WaregroupsType" maxOccurs="unbounded"&gt;   &lt;xs:key name="WGDocsID"&gt;     &lt;xs:selector xpath="WGDdocuments"/&gt;     &lt;xs:field xpath="sDocument"/&gt;   &lt;/xs:key&gt; &lt;/xs:element&gt; </pre>					

element **SHK\_StammdatenType/Productgroups**

diagram						
type	<a href="#">ProductgroupsType</a>					
properties	minOcc	1	maxOcc	unbounded	content	complex
children	<a href="#">sProductgroup</a> <a href="#">sDescription</a> <a href="#">PGDocuments</a>					
identity constraints		Name	Refer	Selector	Field(s)	Annotation
	key	PGDocsID		PGDocuments	sDocument	
source	<pre> &lt;xs:element name="Productgroups" type="ProductgroupsType" maxOccurs="unbounded"&gt;   &lt;xs:key name="PGDocsID"&gt;     &lt;xs:selector xpath="PGDocuments"/&gt;     &lt;xs:field xpath="sDocument"/&gt;   &lt;/xs:key&gt; &lt;/xs:element&gt; </pre>					

element **SHK\_StammdatenType/Discountgroups**


diagram						
type	<a href="#">DiscountgroupsType</a>					
properties	minOcc	1	maxOcc	unbounded	content	complex
children	<a href="#">sDiscountgroup</a> <a href="#">sDescription</a> <a href="#">DGDDocuments</a>					
identity constraints		Name	Refer	Selector	Field(s)	Annotation
	key	DGDocsID		DGDDocuments	sDocument	
source	<pre> &lt;xs:element name="Discountgroups" type="DiscountgroupsType" maxOccurs="unbounded"&gt;   &lt;xs:key name="DGDocsID"&gt;     &lt;xs:selector xpath="DGDDocuments"/&gt;     &lt;xs:field xpath="sDocument"/&gt;   &lt;/xs:key&gt; &lt;/xs:element&gt; </pre>					

element **SHK\_StammdatenType/Bonusgroups**

diagram						
type	<a href="#">BonusgroupsType</a>					
properties	minOcc	0	maxOcc	unbounded	content	complex
children	<a href="#">sBonusgroup</a> <a href="#">sDescription</a> <a href="#">BGDocuments</a>					
identity constraints		Name	Refer	Selector	Field(s)	Annotation
	key	BGDocsID		BGDocuments	sDocument	
source	<pre> &lt;xs:element name="Bonusgroups" type="BonusgroupsType" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:key name="BGDocsID"&gt;     &lt;xs:selector xpath="BGDocuments"/&gt;     &lt;xs:field xpath="sDocument"/&gt;   &lt;/xs:key&gt; &lt;/xs:element&gt; </pre>					

element **SHK\_StammdatenType/Articles**

diagram





type	<a href="#">ArticlesType</a>					
properties	minOcc	1	maxOcc	unbounded	content	complex
children	<a href="#">sArticle</a> <a href="#">sEan</a> <a href="#">cArticletype</a> <a href="#">dValidityBegin</a> <a href="#">dValidityEnd</a> <a href="#">sShorttext1</a> <a href="#">sShorttext2</a> <a href="#">sWaregroup</a> <a href="#">sProductgroup</a> <a href="#">sDiscountgroup</a> <a href="#">sBonusgroup</a> <a href="#">nMinOrder</a> <a href="#">cMinOrderUnit</a> <a href="#">sArticleNumberPrint</a> <a href="#">sAlternate</a> <a href="#">sSuccessor 1</a> <a href="#">sSuccessor 2</a> <a href="#">sSuccessor 3</a> <a href="#">sLongtext</a> <a href="#">sUrl</a> <a href="#">cDiscontinued</a> <a href="#">dDiscontinuedStart</a> <a href="#">bCapableOfOrdering</a> <a href="#">cDisplayIn</a> <a href="#">sSparepartlist</a> <a href="#">dConstructionFrom</a> <a href="#">dConstructionTo</a> <a href="#">sConstructiontext</a> <a href="#">bExportabel</a> <a href="#">sWaregroupNumber</a> <a href="#">cCountryOfOrigin</a> <a href="#">nShelfLife</a> <a href="#">nLength</a> <a href="#">cLengthUnit</a> <a href="#">nWidth</a> <a href="#">cWidthUnit</a> <a href="#">nHeight</a> <a href="#">cHeightUnit</a> <a href="#">nWeight</a> <a href="#">cWeightUnit</a> <a href="#">nPackageAmount</a> <a href="#">cTaxCode</a> <a href="#">nDeliveryTime</a> <a href="#">sSerie</a> <a href="#">sModelNumber</a> <a href="#">sDescriptionShort</a> <a href="#">sDescriptionLong</a> <a href="#">sDescriptionMarketing</a> <a href="#">sUsageNode</a> <a href="#">bDeleted</a> <a href="#">nCUperOU</a> <a href="#">cContentunit</a> <a href="#">PriceOnDemand</a> <a href="#">nPricePro</a> <a href="#">cCurrencyPro</a> <a href="#">nPricebasePro</a> <a href="#">cPriceunitPro</a> <a href="#">nPriceUVP</a> <a href="#">cCurrencyUVP</a> <a href="#">nPricebaseUVP</a> <a href="#">cPriceunitUVP</a> <a href="#">PriceLine</a> <a href="#">PackageUnit</a> <a href="#">ArticleAccessories</a> <a href="#">ArticleDocuments</a> <a href="#">ArticlePictures</a> <a href="#">ArticleAttribute</a> <a href="#">ArticleMeasures</a> <a href="#">ArticleTexts</a> <a href="#">ArticleRawmaterials</a> <a href="#">ArticleSets</a>					
identity constraints		Name	Refer	Selector	Field(s)	Annotation
	key	ArticleAccessoriesID		ArticleAccessories	sAccessory	
	key	ArticleDocsID		ArticleDocuments	sDocument cDocumentType	
	key	ArticlePicID		ArticlePictures	sDocument	
	key	ArticleMeasuresID		ArticleMeasures	cMeasuredeclaration	
	key	ArticleTextsID		ArticleTexts	nTextRow	
	key	ArticleRawmaterialID		ArticleRawmaterials	cMaterial	
	key	ArticleSetsID		ArticleSets	sAssignedArticle	
	key	ArticlePackageUnitID		PackageUnit	cPackageKind nQuantity	
	key	ArticlePriceLineID		PriceLine	sDescription	
source	<pre> &lt;xs:element name="Articles" type="ArticlesType" maxOccurs="unbounded"&gt;   &lt;xs:key name="ArticleAccessoriesID"&gt;     &lt;xs:selector xpath="ArticleAccessories"/&gt;     &lt;xs:field xpath="sAccessory"/&gt;   &lt;/xs:key&gt;   &lt;xs:key name="ArticleDocsID"&gt;     &lt;xs:selector xpath="ArticleDocuments"/&gt;     &lt;xs:field xpath="sDocument"/&gt;     &lt;xs:field xpath="cDocumentType"/&gt;   &lt;/xs:key&gt;   &lt;xs:key name="ArticlePicID"&gt;     &lt;xs:selector xpath="ArticlePictures"/&gt;     &lt;xs:field xpath="sDocument"/&gt;   &lt;/xs:key&gt;   &lt;xs:key name="ArticleMeasuresID"&gt;     &lt;xs:selector xpath="ArticleMeasures"/&gt;     &lt;xs:field xpath="cMeasuredeclaration"/&gt;   &lt;/xs:key&gt;   &lt;xs:key name="ArticleTextsID"&gt;     &lt;xs:selector xpath="ArticleTexts"/&gt;     &lt;xs:field xpath="nTextRow"/&gt;   &lt;/xs:key&gt;   &lt;xs:key name="ArticleRawmaterialID"&gt;     &lt;xs:selector xpath="ArticleRawmaterials"/&gt;     &lt;xs:field xpath="cMaterial"/&gt;   &lt;/xs:key&gt;   &lt;xs:key name="ArticleSetsID"&gt; </pre>					

```

<xs:selector xpath="ArticleSets"/>
<xs:field xpath="sAssignedArticle"/>
</xs:key>
<xs:key name="ArticlePackageUnitID">
<xs:selector xpath="PackageUnit"/>
<xs:field xpath="cPackageKind"/>
<xs:field xpath="nQuantity"/>
</xs:key>
<xs:key name="ArticlePriceLineID">
<xs:selector xpath="PriceLine"/>
<xs:field xpath="sDescription"/>
</xs:key>
</xs:element>

```

### element SHK\_StammdatenType/Longtext

diagram						
type	<a href="#">LongtextType</a>					
properties	minOcc	0	maxOcc	unbounded	content	complex
children	<a href="#">sLongtext</a> <a href="#">Longtexts</a>					
identity constraints	key	Name	Refer	Selector	Field(s)	Annotation
		LongtextRowID		Longtexts	nTextRow	
source	<pre> &lt;xs:element name="Longtext" type="LongtextType" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:key name="LongtextRowID"&gt;     &lt;xs:selector xpath="Longtexts"/&gt;     &lt;xs:field xpath="nTextRow"/&gt;   &lt;/xs:key&gt; &lt;/xs:element&gt; </pre>					

element **SHK\_StammdatenType/HistoricProducts**

diagram	
type	<a href="#">HistoricProductsType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">sHistoricProduct</a> <a href="#">dConstructionFrom</a> <a href="#">dConstructionTo</a> <a href="#">sConstructiontext</a> <a href="#">sShorttext1</a> <a href="#">sShorttext2</a> <a href="#">sEan</a> <a href="#">sWaregroup</a> <a href="#">sProductgroup</a> <a href="#">sSparepartlist</a> <a href="#">HistoricProductDocs</a> <a href="#">HistoricProductPics</a>

identity constraints	key	Name	Refer	Selector	Field(s)	Annotation
		HPDocs		HistoricProductDocs	sDocument cDocumentType	
	key	HPPics		HistoricProductPics	sDocument	
source	<pre> &lt;xs:element name="HistoricProducts" type="HistoricProductsType" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:key name="HPDocs"&gt;     &lt;xs:selector xpath="HistoricProductDocs"/&gt;     &lt;xs:field xpath="sDocument"/&gt;     &lt;xs:field xpath="cDocumentType"/&gt;   &lt;/xs:key&gt;   &lt;xs:key name="HPPics"&gt;     &lt;xs:selector xpath="HistoricProductPics"/&gt;     &lt;xs:field xpath="sDocument"/&gt;   &lt;/xs:key&gt; &lt;/xs:element&gt; </pre>					

element **SHK\_StammdatenType/Sparepartlists**

diagram						
type	<a href="#">SparepartlistsType</a>					
properties	minOcc	0	maxOcc	unbounded	content	complex
children	<a href="#">sList Spareparts</a>					
identity constraints	key	Name	Refer	Selector	Field(s)	Annotation
		SparepartRowID		Spareparts	nRow	
source	<pre> &lt;xs:element name="Sparepartlists" type="SparepartlistsType" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xs:key name="SparepartRowID"&gt;     &lt;xs:selector xpath="Spareparts"/&gt;     &lt;xs:field xpath="nRow"/&gt;   &lt;/xs:key&gt; &lt;/xs:element&gt; </pre>					

complexType **SparepartlistsType**

diagram	
children	<a href="#">sList</a> <a href="#">Spareparts</a>
used by	element <a href="#">SHK StammdatenType/Sparepartlists</a>
source	<pre> &lt;xs:complexType name="SparepartlistsType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element ref="sList"/&gt;     &lt;xs:element name="Spareparts" maxOccurs="unbounded"&gt;       &lt;xs:complexType&gt;         &lt;xs:sequence&gt;           &lt;xs:element ref="nRow"/&gt;           &lt;xs:choice&gt;             &lt;xs:element name="TextRow"&gt;               &lt;xs:complexType&gt;                 &lt;xs:sequence&gt;                   &lt;xs:element ref="sPosition" minOccurs="0"/&gt;                   &lt;xs:element name="sText" type="String_35_Type"/&gt;                 &lt;/xs:sequence&gt;               &lt;/xs:complexType&gt;             &lt;/xs:element&gt;             &lt;xs:element name="ArticleRow"&gt;               &lt;xs:complexType&gt;                 &lt;xs:sequence&gt;                   &lt;xs:element ref="sPosition"/&gt;                   &lt;xs:element ref="sPricegroup" minOccurs="0"/&gt;                   &lt;xs:element name="sText" type="String_35_Type"/&gt;                   &lt;xs:choice&gt;                     &lt;xs:element name="LinkedArticle"&gt;                       &lt;xs:complexType&gt;                         &lt;xs:sequence&gt;                           &lt;xs:element ref="sSparepart"/&gt;                         &lt;/xs:sequence&gt;                       &lt;/xs:complexType&gt;                     &lt;/xs:element&gt;                     &lt;xs:element name="LinkedHistoricProduct"&gt;                       &lt;xs:complexType&gt;                         &lt;xs:sequence&gt;                           &lt;xs:element ref="sHistoricProduct"/&gt;                           &lt;xs:element ref="dConstructionFrom"/&gt;                         &lt;/xs:sequence&gt;                       &lt;/xs:complexType&gt;                     &lt;/xs:element&gt;                   &lt;/xs:choice&gt;                 &lt;/xs:sequence&gt;               &lt;/xs:complexType&gt;             &lt;/xs:element&gt;           &lt;/xs:choice&gt;         &lt;/xs:sequence&gt;       &lt;/xs:complexType&gt;     &lt;/xs:element&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>

	<pre> &lt;/xs:choice&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>
--	---

# element **SparepartlistsType/Spareparts**


diagram	
properties	minOcc 1 maxOcc unbounded content complex
children	<a href="#">nRow</a> <a href="#">TextRow</a> <a href="#">ArticleRow</a>
source	<pre> &lt;xs:element name="Spareparts" maxOccurs="unbounded"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="nRow"/&gt;       &lt;xs:choice&gt;         &lt;xs:element name="TextRow"&gt;           &lt;xs:complexType&gt;             &lt;xs:sequence&gt;               &lt;xs:element ref="sPosition" minOccurs="0"/&gt;               &lt;xs:element name="sText" type="String_35_Type"/&gt;             &lt;/xs:sequence&gt;           &lt;/xs:complexType&gt;         &lt;/xs:element&gt;         &lt;xs:element name="ArticleRow"&gt;           &lt;xs:complexType&gt;             &lt;xs:sequence&gt;               &lt;xs:element ref="sPosition"/&gt;               &lt;xs:element ref="sPricegroup" minOccurs="0"/&gt;               &lt;xs:element name="sText" type="String_35_Type"/&gt;               &lt;xs:choice&gt;                 &lt;xs:element name="LinkedArticle"&gt;                   &lt;xs:complexType&gt;                     &lt;xs:sequence&gt;                       &lt;xs:element ref="sSparepart"/&gt;                     &lt;/xs:sequence&gt;                   &lt;/xs:complexType&gt;                 &lt;xs:element name="LinkedHistoricProduct"&gt;                   &lt;xs:complexType&gt;                     &lt;xs:sequence&gt;                       &lt;xs:element ref="sHistoricProduct"/&gt;                       &lt;xs:element ref="dConstructionFrom"/&gt;                     &lt;/xs:sequence&gt;                   &lt;/xs:complexType&gt;                 &lt;/xs:choice&gt;               &lt;/xs:sequence&gt;             &lt;/xs:complexType&gt;           &lt;/xs:element&gt;         &lt;/xs:choice&gt;       &lt;/xs:sequence&gt;     &lt;/xs:complexType&gt;   &lt;/xs:element&gt; </pre>

	<pre> &lt;/xs:complexType&gt; &lt;/xs:element&gt; &lt;/xs:choice&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; &lt;/xs:choice&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>
--	--

element **SparepartlistsType/Spareparts/TextRow**

diagram	
properties	content complex
children	<a href="#">sPosition</a> <a href="#">sText</a>
source	<pre> &lt;xs:element name="TextRow"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="sPosition" minOccurs="0"/&gt;       &lt;xs:element name="sText" type="String_35_Type"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>


element **SparepartlistsType/Spareparts/TextRow/sText**

diagram			
type	<a href="#">String_35_Type</a>		
properties	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	35	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] : &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*	
source	<xs:element name="sText" type="String_35_Type"/>		

element **SparepartlistsType/Spareparts/ArticleRow**

diagram	<pre> graph LR     AR[ArticleRow] --- Seq1[...]     Seq1 --- sPos[sPosition]     Seq1 --- sPrice[sPricegroup]     Seq1 --- sText[sText]     Seq1 --- Choice{ }     Choice --- LA[LinkedArticle]     Choice --- LHP[LinkedHistoricProduct] </pre>
properties	content complex
children	<a href="#">sPosition</a> <a href="#">sPricegroup</a> <a href="#">sText</a> <a href="#">LinkedArticle</a> <a href="#">LinkedHistoricProduct</a>
source	<pre> &lt;xs:element name="ArticleRow"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="sPosition"/&gt;       &lt;xs:element ref="sPricegroup" minOccurs="0"/&gt;       &lt;xs:element name="sText" type="String_35_Type"/&gt;       &lt;xs:choice&gt;         &lt;xs:element name="LinkedArticle"&gt;           &lt;xs:complexType&gt;             &lt;xs:sequence&gt;               &lt;xs:element ref="sSparepart"/&gt;             &lt;/xs:sequence&gt;           &lt;/xs:complexType&gt;         &lt;/xs:element&gt;         &lt;xs:element name="LinkedHistoricProduct"&gt;           &lt;xs:complexType&gt;             &lt;xs:sequence&gt;               &lt;xs:element ref="sHistoricProduct"/&gt;               &lt;xs:element ref="dConstructionFrom"/&gt;             &lt;/xs:sequence&gt;           &lt;/xs:complexType&gt;         &lt;/xs:element&gt;       &lt;/xs:choice&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

element **SparepartlistsType/Spareparts/ArticleRow/sText**

diagram			
type	<a href="#">String 35 Type</a>		
properties	content    simple		
facets	Kind minLength	Value 1	Annotation



	maxLength 35 pattern (&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä ö Ö ß &#x00A7;)*
source	<code>&lt;xs:element name="sText" type="String_35_Type"/&gt;</code>

**element SparepartlistsType/Spareparts/ArticleRow/LinkedArticle**

diagram	
properties	content complex
children	<a href="#">sSparepart</a>
source	<pre> &lt;xs:element name="LinkedArticle"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="sSparepart"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

**element SparepartlistsType/Spareparts/ArticleRow/LinkedHistoricProduct**

diagram	
properties	content complex
children	<a href="#">sHistoricProduct</a> <a href="#">dConstructionFrom</a>
source	<pre> &lt;xs:element name="LinkedHistoricProduct"&gt;   &lt;xs:complexType&gt;     &lt;xs:sequence&gt;       &lt;xs:element ref="sHistoricProduct"/&gt;       &lt;xs:element ref="dConstructionFrom"/&gt;     &lt;/xs:sequence&gt;   &lt;/xs:complexType&gt; &lt;/xs:element&gt; </pre>

**complexType WaregroupsType**

diagram	
---------	--

children	<a href="#">sWaregroup</a> <a href="#">sDescription</a> <a href="#">WGDocuments</a>
used by	element <a href="#">SHK StammdatenType/Waregroups</a>
source	<pre> &lt;xs:complexType name="WaregroupsType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element ref="sWaregroup"/&gt;     &lt;xs:element ref="sDescription"/&gt;     &lt;xs:element name="WGDocuments" type="GroupDocumentType" minOccurs="0" maxOccurs="unbounded"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>


# element **WaregroupsType/WGDocuments**

diagram	
type	<a href="#">GroupDocumentType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">sDocument</a> <a href="#">cDocumentType</a> <a href="#">cPictureType</a> <a href="#">cPictureUse</a> <a href="#">sDocDescription</a> <a href="#">nDocOrder</a>
source	<pre> &lt;xs:element name="WGDocuments" type="GroupDocumentType" minOccurs="0" maxOccurs="unbounded"/&gt; </pre>

complexType **GroupDocumentType**


diagram	<pre> graph LR     GD[GroupDocumentType] -- sequence --&gt; SD[sDocument]     GD -- choice --&gt; CD[cDocumentType]     GD -- choice --&gt; Seq1[sequence]     Seq1 -- sequence --&gt; CP[cPictureType]     Seq1 -- sequence --&gt; CU[cPictureUse]     GD -- optional --&gt; SDs[sDocDescription]     GD -- optional --&gt; nDO[nDocOrder] </pre>
children	<a href="#">sDocument</a> <a href="#">cDocumentType</a> <a href="#">cPictureType</a> <a href="#">cPictureUse</a> <a href="#">sDocDescription</a> <a href="#">nDocOrder</a>
used by	elements <a href="#">BonusgroupsType/BGDDocuments</a> <a href="#">DiscountgroupsType/DGDDocuments</a> <a href="#">ProductgroupsType/PGDocuments</a> <a href="#">WaregroupsType/WGDDocuments</a>
source	<pre> &lt;xs:complexType name="GroupDocumentType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element ref="sDocument"/&gt;     &lt;xs:choice&gt;       &lt;xs:sequence&gt;         &lt;xs:element name="cDocumentType" type="Doctype_CL_Document_Groups"/&gt;       &lt;/xs:sequence&gt;       &lt;xs:sequence&gt;         &lt;xs:element name="cPictureType" type="Doctype_CL_Picture_Groups"/&gt;         &lt;xs:element ref="cPictureUse"/&gt;       &lt;/xs:sequence&gt;     &lt;/xs:choice&gt;     &lt;xs:element ref="sDocDescription" minOccurs="0"/&gt;     &lt;xs:element ref="nDocOrder" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>

element **GroupDocumentType/cDocumentType**

diagram																						
type	<a href="#">Doctype CL Document Groups</a>																					
properties	content simple																					
used by	element <a href="#">ArticlesType/ArticleDocuments</a>																					
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>2D</td><td></td></tr><tr><td>enumeration</td><td>2F</td><td></td></tr><tr><td>enumeration</td><td>2S</td><td></td></tr><tr><td>enumeration</td><td>3C</td><td></td></tr><tr><td>enumeration</td><td>3B</td><td></td></tr><tr><td>enumeration</td><td>3A</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	2D		enumeration	2F		enumeration	2S		enumeration	3C		enumeration	3B		enumeration	3A	
Kind	Value	Annotation																				
enumeration	2D																					
enumeration	2F																					
enumeration	2S																					
enumeration	3C																					
enumeration	3B																					
enumeration	3A																					

	enumeration AN
	enumeration DB
	enumeration GG
	enumeration IS
	enumeration MA
	enumeration PA
	enumeration PP
	enumeration ZL
	enumeration SB
	enumeration SF
	enumeration PF
	enumeration TI
	enumeration TZ
	enumeration VI
	enumeration WA
	enumeration LE
	enumeration NZ
source	<code>&lt;xs:element name="cDocumentType" type="Doctype_CL_Document_Groups"/&gt;</code>

element **GroupDocumentType/cPictureType**

diagram																												
type	<a href="#">Doctype CL Picture Groups</a>																											
properties	content simple																											
used by	elements <a href="#">ArticlesType/ArticlePictures</a> <a href="#">HistoricProductsType/HistoricProductPics</a>																											
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>B_</td><td></td></tr><tr><td>enumeration</td><td>S_</td><td></td></tr><tr><td>enumeration</td><td>U_</td><td></td></tr><tr><td>enumeration</td><td>V_</td><td></td></tr><tr><td>enumeration</td><td>MI</td><td></td></tr><tr><td>enumeration</td><td>DT</td><td></td></tr><tr><td>enumeration</td><td>LO</td><td></td></tr><tr><td>enumeration</td><td>X_</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	B_		enumeration	S_		enumeration	U_		enumeration	V_		enumeration	MI		enumeration	DT		enumeration	LO		enumeration	X_	
Kind	Value	Annotation																										
enumeration	B_																											
enumeration	S_																											
enumeration	U_																											
enumeration	V_																											
enumeration	MI																											
enumeration	DT																											
enumeration	LO																											
enumeration	X_																											
source	<code>&lt;xs:element name="cPictureType" type="Doctype_CL_Picture_Groups"/&gt;</code>																											

simpleType **Articletype**

type	restriction of <a href="#">Erlaubte Zeichen</a>
properties	base Erlaubte_Zeichen
used by	element <a href="#">cArticletype</a>

facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; &#x25; &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
	enumeration	STD	
	enumeration	ERA	
	enumeration	ERB	
	enumeration	ERC	
	enumeration	VA	
	enumeration	MA	
	enumeration	DLS	
	enumeration	PAK	
	enumeration	SON	
	enumeration	KAL	
	enumeration	STG	
	enumeration	PLA	
	enumeration	GEB	
	enumeration	LOS	
	enumeration	PSK	
source	<pre>&lt;xs:simpleType name="Articletype"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:enumeration value="STD"/&gt;     &lt;xs:enumeration value="ERA"/&gt;     &lt;xs:enumeration value="ERB"/&gt;     &lt;xs:enumeration value="ERC"/&gt;     &lt;xs:enumeration value="VA"/&gt;     &lt;xs:enumeration value="MA"/&gt;     &lt;xs:enumeration value="DLS"/&gt;     &lt;xs:enumeration value="PAK"/&gt;     &lt;xs:enumeration value="SON"/&gt;     &lt;xs:enumeration value="KAL"/&gt;     &lt;xs:enumeration value="STG"/&gt;     &lt;xs:enumeration value="PLA"/&gt;     &lt;xs:enumeration value="GEB"/&gt;     &lt;xs:enumeration value="LOS"/&gt;     &lt;xs:enumeration value="PSK"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **Artikelnummer**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	element	<a href="#">sArticle</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	15	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; &#x25; &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	

source	<pre>&lt;xs:simpleType name="Artikelnummer"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="15"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
--------	--

simpleType **Attributesystem\_CL**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base <a href="#">Erlaubte_Zeichen</a>		
used by	element <a href="#">cAttributesystem</a>		
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä ö ß &#x00A7;)*	
	enumeration	INDIV	
	enumeration	ETIM 7	
	enumeration	ETIM 8	
	enumeration	ETIM 9	
	enumeration	ZVSHK	
	enumeration	Gebühren	
	enumeration	Regulations	
source	<pre>&lt;xs:simpleType name="Attributesystem_CL"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:enumeration value="INDIV"/&gt;     &lt;xs:enumeration value="ETIM 7"/&gt;     &lt;xs:enumeration value="ETIM 8"/&gt;     &lt;xs:enumeration value="ETIM 9"/&gt;     &lt;xs:enumeration value="ZVSHK"/&gt;     &lt;xs:enumeration value="Gebühren"/&gt;     &lt;xs:enumeration value="Regulations"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **Countries**

simple type <b>countries</b>			
type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	element	<a href="#">cCountryOfOrigin</a>	
facets	Kind	Value	Annotation
	pattern	{&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ [a-z] ü ä ö Ö ß &#x00A7;)*	
	enumeration	AF	
	enumeration	EG	
	enumeration	AX	
	enumeration	AL	
	enumeration	DZ	

enumeration	AS
enumeration	VI
enumeration	AD
enumeration	AO
enumeration	AI
enumeration	AQ
enumeration	AG
enumeration	GQ
enumeration	AR
enumeration	AM
enumeration	AW
enumeration	AC
enumeration	AZ
enumeration	ET
enumeration	AU
enumeration	BS
enumeration	BH
enumeration	BD
enumeration	BB
enumeration	BY
enumeration	BE
enumeration	BZ
enumeration	BJ
enumeration	BM
enumeration	BT
enumeration	BO
enumeration	BQ
enumeration	BA
enumeration	BW
enumeration	BV
enumeration	BR
enumeration	VG
enumeration	IO
enumeration	BN
enumeration	BG
enumeration	BF
enumeration	BU
enumeration	BI
enumeration	EA
enumeration	CL
enumeration	CN
enumeration	CP
enumeration	CK
enumeration	CR
enumeration	CI
enumeration	CW

enumeration	DK
enumeration	DE
enumeration	DG
enumeration	DM
enumeration	DO
enumeration	DJ
enumeration	EC
enumeration	SV
enumeration	ER
enumeration	EE
enumeration	CE
enumeration	EU
enumeration	FK
enumeration	FO
enumeration	FJ
enumeration	FI
enumeration	FR
enumeration	FX
enumeration	GF
enumeration	PF
enumeration	TF
enumeration	GA
enumeration	GM
enumeration	GE
enumeration	GH
enumeration	GI
enumeration	GD
enumeration	GR
enumeration	GL
enumeration	GP
enumeration	GU
enumeration	GT
enumeration	GG
enumeration	GN
enumeration	GW
enumeration	GY
enumeration	HT
enumeration	HM
enumeration	HN
enumeration	HK
enumeration	IN
enumeration	ID
enumeration	IM
enumeration	IQ
enumeration	IR
enumeration	IE



enumeration	IS
enumeration	IL
enumeration	IT
enumeration	JM
enumeration	JP
enumeration	YE
enumeration	JE
enumeration	JO
enumeration	YU
enumeration	KY
enumeration	KH
enumeration	CM
enumeration	CA
enumeration	IC
enumeration	CV
enumeration	KZ
enumeration	QA
enumeration	KE
enumeration	KG
enumeration	KI
enumeration	CC
enumeration	CO
enumeration	KM
enumeration	CD
enumeration	CG
enumeration	KP
enumeration	KR
enumeration	HR
enumeration	CU
enumeration	KW
enumeration	LA
enumeration	LS
enumeration	LV
enumeration	LB
enumeration	LR
enumeration	LY
enumeration	LI
enumeration	LT
enumeration	LU
enumeration	MO
enumeration	MG
enumeration	MW
enumeration	MY
enumeration	MV
enumeration	ML
enumeration	MT

enumeration	MA
enumeration	MH
enumeration	MQ
enumeration	MR
enumeration	MU
enumeration	YT
enumeration	MK
enumeration	MX
enumeration	FM
enumeration	MD
enumeration	MC
enumeration	MN
enumeration	ME
enumeration	MS
enumeration	MZ
enumeration	MM
enumeration	NA
enumeration	NR
enumeration	NP
enumeration	NC
enumeration	NZ
enumeration	NT
enumeration	NI
enumeration	NL
enumeration	AN
enumeration	NE
enumeration	NG
enumeration	NU
enumeration	MP
enumeration	NF
enumeration	NO
enumeration	OM
enumeration	AT
enumeration	TL
enumeration	PK
enumeration	PS
enumeration	PW
enumeration	PA
enumeration	PG
enumeration	PY
enumeration	PE
enumeration	PH
enumeration	PN
enumeration	PL
enumeration	PT
enumeration	PR

enumeration	RE
enumeration	RW
enumeration	RO
enumeration	RU
enumeration	SB
enumeration	BL
enumeration	MF
enumeration	ZM
enumeration	WS
enumeration	SM
enumeration	ST
enumeration	SA
enumeration	SE
enumeration	CH
enumeration	SN
enumeration	RS
enumeration	SC
enumeration	SL
enumeration	ZW
enumeration	SG
enumeration	SX
enumeration	SK
enumeration	SI
enumeration	SO
enumeration	ES
enumeration	LK
enumeration	SH
enumeration	KN
enumeration	LC
enumeration	PM
enumeration	VC
enumeration	ZA
enumeration	SD
enumeration	GS
enumeration	SS
enumeration	SR
enumeration	SJ
enumeration	SZ
enumeration	SY
enumeration	TJ
enumeration	TW
enumeration	TZ
enumeration	TH
enumeration	TG
enumeration	TK
enumeration	TO

	enumeration TT enumeration TA enumeration TD enumeration CZ enumeration TN enumeration TR enumeration TM enumeration TC enumeration TV enumeration SU enumeration UG enumeration UA enumeration HU enumeration UM enumeration UY enumeration UZ enumeration VU enumeration VA enumeration VE enumeration AE enumeration US enumeration GB enumeration VN enumeration WF enumeration CX enumeration EH enumeration ZR enumeration CF enumeration CY enumeration ZZ
source	<pre> &lt;xs:simpleType name="Countries"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:enumeration value="AF"/&gt;     &lt;xs:enumeration value="EG"/&gt;     &lt;xs:enumeration value="AX"/&gt;     &lt;xs:enumeration value="AL"/&gt;     &lt;xs:enumeration value="DZ"/&gt;     &lt;xs:enumeration value="AS"/&gt;     &lt;xs:enumeration value="VI"/&gt;     &lt;xs:enumeration value="AD"/&gt;     &lt;xs:enumeration value="AO"/&gt;     &lt;xs:enumeration value="AI"/&gt;     &lt;xs:enumeration value="AQ"/&gt;     &lt;xs:enumeration value="AG"/&gt;     &lt;xs:enumeration value="GQ"/&gt;     &lt;xs:enumeration value="AR"/&gt;     &lt;xs:enumeration value="AM"/&gt;     &lt;xs:enumeration value="AW"/&gt;   </pre>

```

<xs:enumeration value="AC"/>
<xs:enumeration value="AZ"/>
<xs:enumeration value="ET"/>
<xs:enumeration value="AU"/>
<xs:enumeration value="BS"/>
<xs:enumeration value="BH"/>
<xs:enumeration value="BD"/>
<xs:enumeration value="BB"/>
<xs:enumeration value="BY"/>
<xs:enumeration value="BE"/>
<xs:enumeration value="BZ"/>
<xs:enumeration value="BJ"/>
<xs:enumeration value="BM"/>
<xs:enumeration value="BT"/>
<xs:enumeration value="BO"/>
<xs:enumeration value="BQ"/>
<xs:enumeration value="BA"/>
<xs:enumeration value="BW"/>
<xs:enumeration value="BV"/>
<xs:enumeration value="BR"/>
<xs:enumeration value="VG"/>
<xs:enumeration value="IO"/>
<xs:enumeration value="BN"/>
<xs:enumeration value="BG"/>
<xs:enumeration value="BF"/>
<xs:enumeration value="BU"/>
<xs:enumeration value="BI"/>
<xs:enumeration value="EA"/>
<xs:enumeration value="CL"/>
<xs:enumeration value="CN"/>
<xs:enumeration value="CP"/>
<xs:enumeration value="CK"/>
<xs:enumeration value="CR"/>
<xs:enumeration value="CI"/>
<xs:enumeration value="CW"/>
<xs:enumeration value="DK"/>
<xs:enumeration value="DE"/>
<xs:enumeration value="DG"/>
<xs:enumeration value="DM"/>
<xs:enumeration value="DO"/>
<xs:enumeration value="DJ"/>
<xs:enumeration value="EC"/>
<xs:enumeration value="SV"/>
<xs:enumeration value="ER"/>
<xs:enumeration value="EE"/>
<xs:enumeration value="CE"/>
<xs:enumeration value="EU"/>
<xs:enumeration value="FK"/>
<xs:enumeration value="FO"/>
<xs:enumeration value="FJ"/>
<xs:enumeration value="FI"/>
<xs:enumeration value="FR"/>
<xs:enumeration value="FX"/>
<xs:enumeration value="GF"/>
<xs:enumeration value="PF"/>

```

```

<xs:enumeration value="TF"/>
<xs:enumeration value="GA"/>
<xs:enumeration value="GM"/>
<xs:enumeration value="GE"/>
<xs:enumeration value="GH"/>
<xs:enumeration value="GI"/>
<xs:enumeration value="GD"/>
<xs:enumeration value="GR"/>
<xs:enumeration value="GL"/>
<xs:enumeration value="GP"/>
<xs:enumeration value="GU"/>
<xs:enumeration value="GT"/>
<xs:enumeration value="GG"/>
<xs:enumeration value="GN"/>
<xs:enumeration value="GW"/>
<xs:enumeration value="GY"/>
<xs:enumeration value="HT"/>
<xs:enumeration value="HM"/>
<xs:enumeration value="HN"/>
<xs:enumeration value="HK"/>
<xs:enumeration value="IN"/>
<xs:enumeration value="ID"/>
<xs:enumeration value="IM"/>
<xs:enumeration value="IQ"/>
<xs:enumeration value="IR"/>
<xs:enumeration value="IE"/>
<xs:enumeration value="IS"/>
<xs:enumeration value="IL"/>
<xs:enumeration value="IT"/>
<xs:enumeration value="JM"/>
<xs:enumeration value="JP"/>
<xs:enumeration value="YE"/>
<xs:enumeration value="JE"/>
<xs:enumeration value="JO"/>
<xs:enumeration value="YU"/>
<xs:enumeration value="KY"/>
<xs:enumeration value="KH"/>
<xs:enumeration value="CM"/>
<xs:enumeration value="CA"/>
<xs:enumeration value="IC"/>
<xs:enumeration value="CV"/>
<xs:enumeration value="KZ"/>
<xs:enumeration value="QA"/>
<xs:enumeration value="KE"/>
<xs:enumeration value="KG"/>
<xs:enumeration value="KI"/>
<xs:enumeration value="CC"/>
<xs:enumeration value="CO"/>
<xs:enumeration value="KM"/>
<xs:enumeration value="CD"/>
<xs:enumeration value="CG"/>
<xs:enumeration value="KP"/>
<xs:enumeration value="KR"/>
<xs:enumeration value="HR"/>
<xs:enumeration value="CU"/>

```

```

<xs:enumeration value="KW"/>
<xs:enumeration value="LA"/>
<xs:enumeration value="LS"/>
<xs:enumeration value="LV"/>
<xs:enumeration value="LB"/>
<xs:enumeration value="LR"/>
<xs:enumeration value="LY"/>
<xs:enumeration value="LI"/>
<xs:enumeration value="LT"/>
<xs:enumeration value="LU"/>
<xs:enumeration value="MO"/>
<xs:enumeration value="MG"/>
<xs:enumeration value="MW"/>
<xs:enumeration value="MY"/>
<xs:enumeration value="MV"/>
<xs:enumeration value="ML"/>
<xs:enumeration value="MT"/>
<xs:enumeration value="MA"/>
<xs:enumeration value="MH"/>
<xs:enumeration value="MQ"/>
<xs:enumeration value="MR"/>
<xs:enumeration value="MU"/>
<xs:enumeration value="YT"/>
<xs:enumeration value="MK"/>
<xs:enumeration value="MX"/>
<xs:enumeration value="FM"/>
<xs:enumeration value="MD"/>
<xs:enumeration value="MC"/>
<xs:enumeration value="MN"/>
<xs:enumeration value="ME"/>
<xs:enumeration value="MS"/>
<xs:enumeration value="MZ"/>
<xs:enumeration value="MM"/>
<xs:enumeration value="NA"/>
<xs:enumeration value="NR"/>
<xs:enumeration value="NP"/>
<xs:enumeration value="NC"/>
<xs:enumeration value="NZ"/>
<xs:enumeration value="NT"/>
<xs:enumeration value="NI"/>
<xs:enumeration value="NL"/>
<xs:enumeration value="AN"/>
<xs:enumeration value="NE"/>
<xs:enumeration value="NG"/>
<xs:enumeration value="NU"/>
<xs:enumeration value="MP"/>
<xs:enumeration value="NF"/>
<xs:enumeration value="NO"/>
<xs:enumeration value="OM"/>
<xs:enumeration value="AT"/>
<xs:enumeration value="TL"/>
<xs:enumeration value="PK"/>
<xs:enumeration value="PS"/>
<xs:enumeration value="PW"/>
<xs:enumeration value="PA"/>

```

```
<xs:enumeration value="PG"/>
<xs:enumeration value="PY"/>
<xs:enumeration value="PE"/>
<xs:enumeration value="PH"/>
<xs:enumeration value="PN"/>
<xs:enumeration value="PL"/>
<xs:enumeration value="PT"/>
<xs:enumeration value="PR"/>
<xs:enumeration value="RE"/>
<xs:enumeration value="RW"/>
<xs:enumeration value="RO"/>
<xs:enumeration value="RU"/>
<xs:enumeration value="SB"/>
<xs:enumeration value="BL"/>
<xs:enumeration value="MF"/>
<xs:enumeration value="ZM"/>
<xs:enumeration value="WS"/>
<xs:enumeration value="SM"/>
<xs:enumeration value="ST"/>
<xs:enumeration value="SA"/>
<xs:enumeration value="SE"/>
<xs:enumeration value="CH"/>
<xs:enumeration value="SN"/>
<xs:enumeration value="RS"/>
<xs:enumeration value="SC"/>
<xs:enumeration value="SL"/>
<xs:enumeration value="ZW"/>
<xs:enumeration value="SG"/>
<xs:enumeration value="SX"/>
<xs:enumeration value="SK"/>
<xs:enumeration value="SI"/>
<xs:enumeration value="SO"/>
<xs:enumeration value="ES"/>
<xs:enumeration value="LK"/>
<xs:enumeration value="SH"/>
<xs:enumeration value="KN"/>
<xs:enumeration value="LC"/>
<xs:enumeration value="PM"/>
<xs:enumeration value="VC"/>
<xs:enumeration value="ZA"/>
<xs:enumeration value="SD"/>
<xs:enumeration value="GS"/>
<xs:enumeration value="SS"/>
<xs:enumeration value="SR"/>
<xs:enumeration value="SJ"/>
<xs:enumeration value="SZ"/>
<xs:enumeration value="SY"/>
<xs:enumeration value="TJ"/>
<xs:enumeration value="TW"/>
<xs:enumeration value="TZ"/>
<xs:enumeration value="TH"/>
<xs:enumeration value="TG"/>
<xs:enumeration value="TK"/>
<xs:enumeration value="TO"/>
<xs:enumeration value="TT"/>
```



```
<xs:enumeration value="TA"/>
<xs:enumeration value="TD"/>
<xs:enumeration value="CZ"/>
<xs:enumeration value="TN"/>
<xs:enumeration value="TR"/>
<xs:enumeration value="TM"/>
<xs:enumeration value="TC"/>
<xs:enumeration value="TV"/>
<xs:enumeration value="SU"/>
<xs:enumeration value="UG"/>
<xs:enumeration value="UA"/>
<xs:enumeration value="HU"/>
<xs:enumeration value="UM"/>
<xs:enumeration value="UY"/>
<xs:enumeration value="UZ"/>
<xs:enumeration value="VU"/>
<xs:enumeration value="VA"/>
<xs:enumeration value="VE"/>
<xs:enumeration value="AE"/>
<xs:enumeration value="US"/>
<xs:enumeration value="GB"/>
<xs:enumeration value="VN"/>
<xs:enumeration value="WF"/>
<xs:enumeration value="CX"/>
<xs:enumeration value="EH"/>
<xs:enumeration value="ZR"/>
<xs:enumeration value="CF"/>
<xs:enumeration value="CY"/>
<xs:enumeration value="ZZ"/>
</xs:restriction>
</xs:simpleType>
```

simpleType **Currency\_CL**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base    Erlaubte_Zeichen		
used by	elements <a href="#">cCurrency</a> <a href="#">cCurrencyPro</a> <a href="#">cCurrencyUVP</a>		
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
	enumeration	EUR	
source	<xs:simpleType name="Currency_CL"> <xs:restriction base="Erlaubte_Zeichen"> <xs:enumeration value="EUR"/> </xs:restriction> </xs:simpleType>		

## simpleType **DateFormat**

type	restriction of <b>xs:string</b>
------	---------------------------------

properties	base xs:string						
used by	elements <a href="#">dConstructionFrom</a> <a href="#">dConstructionTo</a> <a href="#">dDiscontinuedStart</a> <a href="#">dValidityBegin</a> <a href="#">dValidityEnd</a>						
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>pattern</td><td>(((([0][1-9]) ([12][0-9]) (3[01]))((0[13578]) (1[02]))(19 20)[0-9]{2}) (((0[1-9]) ([12][0-9]) 30)(0[469] 11)(19 20)[0-9]{2}) (((0[1-9]) ([1][0-9] 2[0-8])02((19) (20)))[0-9]{2}) (((0[1-9]) ([12][0-9]) 02(2000 (19 20)(04 08 12 16 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96))))</td><td></td></tr></table>	Kind	Value	Annotation	pattern	(((([0][1-9]) ([12][0-9]) (3[01]))((0[13578]) (1[02]))(19 20)[0-9]{2}) (((0[1-9]) ([12][0-9]) 30)(0[469] 11)(19 20)[0-9]{2}) (((0[1-9]) ([1][0-9] 2[0-8])02((19) (20)))[0-9]{2}) (((0[1-9]) ([12][0-9]) 02(2000 (19 20)(04 08 12 16 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96))))	
Kind	Value	Annotation					
pattern	(((([0][1-9]) ([12][0-9]) (3[01]))((0[13578]) (1[02]))(19 20)[0-9]{2}) (((0[1-9]) ([12][0-9]) 30)(0[469] 11)(19 20)[0-9]{2}) (((0[1-9]) ([1][0-9] 2[0-8])02((19) (20)))[0-9]{2}) (((0[1-9]) ([12][0-9]) 02(2000 (19 20)(04 08 12 16 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96))))						
source	<pre>&lt;xs:simpleType name="DateFormat"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:pattern value="((([0][1-9]) ([12][0-9])      (3[01]))((0[13578]) (1[02]))(19 20)[0-9]{2})      ((([0][1-9]) ([12][0-9]) 30)(0[469] 11)(19 20)[0-9]{2})      ((([0][1-9]) ([1][0-9] 2[0-8])02((19) (20)))[0-9]{2})      ((([0][1-9]) ([12][0-9]) 02(2000 (19 20)(04 08 12 16 20 24 28 32 36 40 44 48 52 56 60 64 68 72 76 80 84 88 92 96))))"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>						

simpleType **Decimal\_15\_2**

type	restriction of <b>xs:decimal</b>		
properties	base    xs:decimal		
used by	elements	<a href="#">ArticlesType/ArticleRawmaterials/nMaterialPrice</a> <a href="#">nPrice</a> <a href="#">nPricePro</a> <a href="#">nPriceUVP</a>	
facets	Kind	Value	Annotation
	minInclusive	0.0	
	totalDigits	15	
	fractionDigits	2	
source	<pre>&lt;xs:simpleType name="Decimal_15_2"&gt;   &lt;xs:restriction base="xs:decimal"&gt;     &lt;xs:totalDigits value="15"/&gt;     &lt;xs:fractionDigits value="2"/&gt;     &lt;xs:minInclusive value="0.0"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **Decimal\_16\_3**

type	restriction of <b>xs:decimal</b>		
properties	base xs:decimal		
used by	elements <a href="#">nAmount</a> <a href="#">nCUpOU</a> <a href="#">nHeight</a> <a href="#">nLength</a> <a href="#">nMeasure</a> <a href="#">nMinOrder</a> <a href="#">nQuantity</a> <a href="#">nWeight</a> <a href="#">nWidth</a>		
facets	Kind	Value	Annotation
	minInclusive	0.001	
	totalDigits	16	
	fractionDigits	3	
source	<xs:simpleType name="Decimal_16_3"> <xs:restriction base="xs:decimal">		

	<pre> &lt;xs:totalDigits value="16"/&gt; &lt;xs:fractionDigits value="3"/&gt; &lt;xs:minInclusive value="0.001"/&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	--

simpleType **Decimal\_18\_4**

type	restriction of <b>xs:decimal</b>		
properties	base	xs:decimal	
used by	elements	<a href="#">nWeigthbase</a> <a href="#">nWeigthrate</a>	
facets	Kind	Value	Annotation
	minInclusive	0.0001	
	totalDigits	18	
	fractionDigits	4	
source	<pre> &lt;xs:simpleType name="Decimal_18_4"&gt;   &lt;xs:restriction base="xs:decimal"&gt;     &lt;xs:totalDigits value="18"/&gt;     &lt;xs:fractionDigits value="4"/&gt;     &lt;xs:minInclusive value="0.0001"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>		

simpleType **Discontinued\_CL**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	element	<a href="#">cDiscontinued</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; &#x25; &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > &#x40; [A-Z] \\^ _ [a-z] ü ä ö ß &#x00A7;)*	
	enumeration	Yes	
	enumeration	Yes-Successor	
	enumeration	No	
source	<pre> &lt;xs:simpleType name="Discontinued_CL"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:enumeration value="Yes"/&gt;     &lt;xs:enumeration value="Yes-Successor"/&gt;     &lt;xs:enumeration value="No"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>		

simpleType **Display\_CL**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	

used by	element <a href="#">cDisplayIn</a>		
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ [a-z] ü ö ä ö ß &#x00A7;)*	
	enumeration	3	
	enumeration	0	
	enumeration	1	
source			
	<pre>&lt;xs:simpleType name="Display_CL"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

## simpleType Doctype\_CL Document Article

type	restriction of <b>xs:string</b>		
properties	base    xs:string		
used by	element <a href="#">cDocumentType</a>		
facets	Kind	Value	Annotation
	enumeration	2D	
	enumeration	2F	
	enumeration	2S	
	enumeration	3C	
	enumeration	3A	
	enumeration	DB	
	enumeration	GG	
	enumeration	IS	
	enumeration	MA	
	enumeration	PA	
	enumeration	PP	
	enumeration	ZL	
	enumeration	SB	
	enumeration	SF	
	enumeration	PF	
	enumeration	TZ	
	enumeration	VI	
	enumeration	WA	
	enumeration	LE	
enumeration	EL		
enumeration	UP		
enumeration	WL		
enumeration	VM		

	enumeration VT enumeration EP enumeration BS enumeration EX enumeration KS enumeration CE enumeration VD enumeration SS enumeration PL enumeration NZ
source	<pre> &lt;xs:simpleType name="Doctype_CL_Document_Article"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="2D"/&gt;     &lt;xs:enumeration value="2F"/&gt;     &lt;xs:enumeration value="2S"/&gt;     &lt;xs:enumeration value="3C"/&gt;     &lt;xs:enumeration value="3A"/&gt;     &lt;xs:enumeration value="DB"/&gt;     &lt;xs:enumeration value="GG"/&gt;     &lt;xs:enumeration value="IS"/&gt;     &lt;xs:enumeration value="MA"/&gt;     &lt;xs:enumeration value="PA"/&gt;     &lt;xs:enumeration value="PP"/&gt;     &lt;xs:enumeration value="ZL"/&gt;     &lt;xs:enumeration value="SB"/&gt;     &lt;xs:enumeration value="SF"/&gt;     &lt;xs:enumeration value="PF"/&gt;     &lt;xs:enumeration value="TZ"/&gt;     &lt;xs:enumeration value="VI"/&gt;     &lt;xs:enumeration value="WA"/&gt;     &lt;xs:enumeration value="LE"/&gt;     &lt;xs:enumeration value="EL"/&gt;     &lt;xs:enumeration value="UP"/&gt;     &lt;xs:enumeration value="WL"/&gt;     &lt;xs:enumeration value="VM"/&gt;     &lt;xs:enumeration value="VT"/&gt;     &lt;xs:enumeration value="EP"/&gt;     &lt;xs:enumeration value="BS"/&gt;     &lt;xs:enumeration value="EX"/&gt;     &lt;xs:enumeration value="KS"/&gt;     &lt;xs:enumeration value="CE"/&gt;     &lt;xs:enumeration value="VD"/&gt;     &lt;xs:enumeration value="SS"/&gt;     &lt;xs:enumeration value="PL"/&gt;     &lt;xs:enumeration value="NZ"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>

simpleType **Doctype\_CL\_Document\_Groups**

type	restriction of <b>xs:string</b>
------	---------------------------------

properties	base	xs:string
used by	element	<a href="#">GroupDocumentType/cDocumentType</a>
facets	Kind	Value Annotation
	enumeration	2D
	enumeration	2F
	enumeration	2S
	enumeration	3C
	enumeration	3B
	enumeration	3A
	enumeration	AN
	enumeration	DB
	enumeration	GG
	enumeration	IS
	enumeration	MA
	enumeration	PA
	enumeration	PP
	enumeration	ZL
	enumeration	SB
	enumeration	SF
	enumeration	PF
	enumeration	TI
	enumeration	TZ
	enumeration	VI
	enumeration	WA
	enumeration	LE
	enumeration	NZ
source	<pre>&lt;xs:simpleType name="Doctype_CL_Document_Groups"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="2D"/&gt;     &lt;xs:enumeration value="2F"/&gt;     &lt;xs:enumeration value="2S"/&gt;     &lt;xs:enumeration value="3C"/&gt;     &lt;xs:enumeration value="3B"/&gt;     &lt;xs:enumeration value="3A"/&gt;     &lt;xs:enumeration value="AN"/&gt;     &lt;xs:enumeration value="DB"/&gt;     &lt;xs:enumeration value="GG"/&gt;     &lt;xs:enumeration value="IS"/&gt;     &lt;xs:enumeration value="MA"/&gt;     &lt;xs:enumeration value="PA"/&gt;     &lt;xs:enumeration value="PP"/&gt;     &lt;xs:enumeration value="ZL"/&gt;     &lt;xs:enumeration value="SB"/&gt;     &lt;xs:enumeration value="SF"/&gt;     &lt;xs:enumeration value="PF"/&gt;     &lt;xs:enumeration value="TI"/&gt;     &lt;xs:enumeration value="TZ"/&gt;     &lt;xs:enumeration value="VI"/&gt;     &lt;xs:enumeration value="WA"/&gt;</pre>	

	<pre> &lt;xs:enumeration value="LE"/&gt; &lt;xs:enumeration value="NZ"/&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	---

simpleType **Doctype\_CL\_Document\_HP**

type	restriction of <b>xs:string</b>		
properties	base	xs:string	
used by	element	<a href="#">HistoricProductsType/HistoricProductDocs/cDocumentType</a>	
facets	Kind	Value	Annotation
	enumeration	2D	
	enumeration	2F	
	enumeration	2S	
	enumeration	3C	
	enumeration	3B	
	enumeration	3A	
	enumeration	AN	
	enumeration	DB	
	enumeration	GG	
	enumeration	IS	
	enumeration	MA	
	enumeration	PA	
	enumeration	PP	
	enumeration	ZL	
	enumeration	SB	
	enumeration	SF	
	enumeration	PF	
	enumeration	TI	
	enumeration	TZ	
	enumeration	VI	
	enumeration	WA	
	enumeration	LE	
	enumeration	EL	
	enumeration	UP	
	enumeration	WL	
	enumeration	VP	
	enumeration	VM	
	enumeration	VT	
	enumeration	EP	
	enumeration	BS	
	enumeration	EX	
	enumeration	KS	
	enumeration	CE	
	enumeration	VD	

	enumeration SS enumeration PL enumeration NZ
source	<pre> &lt;xs:simpleType name="Doctype_CL_Document_HP"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="2D"/&gt;     &lt;xs:enumeration value="2F"/&gt;     &lt;xs:enumeration value="2S"/&gt;     &lt;xs:enumeration value="3C"/&gt;     &lt;xs:enumeration value="3B"/&gt;     &lt;xs:enumeration value="3A"/&gt;     &lt;xs:enumeration value="AN"/&gt;     &lt;xs:enumeration value="DB"/&gt;     &lt;xs:enumeration value="GG"/&gt;     &lt;xs:enumeration value="IS"/&gt;     &lt;xs:enumeration value="MA"/&gt;     &lt;xs:enumeration value="PA"/&gt;     &lt;xs:enumeration value="PP"/&gt;     &lt;xs:enumeration value="ZL"/&gt;     &lt;xs:enumeration value="SB"/&gt;     &lt;xs:enumeration value="SF"/&gt;     &lt;xs:enumeration value="PF"/&gt;     &lt;xs:enumeration value="TI"/&gt;     &lt;xs:enumeration value="TZ"/&gt;     &lt;xs:enumeration value="VI"/&gt;     &lt;xs:enumeration value="WA"/&gt;     &lt;xs:enumeration value="LE"/&gt;     &lt;xs:enumeration value="EL"/&gt;     &lt;xs:enumeration value="UP"/&gt;     &lt;xs:enumeration value="WL"/&gt;     &lt;xs:enumeration value="VP"/&gt;     &lt;xs:enumeration value="VM"/&gt;     &lt;xs:enumeration value="VT"/&gt;     &lt;xs:enumeration value="EP"/&gt;     &lt;xs:enumeration value="BS"/&gt;     &lt;xs:enumeration value="EX"/&gt;     &lt;xs:enumeration value="KS"/&gt;     &lt;xs:enumeration value="CE"/&gt;     &lt;xs:enumeration value="VD"/&gt;     &lt;xs:enumeration value="SS"/&gt;     &lt;xs:enumeration value="PL"/&gt;     &lt;xs:enumeration value="NZ"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>

simpleType **Doctype\_CL\_Picture**

type	restriction of <b>xs:string</b>
properties	base xs:string
used by	element <a href="#">cPictureType</a>
facets	Kind Value Annotation



	enumeration B_ enumeration S_ enumeration U_ enumeration V_ enumeration MI enumeration DT enumeration LO enumeration KB enumeration BF enumeration X_
source	<pre> &lt;xs:simpleType name="Doctype_CL_Picture"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="B_" /&gt;     &lt;xs:enumeration value="S_" /&gt;     &lt;xs:enumeration value="U_" /&gt;     &lt;xs:enumeration value="V_" /&gt;     &lt;xs:enumeration value="MI" /&gt;     &lt;xs:enumeration value="DT" /&gt;     &lt;xs:enumeration value="LO" /&gt;     &lt;xs:enumeration value="KB" /&gt;     &lt;xs:enumeration value="BF" /&gt;     &lt;xs:enumeration value="X_" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>

simpleType **Doctype\_CL\_Picture\_Groups**

type	restriction of <b>xs:string</b>		
properties	base	xs:string	
used by	element	<a href="#">GroupDocumentType/cPictureType</a>	
facets	Kind	Value	Annotation
	enumeration	B_	
	enumeration	S_	
	enumeration	U_	
	enumeration	V_	
	enumeration	MI	
	enumeration	DT	
	enumeration	LO	
	enumeration	X_	
source	<pre> &lt;xs:simpleType name="Doctype_CL_Picture_Groups"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="B_" /&gt;     &lt;xs:enumeration value="S_" /&gt;     &lt;xs:enumeration value="U_" /&gt;     &lt;xs:enumeration value="V_" /&gt;     &lt;xs:enumeration value="MI" /&gt;     &lt;xs:enumeration value="DT" /&gt;     &lt;xs:enumeration value="LO" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>		

	<pre> &lt;xs:enumeration value="X_"/&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	--

## simpleType Erlaubte\_Zeichen

type	restriction of <b>xs:string</b>		
properties	base	xs:string	
used by	simpleTypes	<a href="#">Articletype</a> <a href="#">Artikelnummer</a> <a href="#">Attributsystem</a> <a href="#">CL</a> <a href="#">Countries</a> <a href="#">Currency</a> <a href="#">CL</a> <a href="#">Discontinued</a> <a href="#">CL</a> <a href="#">Display</a> <a href="#">CL</a> <a href="#">Language</a> <a href="#">CL</a> <a href="#">PictureUse</a> <a href="#">PriceOnDemand</a> <a href="#">Type</a> <a href="#">Rawmaterial</a> <a href="#">CL</a> <a href="#">String 0 40</a> <a href="#">Type</a> <a href="#">String 1000</a> <a href="#">Type</a> <a href="#">String 100</a> <a href="#">Type</a> <a href="#">String 10</a> <a href="#">Type</a> <a href="#">String 14</a> <a href="#">Type</a> <a href="#">String 15</a> <a href="#">Type</a> <a href="#">String 20</a> <a href="#">Type</a> <a href="#">String 256</a> <a href="#">Type</a> <a href="#">String 2</a> <a href="#">Type</a> <a href="#">String 35</a> <a href="#">Type</a> <a href="#">String 3</a> <a href="#">Type</a> <a href="#">String 40</a> <a href="#">Type</a> <a href="#">String 4</a> <a href="#">Type</a> <a href="#">String 5</a> <a href="#">Type</a> <a href="#">String 80</a> <a href="#">Type</a> <a href="#">String 8</a> <a href="#">Type</a> <a href="#">TaxCode</a> <a href="#">CL</a> <a href="#">Verpackungsart</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*	
source	<xs:simpleType name="Erlaubte_Zeichen"> <xs:restriction base="xs:string"> <xs:pattern value="(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. / [0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*"/> </xs:restriction> </xs:simpleType>		

## simpleType Erlaubte\_Zeichen\_Extended

type	restriction of <b>xs:string</b>		
properties	base	xs:string	
used by	simpleTypes	<a href="#">String 10000 Extended Type</a> <a href="#">String 256 Extended Type</a> <a href="#">String 512 Extended Type</a> <a href="#">String 60 Extended Type</a>	
facets	Kind	Value	Annotation
	pattern	([&#x0020;-&#x007E;][&#x00A0;-&#x00FF;][&#x0100;-&#x017F;][&#x0370;-&#x03FF;][&#x0400;-&#x04FF;][&#x20A0;-&#x20CF;][&#x2000;-&#x206F;][&#x2300; &#x000A; &#x000D;][&#x2200;-&#x22FF;])*	
source	<pre>&lt;xs:simpleType name="Erlaubte_Zeichen_Extended"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:pattern value="([&amp;#x0020;-&amp;#x007E;]  [&amp;#x00A0;-&amp;#x00FF;]  [&amp;#x0100;-&amp;#x017F;]  [&amp;#x0370;-&amp;#x03FF;]  [&amp;#x0400;-&amp;#x04FF;]  [&amp;#x20A0;-&amp;#x20CF;]  [&amp;#x2000;-&amp;#x206F;]  &amp;#x2300; &amp;#x000A; &amp;#x000D;  [&amp;#x2200;-&amp;#x22FF;])*"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

## simpleType Int\_10\_Trennzeichen

type	restriction of <b>xs:integer</b>		
properties	base	xs:integer	

used by	element <a href="#">nDocOrder</a>		
facets	Kind	Value	Annotation
	minInclusive	1	
	maxInclusive	9999999999	
source	<pre>&lt;xs:simpleType name="Int_10_Trennzeichen"&gt;   &lt;xs:restriction base="xs:integer"&gt;     &lt;xs:minInclusive value="1"/&gt;     &lt;xs:maxInclusive value="9999999999"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **Int\_1\_99\_Type**

type	restriction of <b>xs:integer</b>									
properties	base <b>xs:integer</b>									
used by	element <a href="#">nShelfLife</a>									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minInclusive</td><td>1</td><td></td></tr><tr><td>maxInclusive</td><td>99</td><td></td></tr></table>	Kind	Value	Annotation	minInclusive	1		maxInclusive	99	
Kind	Value	Annotation								
minInclusive	1									
maxInclusive	99									
source	<pre>&lt;xs:simpleType name="Int_1_99_Type"&gt;   &lt;xs:restriction base="xs:integer"&gt;     &lt;xs:minInclusive value="1"/&gt;     &lt;xs:maxInclusive value="99"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>									

simpleType **Int\_2\_Trennzeichen**

type	restriction of <b>xs:integer</b>									
properties	base <b>xs:integer</b>									
used by	element <a href="#">nTextRow</a>									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minInclusive</td><td>1</td><td></td></tr><tr><td>maxInclusive</td><td>99</td><td></td></tr></table>	Kind	Value	Annotation	minInclusive	1		maxInclusive	99	
Kind	Value	Annotation								
minInclusive	1									
maxInclusive	99									
source	<pre>&lt;xs:simpleType name="Int_2_Trennzeichen"&gt;   &lt;xs:restriction base="xs:integer"&gt;     &lt;xs:minInclusive value="1"/&gt;     &lt;xs:maxInclusive value="99"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>									

simpleType **Int\_3\_Type**

type	restriction of <b>xs:integer</b>
properties	base xs:integer

used by	element <a href="#">nRow</a>						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>pattern</td><td>([0-9]{1,3})</td><td></td></tr></table>	Kind	Value	Annotation	pattern	([0-9]{1,3})	
Kind	Value	Annotation					
pattern	([0-9]{1,3})						
source	<pre>&lt;xs:simpleType name="Int_3_Type"&gt;   &lt;xs:restriction base="xs:integer"&gt;     &lt;xs:pattern value="([0-9]{1,3})"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>						

simpleType **Int\_8\_Trennzeichen**

type	restriction of <b>xs:integer</b>		
properties	base    xs:integer		
used by	elements <a href="#">nDeliveryTime</a> <a href="#">nPackageAmount</a> <a href="#">sWaregroupNumber</a>		
facets	Kind	Value	Annotation
	minInclusive	1	
	maxInclusive	99999999	
source	<pre>&lt;xs:simpleType name="Int_8_Trennzeichen"&gt;   &lt;xs:restriction base="xs:integer"&gt;     &lt;xs:minInclusive value="1"/&gt;     &lt;xs:maxInclusive value="99999999"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **Int\_9\_Trennzeichen**

type	restriction of <b>xs:integer</b>		
properties	base    xs:integer		
used by	elements	<a href="#">nPricebase</a> <a href="#">nPricebasePro</a> <a href="#">nPricebaseUVP</a>	
facets	Kind	Value	Annotation
	minInclusive	1	
	maxInclusive	999999999	
source	<pre>&lt;xs:simpleType name="Int_9_Trennzeichen"&gt;   &lt;xs:restriction base="xs:integer"&gt;     &lt;xs:minInclusive value="1"/&gt;     &lt;xs:maxInclusive value="999999999"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **Language\_CL**

type	restriction of <a href="#">Erlaubte Zeichen</a>
properties	base Erlaubte_Zeichen
used by	element <a href="#">cLanguage</a>

facets	Kind	Value	Annotation
	pattern	(\&#x20; \&#x21; \&#x22; \&#x23; \&#x24; %\&#x26; \&#x27; \\( \\) \\* \\+ , \&#x2D; \\. / [0-9] ;\&#x3C; = > \? \&#x40; [A-Z] \\^ _ '[a-z] ü ä ö ó ß \&#x00A7;)*	
	enumeration	zx	
	enumeration	aa	
	enumeration	ab	
	enumeration	af	
	enumeration	ak	
	enumeration	am	
	enumeration	ar	
	enumeration	an	
	enumeration	as	
	enumeration	av	
	enumeration	ae	
	enumeration	ay	
	enumeration	az	
	enumeration	ba	
	enumeration	bm	
	enumeration	be	
	enumeration	bn	
	enumeration	bi	
	enumeration	bo	
	enumeration	bs	
	enumeration	br	
	enumeration	bg	
	enumeration	ca	
	enumeration	cs	
	enumeration	ch	
	enumeration	ce	
	enumeration	cu	
	enumeration	cv	
	enumeration	kw	
	enumeration	co	
	enumeration	cr	
	enumeration	cy	
	enumeration	da	
	enumeration	de	
	enumeration	dv	
	enumeration	dz	
	enumeration	el	
	enumeration	en	
	enumeration	et	
	enumeration	eu	
	enumeration	ee	
	enumeration	fo	
	enumeration	fa	

enumeration	fj
enumeration	fi
enumeration	fr
enumeration	fy
enumeration	ff
enumeration	gd
enumeration	ga
enumeration	gl
enumeration	gv
enumeration	gn
enumeration	gu
enumeration	ht
enumeration	ha
enumeration	sh
enumeration	he
enumeration	hz
enumeration	hi
enumeration	ho
enumeration	hr
enumeration	hu
enumeration	hy
enumeration	ig
enumeration	ii
enumeration	iu
enumeration	id
enumeration	ik
enumeration	is
enumeration	it
enumeration	jv
enumeration	ja
enumeration	kl
enumeration	kn
enumeration	ks
enumeration	ka
enumeration	kr
enumeration	kk
enumeration	km
enumeration	ki
enumeration	rw
enumeration	ky
enumeration	kv
enumeration	kg
enumeration	ko
enumeration	kj
enumeration	ku
enumeration	lo

enumeration	la
enumeration	lv
enumeration	li
enumeration	ln
enumeration	lt
enumeration	lb
enumeration	lu
enumeration	lg
enumeration	mh
enumeration	ml
enumeration	mr
enumeration	mk
enumeration	mg
enumeration	mt
enumeration	mn
enumeration	mi
enumeration	ms
enumeration	my
enumeration	na
enumeration	nv
enumeration	nr
enumeration	nd
enumeration	ng
enumeration	ne
enumeration	nl
enumeration	nn
enumeration	nb
enumeration	no
enumeration	ny
enumeration	oc
enumeration	oj
enumeration	or
enumeration	om
enumeration	os
enumeration	pa
enumeration	pi
enumeration	pl
enumeration	pt
enumeration	ps
enumeration	qu
enumeration	rm
enumeration	ro
enumeration	rn
enumeration	ru
enumeration	sg
enumeration	sa

enumeration	si
enumeration	sk
enumeration	sl
enumeration	se
enumeration	sm
enumeration	sn
enumeration	sd
enumeration	so
enumeration	st
enumeration	es
enumeration	sq
enumeration	sc
enumeration	sr
enumeration	ss
enumeration	su
enumeration	sw
enumeration	sv
enumeration	ty
enumeration	ta
enumeration	tt
enumeration	te
enumeration	tg
enumeration	tl
enumeration	th
enumeration	ti
enumeration	to
enumeration	tn
enumeration	ts
enumeration	tk
enumeration	tr
enumeration	tw
enumeration	ug
enumeration	uk
enumeration	ur
enumeration	uz
enumeration	ve
enumeration	vi
enumeration	wa
enumeration	wo
enumeration	xh
enumeration	yi
enumeration	yo
enumeration	za
enumeration	zh
enumeration	zu
enumeration	bh



source	<pre> &lt;xs:simpleType name="Language_CL"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:enumeration value="zx"/&gt;     &lt;xs:enumeration value="aa"/&gt;     &lt;xs:enumeration value="ab"/&gt;     &lt;xs:enumeration value="af"/&gt;     &lt;xs:enumeration value="ak"/&gt;     &lt;xs:enumeration value="am"/&gt;     &lt;xs:enumeration value="ar"/&gt;     &lt;xs:enumeration value="an"/&gt;     &lt;xs:enumeration value="as"/&gt;     &lt;xs:enumeration value="av"/&gt;     &lt;xs:enumeration value="ae"/&gt;     &lt;xs:enumeration value="ay"/&gt;     &lt;xs:enumeration value="az"/&gt;     &lt;xs:enumeration value="ba"/&gt;     &lt;xs:enumeration value="bm"/&gt;     &lt;xs:enumeration value="be"/&gt;     &lt;xs:enumeration value="bn"/&gt;     &lt;xs:enumeration value="bi"/&gt;     &lt;xs:enumeration value="bo"/&gt;     &lt;xs:enumeration value="bs"/&gt;     &lt;xs:enumeration value="br"/&gt;     &lt;xs:enumeration value="bg"/&gt;     &lt;xs:enumeration value="ca"/&gt;     &lt;xs:enumeration value="cs"/&gt;     &lt;xs:enumeration value="ch"/&gt;     &lt;xs:enumeration value="ce"/&gt;     &lt;xs:enumeration value="cu"/&gt;     &lt;xs:enumeration value="cv"/&gt;     &lt;xs:enumeration value="kw"/&gt;     &lt;xs:enumeration value="co"/&gt;     &lt;xs:enumeration value="cr"/&gt;     &lt;xs:enumeration value="cy"/&gt;     &lt;xs:enumeration value="da"/&gt;     &lt;xs:enumeration value="de"/&gt;     &lt;xs:enumeration value="dv"/&gt;     &lt;xs:enumeration value="dz"/&gt;     &lt;xs:enumeration value="el"/&gt;     &lt;xs:enumeration value="en"/&gt;     &lt;xs:enumeration value="et"/&gt;     &lt;xs:enumeration value="eu"/&gt;     &lt;xs:enumeration value="ee"/&gt;     &lt;xs:enumeration value="fo"/&gt;     &lt;xs:enumeration value="fa"/&gt;     &lt;xs:enumeration value="fj"/&gt;     &lt;xs:enumeration value="fi"/&gt;     &lt;xs:enumeration value="fr"/&gt;     &lt;xs:enumeration value="fy"/&gt;     &lt;xs:enumeration value="ff"/&gt;     &lt;xs:enumeration value="gd"/&gt;     &lt;xs:enumeration value="ga"/&gt;     &lt;xs:enumeration value="gl"/&gt;     &lt;xs:enumeration value="gv"/&gt; </pre>
--------	--

```

<xs:enumeration value="gn"/>
<xs:enumeration value="gu"/>
<xs:enumeration value="ht"/>
<xs:enumeration value="ha"/>
<xs:enumeration value="sh"/>
<xs:enumeration value="he"/>
<xs:enumeration value="hz"/>
<xs:enumeration value="hi"/>
<xs:enumeration value="ho"/>
<xs:enumeration value="hr"/>
<xs:enumeration value="hu"/>
<xs:enumeration value="hy"/>
<xs:enumeration value="ig"/>
<xs:enumeration value="ii"/>
<xs:enumeration value="iu"/>
<xs:enumeration value="id"/>
<xs:enumeration value="ik"/>
<xs:enumeration value="is"/>
<xs:enumeration value="it"/>
<xs:enumeration value="jv"/>
<xs:enumeration value="ja"/>
<xs:enumeration value="kl"/>
<xs:enumeration value="kn"/>
<xs:enumeration value="ks"/>
<xs:enumeration value="ka"/>
<xs:enumeration value="kr"/>
<xs:enumeration value="kk"/>
<xs:enumeration value="km"/>
<xs:enumeration value="ki"/>
<xs:enumeration value="rw"/>
<xs:enumeration value="ky"/>
<xs:enumeration value="kv"/>
<xs:enumeration value="kg"/>
<xs:enumeration value="ko"/>
<xs:enumeration value="kj"/>
<xs:enumeration value="ku"/>
<xs:enumeration value="lo"/>
<xs:enumeration value="la"/>
<xs:enumeration value="lv"/>
<xs:enumeration value="li"/>
<xs:enumeration value="ln"/>
<xs:enumeration value="lt"/>
<xs:enumeration value="lb"/>
<xs:enumeration value="lu"/>
<xs:enumeration value="lg"/>
<xs:enumeration value="mh"/>
<xs:enumeration value="ml"/>
<xs:enumeration value="mr"/>
<xs:enumeration value="mk"/>
<xs:enumeration value="mg"/>
<xs:enumeration value="mt"/>
<xs:enumeration value="mn"/>
<xs:enumeration value="mi"/>
<xs:enumeration value="ms"/>
<xs:enumeration value="my"/>

```

```

<xs:enumeration value="na"/>
<xs:enumeration value="nv"/>
<xs:enumeration value="nr"/>
<xs:enumeration value="nd"/>
<xs:enumeration value="ng"/>
<xs:enumeration value="ne"/>
<xs:enumeration value="nl"/>
<xs:enumeration value="nn"/>
<xs:enumeration value="nb"/>
<xs:enumeration value="no"/>
<xs:enumeration value="ny"/>
<xs:enumeration value="oc"/>
<xs:enumeration value="oj"/>
<xs:enumeration value="or"/>
<xs:enumeration value="om"/>
<xs:enumeration value="os"/>
<xs:enumeration value="pa"/>
<xs:enumeration value="pi"/>
<xs:enumeration value="pl"/>
<xs:enumeration value="pt"/>
<xs:enumeration value="ps"/>
<xs:enumeration value="qu"/>
<xs:enumeration value="rm"/>
<xs:enumeration value="ro"/>
<xs:enumeration value="rn"/>
<xs:enumeration value="ru"/>
<xs:enumeration value="sg"/>
<xs:enumeration value="sa"/>
<xs:enumeration value="si"/>
<xs:enumeration value="sk"/>
<xs:enumeration value="sl"/>
<xs:enumeration value="se"/>
<xs:enumeration value="sm"/>
<xs:enumeration value="sn"/>
<xs:enumeration value="sd"/>
<xs:enumeration value="so"/>
<xs:enumeration value="st"/>
<xs:enumeration value="es"/>
<xs:enumeration value="sq"/>
<xs:enumeration value="sc"/>
<xs:enumeration value="sr"/>
<xs:enumeration value="ss"/>
<xs:enumeration value="su"/>
<xs:enumeration value="sw"/>
<xs:enumeration value="sv"/>
<xs:enumeration value="ty"/>
<xs:enumeration value="ta"/>
<xs:enumeration value="tt"/>
<xs:enumeration value="te"/>
<xs:enumeration value="tg"/>
<xs:enumeration value="tl"/>
<xs:enumeration value="th"/>
<xs:enumeration value="ti"/>
<xs:enumeration value="to"/>
<xs:enumeration value="tn"/>

```

	<pre> &lt;xs:enumeration value="ts"/&gt; &lt;xs:enumeration value="tk"/&gt; &lt;xs:enumeration value="tr"/&gt; &lt;xs:enumeration value="tw"/&gt; &lt;xs:enumeration value="ug"/&gt; &lt;xs:enumeration value="uk"/&gt; &lt;xs:enumeration value="ur"/&gt; &lt;xs:enumeration value="uz"/&gt; &lt;xs:enumeration value="ve"/&gt; &lt;xs:enumeration value="vi"/&gt; &lt;xs:enumeration value="wa"/&gt; &lt;xs:enumeration value="wo"/&gt; &lt;xs:enumeration value="xh"/&gt; &lt;xs:enumeration value="yi"/&gt; &lt;xs:enumeration value="yo"/&gt; &lt;xs:enumeration value="za"/&gt; &lt;xs:enumeration value="zh"/&gt; &lt;xs:enumeration value="zu"/&gt; &lt;xs:enumeration value="bh"/&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	--

simpleType **LengthUnit\_CL**

type	restriction of <b>xs:string</b>		
properties	base    xs:string		
used by	elements <a href="#">cHeightUnit</a> <a href="#">cLengthUnit</a> <a href="#">cWidthUnit</a>		
facets	Kind	Value	Annotation
	enumeration	KTM	
	enumeration	MTR	
	enumeration	MMT	
	enumeration	CMT	
source	<pre>&lt;xs:simpleType name="LengthUnit_CL"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="KTM"/&gt;     &lt;xs:enumeration value="MTR"/&gt;     &lt;xs:enumeration value="MMT"/&gt;     &lt;xs:enumeration value="CMT"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **Measuredeclaration\_CL**

type	restriction of <b>xs:string</b>		
properties	base    xs:string		
used by	element <a href="#">cMeasuredeclaration</a>		
facets	Kind enumeration	Value WD	Annotation

	enumeration DW enumeration VW enumeration DI enumeration FN enumeration AAI enumeration BW enumeration HT enumeration LN enumeration DP enumeration ABJ
source	<pre> &lt;xs:simpleType name="Measuredeclaration_CL"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="WD"/&gt;     &lt;xs:enumeration value="DW"/&gt;     &lt;xs:enumeration value="VW"/&gt;     &lt;xs:enumeration value="DI"/&gt;     &lt;xs:enumeration value="FN"/&gt;     &lt;xs:enumeration value="AAI"/&gt;     &lt;xs:enumeration value="BW"/&gt;     &lt;xs:enumeration value="HT"/&gt;     &lt;xs:enumeration value="LN"/&gt;     &lt;xs:enumeration value="DP"/&gt;     &lt;xs:enumeration value="ABJ"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>

simpleType **PictureUse**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base    Erlaubte_Zeichen		
used by	element	<a href="#">cPictureUse</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] : &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä ö Ö ß &#x00A7;)*	
	enumeration	Druck	
	enumeration	Web	
source	<pre>&lt;xs:simpleType name="PictureUse"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:enumeration value="Druck"/&gt;     &lt;xs:enumeration value="Web"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **PriceOnDemand\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>
properties	base Erlaubte_Zeichen

used by	element <a href="#">PriceOnDemand</a>		
facets	Kind	Value	Annotation
	pattern	([&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] : &#x3C; = > \\? &#x40; [A-Z] \\^ _ [a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
	enumeration	PAA	
source	<pre>&lt;xs:simpleType name="PriceOnDemand_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:enumeration value="PAA"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **Rawmaterial\_CL**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	element	<a href="#">cMaterial</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; &#x25; &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ [a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
	enumeration	AL	
	enumeration	PB	
	enumeration	CR	
	enumeration	AU	
	enumeration	CD	
	enumeration	CU	
	enumeration	MG	
	enumeration	MS	
	enumeration	NI	
	enumeration	PL	
	enumeration	AG	
	enumeration	W	
	enumeration	ZN	
	enumeration	SN	
	enumeration	MK	
source	<pre>&lt;xs:simpleType name="Rawmaterial_CL"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:enumeration value="AL"/&gt;     &lt;xs:enumeration value="PB"/&gt;     &lt;xs:enumeration value="CR"/&gt;     &lt;xs:enumeration value="AU"/&gt;     &lt;xs:enumeration value="CD"/&gt;     &lt;xs:enumeration value="CU"/&gt;     &lt;xs:enumeration value="MG"/&gt;     &lt;xs:enumeration value="MS"/&gt;     &lt;xs:enumeration value="NI"/&gt;     &lt;xs:enumeration value="PL"/&gt;     &lt;xs:enumeration value="AG"/&gt;     &lt;xs:enumeration value="W"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

	<pre> &lt;xs:enumeration value="ZN"/&gt; &lt;xs:enumeration value="SN"/&gt; &lt;xs:enumeration value="MK"/&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	--

simpleType **String\_0\_40\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	elements	<a href="#">sDimensiontext</a> <a href="#">LongtextType/Longtexts/sText</a>	
facets	Kind	Value	Annotation
	minLength	0	
	maxLength	40	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[ 0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*	
source	<pre>&lt;xs:simpleType name="String_0_40_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:minLength value="0"/&gt;     &lt;xs:maxLength value="40"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **String\_10000\_Extended\_Type**

type	restriction of <a href="#">Erlaubte Zeichen Extended</a>		
properties	base	Erlaubte_Zeichen_Extended	
used by	elements	<a href="#">sDescriptionLong</a> <a href="#">sDescriptionMarketing</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	10000	
	pattern	([&#x0020;-&#x007E;][&#x00A0;-&#x00FF;][&#x0100;-&#x017F;][&#x0370;-&#x03FF;][&#x0400;-&#x04FF;][&#x20A0;-&#x20CF;][&#x2000;-&#x206F;][&#x2300; &#x000A; &#x000D;][&#x2200;-&#x22FF;])*	
source	<xs:simpleType name="String_10000_Extended_Type"> <xs:restriction base="Erlaubte_Zeichen_Extended"> <xs:minLength value="1"/> <xs:maxLength value="10000"/> </xs:restriction> </xs:simpleType>		

simpleType **String\_1000\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	element	<a href="#">sMessageDescription</a>	

facets	Kind	Value	Annotation
	minLength	1	
	maxLength	1000	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä ö ö ß&#x00A7;)*	
source	<pre>&lt;xs:simpleType name="String_1000_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="1000"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **String\_100\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	element	<a href="#">sMessageName</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	100	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä ö ö ß&#x00A7;)*	
source	<pre>&lt;xs:simpleType name="String_100_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="100"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **String\_10\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base <a href="#">Erlaubte_Zeichen</a>		
used by	elements <a href="#">sPosition</a> <a href="#">sProductgroup</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	10	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*	
source	<pre>&lt;xs:simpleType name="String_10_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="10"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		



simpleType **String\_14\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base <a href="#">Erlaubte_Zeichen</a>		
used by	element <a href="#">sEan</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	14	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<pre>&lt;xs:simpleType name="String_14_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="14"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **String\_15\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	elements	<a href="#">sAccessory</a> <a href="#">sAlternate</a> <a href="#">sAssignedArticle</a> <a href="#">sHistoricProduct</a> <a href="#">sModelNumber</a> <a href="#">sSparepart</a> <a href="#">sSuccessor_1</a> <a href="#">sSuccessor_2</a> <a href="#">sSuccessor_3</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	15	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ [a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:simpleType name="String_15_Type"> <xs:restriction base="Erlaubte_Zeichen"> <xs:minLength value="1"/> <xs:maxLength value="15"/> </xs:restriction> </xs:simpleType>		

simpleType **String\_20\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	elements	<a href="#">HeaderType/sLUCIDNumber</a> <a href="#">sSupplierShortName</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	20	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ [a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<xs:simpleType name="String_20_Type"> <xs:restriction base="Erlaubte_Zeichen"> <xs:minLength value="1"/> </xs:restriction> </xs:simpleType>		

	<pre>&lt;xs:maxLength value="20"/&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
--	--

simpleType **String\_256\_Extended\_Type**

type	restriction of <a href="#">Erlaubte Zeichen_Extended</a>		
properties	base	Erlaubte_Zeichen_Extended	
used by	elements	<a href="#">sAttributevalue</a> <a href="#">sDescriptionShort</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	256	
	pattern	([&#x0020;-&#x007E;][&#x00A0;-&#x00FF;][&#x0100;-&#x017F;][&#x0370;-&#x03FF;][&#x0400;-&#x04FF;][&#x20A0;-&#x20CF;][&#x2000;-&#x206F;][&#x2300; &#x000A; &#x000D;][&#x2200;-&#x22FF;])*	
source	<xs:simpleType name="String_256_Extended_Type"> <xs:restriction base="Erlaubte_Zeichen_Extended"> <xs:minLength value="1"/> <xs:maxLength value="256"/> </xs:restriction> </xs:simpleType>		

simpleType **String\_256\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base <a href="#">Erlaubte_Zeichen</a>		
used by	elements <a href="#">sDocument</a> <a href="#">sUrl</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	256	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*	
source	<pre>&lt;xs:simpleType name="String_256_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="256"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **String\_2\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	element	<a href="#">sSupplierSynonym</a>	
facets	Kind	Value	Annotation
	minLength	1	

```
simpleType String_35_Type
```

```
simpleType String_3_Type
```

07.03.2023

simpleType **String\_40\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base    Erlaubte_Zeichen		
used by	elements	<a href="#">sDescription</a> <a href="#">sDocDescription</a> <a href="#">sShorttext1</a> <a href="#">sShorttext2</a> <a href="#">sText</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	40	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ [a-z] ü Û ä Ä ö Ö ß &#x00A7;)*	
source	<pre>&lt;xs:simpleType name="String_40_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="40"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **String\_4\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	element	<a href="#">sDiscountgroup</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	4	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ [a-z] ü Û ä Ä ö Ö ß&#x00A7;)*	
source	<pre>&lt;xs:simpleType name="String_4_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="4"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **String\_512\_Extended\_Type**

type	restriction of <a href="#">Erlaubte Zeichen Extended</a>		
properties	base	Erlaubte_Zeichen_Extended	
used by	element	<a href="#">sUsageNode</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	512	
	pattern	([&#x0020;-&#x007E;] &#x00A0;-&#x00FF;] &#x0100;-&#x017F;] &#x0370;-&#x03FF;] &#x0400;-&#x04FF;] &#x20A0;-&#x20CF;] &#x2000;-&#x206F;] &#x2300;-&#x230F;] &#x000A;-&#x000D;] &#x2200;-&#x22FF;])*	
source	<xs:simpleType name="String_512_Extended_Type"> <xs:restriction base="Erlaubte Zeichen Extended">		

	<pre> &lt;xs:minLength value="1"/&gt; &lt;xs:maxLength value="512"/&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	---

simpleType **String\_5\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base    Erlaubte_Zeichen		
used by	element <a href="#">sPricegroup</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	5	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*	
source	<pre>&lt;xs:simpleType name="String_5_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="5"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **String\_60\_Extended\_Type**

type	restriction of <a href="#">Erlaubte Zeichen Extended</a>		
properties	base	Erlaubte_Zeichen_Extended	
used by	elements	<a href="#">cAttributeunit</a> <a href="#">sAttributeclass</a> <a href="#">sAttributedescription</a> <a href="#">sAttributename</a> <a href="#">sAttributevalue2</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	60	
	pattern	([&#x0020;-&#x007E;][&#x00A0;-&#x00FF;][&#x0100;-&#x017F;][&#x0370;-&#x03FF;][&#x0400;-&#x04FF;][&#x20A0;-&#x20CF;][&#x2000;-&#x206F;][&#x2300; &#x000A; &#x000D;][&#x2200;-&#x22FF;])*	
source	<pre>&lt;xs:simpleType name="String_60_Extended_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen_Extended"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="60"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **String\_80\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	elements	<a href="#">HeaderType/sPackagingDisposalProvider</a> <a href="#">sSerie</a>	

facets	Kind	Value	Annotation
	minLength	1	
	maxLength	80	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä ö ö ß&#x00A7;)*	
source	<pre>&lt;xs:simpleType name="String_80_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="80"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **String\_8\_Type**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base Erlaubte_Zeichen		
used by	element <a href="#">sLongtext</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	8	
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü ä ö ö ß&#x00A7;)*	
source	<pre>&lt;xs:simpleType name="String_8_Type"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="8"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **Supplier\_ID**

type	restriction of <b>xs:string</b>		
properties	base	xs:string	
used by	element	<a href="#">sSupplierID</a>	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	13	
source	<pre>&lt;xs:simpleType name="Supplier_ID"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="13"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **TaxCode\_CL**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base <a href="#">Erlaubte_Zeichen</a>		
used by	element <a href="#">cTaxCode</a>		
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; % &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ [a-z] ü Ü ä Ä ö Ö ß &#x00A7;)*	
	enumeration	0	
	enumeration	1	
	enumeration	7	
	enumeration	8	
source	<pre>&lt;xs:simpleType name="TaxCode_CL"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="7"/&gt;     &lt;xs:enumeration value="8"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **Teststring\_Type**

type	restriction of <b>xs:string</b>		
properties	base <b>xs:string</b>		
used by	element <a href="#">sTeststring</a>		
facets	Kind	Value	Annotation
	enumeration	1234567890abcdefghijklmnopqrstuvwxyzüöäÜÖÄÜß®€	
source	<pre>&lt;xs:simpleType name="Teststring_Type"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="1234567890abcdefghijklmnopqrstuvwxyzüöäÜÖÄÜß®€"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		

simpleType **Unit\_CL**

type	restriction of <b>xs:string</b>		
properties	base <b>xs:string</b>		
used by	elements <a href="#">cContentunit</a> <a href="#">cMinOrderUnit</a> <a href="#">cPriceunit</a> <a href="#">cPriceunitPro</a> <a href="#">cPriceunitUVP</a> <a href="#">cUnit</a> <a href="#">cWeightbaseUnit</a> <a href="#">cWeightrateUnit</a>		
facets	Kind	Value	Annotation
	enumeration	DZN	
	enumeration	GRM	
	enumeration	HLT	
	enumeration	KGM	
	enumeration	KTM	
	enumeration	MTQ	

	enumeration CMQ enumeration LTR enumeration MTR enumeration MMT enumeration PR enumeration MTK enumeration CMK enumeration SET enumeration PCE enumeration TNE enumeration CMT
source	<pre> &lt;xs:simpleType name="Unit_CL"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="DZN"/&gt;     &lt;xs:enumeration value="GRM"/&gt;     &lt;xs:enumeration value="HLT"/&gt;     &lt;xs:enumeration value="KGM"/&gt;     &lt;xs:enumeration value="KTM"/&gt;     &lt;xs:enumeration value="MTQ"/&gt;     &lt;xs:enumeration value="CMQ"/&gt;     &lt;xs:enumeration value="LTR"/&gt;     &lt;xs:enumeration value="MTR"/&gt;     &lt;xs:enumeration value="MMT"/&gt;     &lt;xs:enumeration value="PR"/&gt;     &lt;xs:enumeration value="MTK"/&gt;     &lt;xs:enumeration value="CMK"/&gt;     &lt;xs:enumeration value="SET"/&gt;     &lt;xs:enumeration value="PCE"/&gt;     &lt;xs:enumeration value="TNE"/&gt;     &lt;xs:enumeration value="CMT"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>

simpleType **Verpackungsart**

type	restriction of <a href="#">Erlaubte Zeichen</a>		
properties	base	Erlaubte_Zeichen	
used by	element	<a href="#">cPackageKind</a>	
facets	Kind	Value	Annotation
	pattern	(&#x20; &#x21; &#x22; &#x23; &#x24; &#x26; &#x27; \\( \\) \\* \\+ , &#x2D; \\. /[0-9] &#x3C; = > \\? &#x40; [A-Z] \\^ _ '[a-z] ü Û ä ö ß &#x00A7;)*	
	enumeration	BB	
	enumeration	BG	
	enumeration	BH	
	enumeration	BK	
	enumeration	CF	
	enumeration	CG	
	enumeration	CH	



	enumeration CI enumeration CT enumeration PA enumeration PC enumeration PG enumeration PK enumeration PN enumeration PU enumeration RG enumeration SC enumeration HP enumeration TU enumeration BTL enumeration BX enumeration CO enumeration DY enumeration STG enumeration TRO enumeration PLA enumeration GEB enumeration PMS
source	<pre> &lt;xs:simpleType name="Verpackungsart"&gt;   &lt;xs:restriction base="Erlaubte_Zeichen"&gt;     &lt;xs:enumeration value="BB"/&gt;     &lt;xs:enumeration value="BG"/&gt;     &lt;xs:enumeration value="BH"/&gt;     &lt;xs:enumeration value="BK"/&gt;     &lt;xs:enumeration value="CF"/&gt;     &lt;xs:enumeration value="CG"/&gt;     &lt;xs:enumeration value="CH"/&gt;     &lt;xs:enumeration value="CI"/&gt;     &lt;xs:enumeration value="CT"/&gt;     &lt;xs:enumeration value="PA"/&gt;     &lt;xs:enumeration value="PC"/&gt;     &lt;xs:enumeration value="PG"/&gt;     &lt;xs:enumeration value="PK"/&gt;     &lt;xs:enumeration value="PN"/&gt;     &lt;xs:enumeration value="PU"/&gt;     &lt;xs:enumeration value="RG"/&gt;     &lt;xs:enumeration value="SC"/&gt;     &lt;xs:enumeration value="HP"/&gt;     &lt;xs:enumeration value="TU"/&gt;     &lt;xs:enumeration value="BTL"/&gt;     &lt;xs:enumeration value="BX"/&gt;     &lt;xs:enumeration value="CO"/&gt;     &lt;xs:enumeration value="DY"/&gt;     &lt;xs:enumeration value="STG"/&gt;     &lt;xs:enumeration value="TRO"/&gt;     &lt;xs:enumeration value="PLA"/&gt;     &lt;xs:enumeration value="GEB"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>

	<pre> &lt;xs:enumeration value="PMS"/&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	---

simpleType **WeightUnit\_CL**

type	restriction of <b>xs:string</b>		
properties	base    xs:string		
used by	element <a href="#">cWeightUnit</a>		
facets	Kind	Value	Annotation
	enumeration	GRM	
	enumeration	KGM	
	enumeration	TNE	
source	<pre>&lt;xs:simpleType name="WeightUnit_CL"&gt;   &lt;xs:restriction base="xs:string"&gt;     &lt;xs:enumeration value="GRM"/&gt;     &lt;xs:enumeration value="KGM"/&gt;     &lt;xs:enumeration value="TNE"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>		